HAVILAND CONSUMER PRODUCTS, INC SAFETY DATA SHEET



Section 1: Identification

Product Name: Proteam Calcium Up Product Code: C002735 Haviland Consumer Products, Inc. 421 Ann Street NW Grand Rapids, MI 49504 (616) 361-6691

Emergency Phone CHEMTREC (800) 424-9300 CHEMTREC International (703) 527-3887

Product Use: Swimming Pool Not recommended for: No data available

Section 2: Hazard(s) Identification

GHS Ratings:

Oral Toxicity	Acute Tox. 4	Oral>300+<=2000mg/kg
Skin corrosive	2	Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation
Eye corrosive	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5
Organ toxin single exposure	3	Transient target organ effects- Narcotic effects- Respiratory tract irritation
Organ toxin repeated exposure	2	Presumed to be harmful to human health- Animal studies with significant toxic effects relevant to humans at generally moderate exposure (guidance)- Human evidence in exceptional cases

GHS Hazards

H302	Harmful if swallowed	
H315	Causes skin irritation	
H318	Causes serious eye damage	
H336	May cause drowsiness or dizziness	
H373	May cause damage to organs through prolonged or repeated exposure	

GHS Precautions

P260	Do not breathe
	dust/fume/gas/mist/vapors/spray
P261	Avoid breathing
	dust/fume/gas/mist/vapors/spray
P264	Wash face, hands, and any exposed
	skin thoroughly after handling
P270	Do not eat, drink or smoke when using
	this product
P271	Use only outdoors or in a well-ventilated
	area
P280	Wear protective gloves/protective
	clothing/eye protection/face protection
P310	Immediately call a POISON CENTER or
	doctor/physician
P312	Call a POISON CENTER or
	doctor/physician if you feel unwell
P314	Get Medical advice/attention if you feel
	unwell
P321	Specific treatment (see first aid
	treatment on SDS)
P330	Rinse mouth

P362 P301+P312	Take off contaminated clothing and wash before reuse IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P302+P352 P304+P340	IF ON SKIN: Wash with soap and water IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P33 8	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P332+P313	If skin irritation occurs: Get medical advice/attention
P405	Store locked up
P403+P233	Store in a well ventilated place. Keep container tightly closed
P501	Dispose of contents/container in accordance with local/regional/national/international regulations

Danger



Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Trade Secret			
80 to 90%			
Potassium chloride			
7447-40-7			
1 to 5%			
Trade Secret			
1 to 5%			

Section 4: First-aid Measures

Inhalation

Fresh air should alleviate any respiratory discomfort. If breathing difficulties develop or persist,

get medical attention.

Eye Contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

 $\label{eq:continue_flushing} \mbox{ for at least}$

15 minutes. If effects occur, consult a physician, preferably an ophthalmologist . May cause injury

due to mechanical

action.

Skin Contact

Flush with water for at least 15 minutes while removing contaminated clothing. If irritation persists, get medical attention.

Ingestion

If swallowed, do not induce vomiting. Give one cup (8 ounces or 240 ml) of water or milk if

Section 5: Fire-fighting Measures Flash Point: N/A LEL: UEL: **Extinguishing Media** Use media suitable for the surrounding fires. Specific Hazards Arising from the Chemical The product itself does not burn. When calcium chloride is being dissolved in water, large amounts of heat develop. Special Protective Equipment and Precautions for Firefighters Keep unnecessary people away, isolate hazard area and deny entry. This material does not burn. Fight fire for other material that is burning. Water should be applied in large quantities as fine spray . Wear NIOSH approved positivepressure self-contained breathing apparatus operated in pressure demand mode. Wear protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. Section 6: Accidental Release Measures Wear appropriate protective equipment and clothing during clean up. Sweep spill and transfer material into appropriate

container(s) for disposal.

Section 7: Handling and Storage

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Heat developed during diluting or dissolving

is very high. Use cool water when diluting or dissolving (temperature less than $80^{\circ}F$, $27^{\circ}C$). Avoid contact with eyes,

skin, and clothing. Wash thoroughly after handling. Keep container tichtly closed when not in use.

Conditions for safe storage, including any incompatibilities

Keep container closed. Store in a dry place. Protect from atmospheric moisture.

Section 8: Exposure Control/Personal Protection			
Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Trade Secret N/A			
Potassium chloride 7447-40-7			
Trade Secret N/A			

Engineering Controls

Use local exhaust ventilation, or other engineering controls to maintain airborne levels below

exposure limit requirements

or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be

sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Eye Protection

Wear safety glasses with side-shields. For dusty operations or when handling solutions of the material, wear chemical goggles.

Respiratory Protection

If ventilation is not sufficient to effectively prevent buildup of dust, appropriate NIOSH/MSHA particulate respirator must be provided.

Skin and Body Protection

Wear chemical resistant gloves, footwear, and protective clothing appropriate for the risk exposure .

Section 9: Physical and Chemical Properties

Evaporation rate: Unknown

Explosive Limits: Unknown

Autoignition temperature: Unknown

Viscosity: Unknown

Appearance: White flakes

Vapor Pressure: Negligible at ambient temperature

Vapor Density: Unknown

Density: Unknown

Freezing point: Unknown

Boiling range: Unknown

Flammability: Unknown Specific Gravity Unknown Decomposition temperature: Unknown Grams VOC less water: Unknown Odor: Odorless Odor threshold: Unknown

> pH: Unknown Melting point: 260°C (500°F) Solubility: readily soluble Flash point: Unknown

Section 10: Stability and Reactivity

Stability

STABLE

Incompatibile Materials

Heat is generated when mixed with water. Spattering and boiling can occur. Avoid contact with: Sulfuric acid. Corrosive when wet. Flammable hydrogen may be generated from contact with metals such as: Zinc. Sodium.Reaction of bromide impurity with oxidizing materials may generate trace levels of impurities such as bromate.

Conditions to Avoid

Avoid conditions of moisture. Hazardous Decomposition Products Does not decompose

Hazardous polymerization will not occur.

Section 11: Toxicology Information

Mixture Toxicity Oral Toxicity LD50: 1,155mg/kg Dermal Toxicity LD50: 3,094mg/kg

Routes of Entry

Effects of Overexposure

Acute Toxicity					
, , , , , , , , , , , , , , , , , , , ,	Inhalation: Dust may cause irritation to upper respiratory tract (nose and throat). Skin contact: Brief contact is essentially nonirritating to skin. Prolonged contact may cause skin				
irritation, even a	miniating to skin. Prolonged contact may ca				
burn. Not classified as corrosive to the skir	n according to DOT guidelines. May cause m	nore severe			
response if skin					
response	e if skin is abraded (scratched or cut). May c	ause more severe			
on covered skin (under clothing, gloves).					
	ve irritation, mechanical injury only. Dust form	nation			
should be avoided, as dust can cause seve	ere eye irritation with corneal injury. amounts swallowed incidentally as a result c	of			
normal handling	amounts swallowed moldentally as a result of				
	owever, swallowing larger amounts may caus	se injury .			
Swallowing may					
result in gastrointestinal irritation or ulcerat Chronic Effects	JOIT.				
For the minor component(s): Potassium ch	loride - In animals, effects have been reporte	ed on the			
following organs after					
times higher than	Kidney. Dose levels producing these effect	s were many			
5	due to use. Medical experience with sodium of	chloride has			
shown a strong					
association between elevated blood press could occur in the	sure and prolonged dietary overuse. Related	effects			
kidneys.					
Carcinogenicity	en by NTP IARC or OSHA				
CAS Number Description % Weight Carcinogen Rating					
<u> </u>		<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	<u></u>		
Section 12: Ecological Information					
Component Ecotoxicity					
Trade Secret	et 96 Hr LC50 Lepomis macrochirus: 10650 mg/L [static]				
	48 Hr LC50 Daphnia magn	a: 2400 mg/L			
Potassium chloride	96 Hr LC50 Lepomis macro	ochirus: 1060 mg/l	L [static]; 96 Hr LC50 Pimephales		
	promelas: 750 - 1020 mg/L	-	-		
	48 Hr EC50 Daphnia magr	na: 825 mg/L; 48 H	Ir EC50 Daphnia magna: 83 mg/L		
	[Static]				
	72 Hr EC50 Desmodesmus	s subspicatus: 250	00 mg/L		
Trade Secret	96 Hr LC50 Lepomis macro	ochirus: 5560 - 608	80 mg/L [flow-through]; 96 Hr LC50		

Lepomis macrochirus: 12946 mg/L [static]; 96 Hr LC50 Pimephales promelas:

6020 - 7070 mg/L [static]; 96 Hr LC50 Pimephales promelas: 7050 mg/L [semistatic]; 96 Hr LC50 Pimephales promelas: 6420 - 6700 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 4747 - 7824 mg/L [flow-through] 48 Hr EC50 Daphnia magna: 1000 mg/L; 48 Hr EC50 Daphnia magna: 340.7 -469.2 mg/L [Static]

Section 13: Disposal Considerations

Dispose of in accordance with all Federal, State and local regulations

Section 14: Transportation Informations

Refer to bill of lading or container label for DOT or other transportation hazard classification, if any.

Section 15: Regulatory Information

Country

Reviewer Revision

Section 16: Other Information

Date Prepared: 7/22/2015

Disclaimer

The information herein is believed to be correct, but does not claim to be all inclusive and should be

used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes

any liability whatsoever for the accuracy or completeness of the information contained herein. Final

determination of suitability of any material is the sole responsibility of the user. All chemical reagents

must be handled with the recognition that their chemical, physiological, toxicological, and hazardous

properties have not been fully investigated or determined. All chemical reagents should be handled only

by individuals who are familiar with their potential hazards and who have been fully trained in proper

safety, laboratory, and chemical handling procedures. Although certain hazards are described herein,

we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by

qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety

precautions including the use of appropriate protective equipment (e.g. protective goggles, protective

clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.