


Concrete Pave Stones

Plaza Stone Series



PAVESTONE®

IMPROVING
YOUR
LANDSCAPE™

Plaza Stone Series

Plaza Stone is a timeless paving stone with an impressionistic embossed surface profile. It creates a gentle and warm effect by combining the soft curved edges of the rectangular and square stones. Plaza Stone is available in many colors and in standard or Heritage™ Series (tumbled) finish to accommodate the most discriminating tastes and desires. Plaza Stone uses large-scale patterns to create interest and drama to commercial landscaping, while the stone's texture and pattern harmonize with surrounding buildings and site furnishings.

COMPOSITION AND MANUFACTURE

Plaza Stone is made from a “no slump” concrete mix. Made under extreme pressure and high frequency vibrations, Plaza Stone has a compressive strength greater than 8000psi, a water absorption maximum of 5% and will meet or exceed ASTM C-936 and freeze-thaw testing per Section 8 of ASTM C-67. Heritage™ Series may not comply with ASTM C-67 freeze-thaw durability.


INSTALLATION

1. Excavate unsuitable, unstable or unconsolidated subgrade material and compact the area which has been cleared. Backfill and level with dense graded aggregate suitable for base material (typically 4 in. to 8 in. (101mm to 202mm) of compacted base for light vehicular and pedestrian traffic) or as otherwise directed by Site Engineer/ Architect/ Landscape Architect.
2. Place bedding course of washed sand conforming to the grading requirements of ASTM C-33 to a uniform depth of 1-1¹/₂ in. (25-38mm) screeded to the grade and profile required.
3. Install Plaza Stone with joints approximately 1¹/₈ in. (3mm).
4. Where required, cut pave stones with an approved cutting device to fit accurately, neatly and without damaged edges.
5. Tamp pave stones with a plate compactor, uniformly level, true to grade and free of movement.
6. Spread sand to 1¹/₈ in. (3mm) thickness over entire paving area. Heritage™ Series may require joint sand stabilization.
7. Make one more pass with plate compactor to fill joints with sand.


Complete installation & specification details are available by contacting your Pavestone Sales Representative.

Note: Colors are shown as accurately as possible in brochures & samples, but due to the nature of the product, regional color differences and variables in print reproduction, colors may not match exactly. For best results in maintaining color consistency, pavers must be installed from several cubes at a time. Efflorescence, a whitish, powder-like deposit, may appear on concrete pavers. This is a natural occurrence in any concrete product and will usually wear off over time.


INSTALLATION PATTERNS




Plaza I Runner Bond




Plaza I Muster "K"




Plaza III Fan




Plaza II Runner Bond



Plaza I & II Random





Plaza I, II & Giant Random




Plaza IV Circle



Typical Cross Section of Concrete Pave Stone Installation






APPLICATIONS

General Road Construction • Parking Lots • Driveways • Patios • Bridge Underpasses • Entrance Areas • Flooring in Stables
Sidewalks • Terraces • Garden Pathways • Pool Decks • Pedestrian Malls • Roof Gardens


PRODUCT INFORMATION

Plaza Stone is available in eight (8) sizes. Height/Thickness 60mm = 2 3/8", 80mm = 3 1/8"
Available in standard and Heritage™ tumbled finishes.




Plaza Stone Large Rectangles Only

Nominal Dimensions	5 7/16" W x 8 3/16" L	138mm x 208mm
Height/Thickness	2 3/8" = 60mm	3 1/8" = 80mm
Wt./Stone	8.866 lbs.	11.48 lbs.
Stones/Sq.Ft.	3.2	3.2
Stones/Pallet	300	240
Approx. Wt./Pallet	2,660 lbs.	2,736 lbs.
Sq. Ft./Pallet	95	76
Product Number	606	607




Plaza Stone Squares Only

Nominal Dimensions	5 7/16" W x 5 7/16" L	138mm x 138mm
Height/Thickness	2 3/8" = 60mm	3 1/8" = 80mm
Wt./Stone	6 lbs.	7.4 lbs.
Stones/Sq.Ft.	4.8	4.8
Stones/Pallet	480	384
Approx. Wt./Pallet	2,800 lbs.	2,880 lbs.
Sq. Ft./Pallet	100	80
Product Number	646	648



Plaza I Stone Large Rec. & Squares Bundled Together

Nominal Dimensions	Square: 5 7/16" W x 5 7/16" L 138mm x 138mm
Large Rec:	5 7/16" W x 8 3/16" L 138mm x 208mm
Height/Thickness	2 3/8" = 60mm
Stones/Pallet	240 Sq. 180 Rec.
Approx. Wt./Pallet	3,080 lbs.
Sq. Ft./Pallet	110
Product Number	616



Plaza II Stone Med. Rec. & Sm. Rec. Bundled Together

Nominal Dimensions	Med. Rec: 4 1/16" W x 5 7/16" L 103mm x 138mm
Sm. Rec:	2 11/16" W x 5 7/16" L 68mm x 138mm
Height/Thickness	2 3/8" = 60mm
Stones/Pallet	80 Sm. Rec. 560 Med. Rec.
Approx. Wt./Pallet	2,800 lbs.
Sq. Ft./Pallet	100
Product Number	626




Plaza III Stone Fan Pack (Bundled Together) Center Rec, Lg. Center Wedge, Left Wedge, Right Wedge

Nominal Dimensions	(A) Center Rec: 2 11/16" W x 5 1/2" L 68mm x 138mm	(B) Lg. Center Wedge: 6 1/4" W x 5 1/2" L 157mm x 138mm
(C) Left Wedge:	3 1/16" W x 5 1/2" L 77.5mm x 138mm	(D) Right Wedge: 3 1/16" W x 5 1/2" L 77.5mm x 138mm
Height/Thickness	2 3/8" = 60mm	
Stones/Pallet	300 Center Rec. (A) 120 Left Wedge (C)	300 Lg. Center Wedge (B) 120 Right Wedge (D)
Approx. Wt./Pallet	2,856 lbs.	
Sq. Ft./Pallet	102	
Product Number	636	




Giant Plaza Stone

Nominal Dimensions	8 3/16" W x 10 15/16" L 208mm x 278mm
Height/Thickness	2 3/8" = 60mm
Wt./Stone	17.41 lbs.
Stones/Sq. Ft.	1.6
Stones/Pallet	160
Approx. Wt./Pallet	2,828 lbs.
Sq. Ft./Pallet	101
Product Number	649



Plaza Stone Parkway™ Lg. Rectangles Only

Nominal Dimensions	5 7/16" W x 8 3/16" L 138mm x 208mm
Height/Thickness	2 3/8" = 60mm
Wt./Stone	8.866 lbs.
Stones/Sq.Ft.	3.2
Stones/Pallet	300
Approx. Wt./Pallet	2,660 lbs.
Sq. Ft./Pallet	95
Product Number	606F T



Plaza Stone Parkway™ Squares Only

Nominal Dimensions	5 7/16" W x 5 7/16" L 138mm x 138mm
Height/Thickness	2 3/8" = 60mm
Wt./Stone	6 lbs.
Stones/Sq.Ft.	4.8
Stones/Pallet	480
Approx. Wt./Pallet	2,800 lbs.
Sq. Ft./Pallet	100
Product Number	646F T



Plaza IV Stone Circle Pack (Bundled Together)

Center, Lg Cir. Wedge, Sm Cir. Wedge, Small Cir. Rec., Large Cir. Rec.

Nominal Dimensions	(A) Center: 2 11/16" W x 5 1/2" L 68mm x 138mm	(D) Sm. Cir. Rec: 2 11/16" W x 5 1/2" L 68mm x 138mm
(B) Lg. Cir. Wedge	6 1/16" W x 5 1/2" L 157mm x 138mm	(E) Lg. Cir. Rec: 4 1/8" W x 5 1/2" L 103mm x 138mm
(C) Sm. Cir. Wedge:	4 9/16" W x 5 1/2" L 114.7mm x 138mm	
Height/Thickness	2 3/8" = 60mm	
Stones/Pallet	10 Center Stone (A) 10 Sm. Cir. Rec. (D)	20 Lg. Cir. Wedge(B) 220 Lg. Cir. Rec. (E)
Approx. Wt./Pallet	2,352 lbs.	280 Sm. Cir. Wedge (C)
Sq. Ft./Pallet	84	
Product Number	637	

*Fractional dimensions are nominal.

Plaza Stone Heritage™ Series is sold on pallets or in bags. There is approximately the same square feet/pallet in each bagged product after tumbling. Packaging may vary from plant to plant. Contact your Pavestone Company manufacturer for packaging details.



PAVESTONE®
 Improving Your Landscape™
www.pavestone.com

- Atlanta, GA: (770) 306-9691
- Austin/San Antonio, TX: (512) 558-7283
- Boston, MA: (508) 947-6001
- Cartersville, GA: (770) 607-3345
- Charlotte, NC: (704) 588-4747
- Cincinnati, OH: (513) 474-3783
- Colorado Springs, CO: (719) 322-0101
- Dallas/Ft. Worth, TX: (817) 481-5802
- Denver, CO: (303) 287-3700
- Hagerstown, MD: (240) 420-3780

- Houston, TX: (281) 391-7283
- Kansas City, MO: (816) 524-9900
- Las Vegas, NV: (702) 221-2700
- New Orleans, LA: (985) 882-9111
- Phoenix, AZ: (602) 257-4588
- Sacramento/Winters, CA: (530) 795-4400
- St. Louis/Cape Girardeau, MO: (573) 332-8312

© 2007 by Pavestone Company. All Rights Reserved. **PAVESTONE®**
 Improving Your Landscape™, Provincial™ Series and Heritage™ Series
 are trademarks of the Pavestone Company.

Member of ASLA and NCMA




ICPI Charter Member




Retaining Wall Systems

SKU# CM 053v8 12/06


Plaza Stone 606 Installation Patterns




HERRINGBONE (2)



MUSTER K (4)




RUNNER BOND (7)




STACK (8)


Plaza Stone 606 Installation Patterns




6X9 (25%), 6X6 (25%), 4X6 & 3X6 (35%), &
9X11 (15%) RANDOM (27)



6X9 (35%), 6X6 (23%), & 9X11 (42%)
RANDOM (28)




TWO STONE COMBO RUNNER BOND (29)




RANDOM RECTANGLE AND SQUARE (30)


Plaza Stone 606 Installation Patterns



6X9, 6X6, 4X6, & 3X6 PLAZA RANDOM (31)



6X9, 6X6, 4X6, 3X6, & 9X11
PLAZA RANDOM (32)



TWO STONE COMBO STACK (57)

PAVESTONE®
CREATING BEAUTIFUL LANDSCAPES™