

SAFETY DATA SHEET

REGAL® POOL CARE SYSTEM pH PLUS

SDS No.: R31512R

SDS Revision Date: 06-May-2015

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufactured For and Registered By:	Alliance Trading, Inc. 109 Northpark Boulevard, 4 th Floor Covington, LA 70433
Supplier Identification:	Occidental Chemical Corporation 5005 LBJ Freeway P.O. Box 809050 Dallas, TX 75380-9050 1-800-752-5151
24 Hour Emergency Telephone Number:	1-800-733-3665 or 1-972-404-3228 (USA); CHEMTREC (within USA and Canada): 1-800-424-9300; CHEMTREC (outside USA and Canada): +1 703-527-3887; CHEMTREC Contract No: CCN16186
Emergency Medical:	1-800-255-3924
OxyChem® Customer Service:	1-800-752-5151 or 1-972-404-3700
Product Identifier:	REGAL® POOL CARE SYSTEM pH PLUS
Synonyms:	Sodium carbonate; Soda ash; Soda calcined; Disodium carbonate; Crystal carbonate
Product Use:	pH adjustment of pools.
Uses Advised Against:	None identified.

REGAL® POOL CARE SYSTEM pH PLUS

SDS No.: R31512R

SDS Revision Date: 06-May-2015

2. HAZARDS IDENTIFICATION

OSHA REGULATORY STATUS: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

EMERGENCY OVERVIEW:

Color: White
Appearance: Granules, Powder
Odor: Odorless

Signal Word: **WARNING**

MAJOR HEALTH HAZARDS: CAUSES SERIOUS EYE IRRITATION.

PRECAUTIONARY STATEMENTS: Do not get in eyes. Wear eye and face protection. Wash thoroughly after handling.

ADDITIONAL HAZARD INFORMATION: Good hygiene and safety practices should be used when handling and working with this material. Good hygiene practices include but are not limited to: wearing suitable gloves and/or eye protection; washing hands and affected skin immediately after handling, before breaks, and at the end of the workday; regularly cleaning work area and clothing; etc.

GHS CLASSIFICATION:

GHS: CONTACT HAZARD - EYE:	Category 2A - Causes serious eye irritation
GHS: ACUTE TOXICITY - INHALATION:	Not classified as acutely toxic by inhalation exposure per OSHA-GHS criteria
GHS: ACUTE TOXICITY - ORAL:	Not classified as acutely toxic by oral exposure per OSHA-GHS criteria.
GHS: ACUTE TOXICITY - DERMAL:	Not classified as acutely toxic by dermal exposure per OSHA-GHS criteria.
GHS: CARCINOGENICITY:	Not classified as a carcinogen per GHS criteria. This product is not classified as a carcinogen by NTP, IARC or OSHA.

UNKNOWN ACUTE TOXICITY: Not applicable. There is acute oral, dermal and inhalation toxicity data available for this product.

GHS SYMBOL: Exclamation mark

REGAL® POOL CARE SYSTEM pH PLUS

SDS No.: R31512R

SDS Revision Date: 06-May-2015



GHS SIGNAL WORD: **WARNING**

GHS HAZARD STATEMENTS:

GHS - Health Hazard Statement(s)

Causes serious eye irritation

GHS - Precautionary Statement(s) - Prevention

Wear eye and face protection

Wash thoroughly after handling

GHS - Precautionary Statement(s) - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

GHS - Precautionary Statement(s) - Storage

There are no Precautionary Statement(s) - Storage phrases assigned

GHS - Precautionary Statement(s) - Disposal

Dispose of contents and container in accordance with applicable local, regional, national, and/or international regulations.

Hazards Not Otherwise Classified (HNOC)

None Known

See Section 11: TOXICOLOGICAL INFORMATION

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms: SODA ASH, SODA CALCINED, Disodium carbonate, SODA SALT, CRYSTAL CARBONATE

Component	Percent [%]	CAS Number
Sodium Carbonate	99.8	497-19-8

REGAL® POOL CARE SYSTEM pH PLUS

SDS No.: R31512R

SDS Revision Date: 06-May-2015

4. FIRST AID MEASURES

INHALATION: If inhaled and adverse effects occur, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a Poison Center or seek medical attention if you feel unwell.

SKIN CONTACT: Brush off excess material. Flush contaminated areas with plenty of water. If skin irritation occurs, get medical advice/attention.

EYE CONTACT: If in eyes, immediately rinse eyes cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or Poison Control Centre immediately.

INGESTION: If swallowed: Rinse mouth. Do NOT induce vomiting. Contact a Poison Center, or a doctor/physician, or get medical attention if you feel unwell.

Most Important Symptoms/Effects (Acute and Delayed) When in solution, this material may be corrosive to any tissue it comes in contact with. Depending on the exposure, it can cause serious burns and extensive tissue destruction.

Acute Symptoms/Effects: Listed below.

Inhalation (Breathing): Respiratory System Effects: May cause minor upper airway irritation, may cause cough, redness of mouth and upper airways, wheezing and shortness of breath.

Skin: Skin Irritation: Exposure to skin may cause slight skin redness, irritation. Prolonged contact and occlusion may cause more severe symptoms.

Eye: Eye Irritation. May cause serious eye irritation. May cause eye burns. May cause watering, redness, and irritation to the eye lids, conjunctiva, and cornea. Severe burns may cause corneal perforation.

Ingestion (Swallowing): Gastrointestinal System Effects: Ingesting this material may cause gastrointestinal (GI) tract irritation and burns. Symptoms may include nausea, vomiting, abdominal pain, gastritis.

Delayed Symptoms/Effects:

- No delayed / chronic effects have been identified

Interaction with Other Chemicals Which Enhance Toxicity: None known.

Medical Conditions Aggravated by Exposure: May aggravate preexisting conditions such as: eye disorders that decrease tear production or have reduced integrity of the eye; skin disorders that compromise the integrity of the skin; and respiratory conditions including asthma and other breathing disorders.

Protection of First-Aiders: Avoid contact with skin and eyes. Do not breathe dust. Do not ingest. Use personal protective equipment. Refer to Section 8 for specific personal protective equipment recommendations. At minimum, treating personnel should utilize PPE sufficient for prevention of bloodborne pathogen transmission.

Notes to Physician: This solid forms a solution with an alkaline pH, which may be corrosive to all contacted tissue. There is no antidote. Treatment is based upon symptomatic and supportive care.

REGAL® POOL CARE SYSTEM pH PLUS

SDS No.: R31512R

SDS Revision Date: 06-May-2015

5. FIRE-FIGHTING MEASURES

Fire Hazard: Negligible fire hazard.

Extinguishing Media: Use extinguishing agents appropriate for surrounding fire.

Fire Fighting: Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode.

Hazardous Combustion Products: Oxides of carbon (Carbon monoxide, Carbon dioxide), Oxides of sodium

Sensitivity to Mechanical Impact: Not sensitive.

Sensitivity to Static Discharge: Not sensitive.

Lower Flammability Level (air): Not flammable

Upper Flammability Level (air): Not flammable

Flash point: Not flammable

Auto-ignition Temperature: Not applicable

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly after handling. Do not eat, drink, or smoke when using this product. When handling this material, wear appropriate personal protective equipment recommended in Section 8, Exposure Controls / Personal Protection, of the SDS.

Methods and Materials for Containment and Cleaning Up:

Stop leak if possible without personal risk. Carefully shovel, scoop, sweep, or vacuum material into a designated, labeled waste container. Minimize dust formation. To minimize dust, vacuum cleaning is preferred.

Environmental Precautions:

Keep out of water supplies and sewers. Releases should be reported, if required, to appropriate regulatory agencies.

REGAL® POOL CARE SYSTEM pH PLUS

SDS No.: R31512R

SDS Revision Date: 06-May-2015

7. HANDLING AND STORAGE

Precautions for Safe Handling:

Avoid contact with skin and eyes. Wash thoroughly after handling. When using, do not eat, drink or smoke. Avoid breathing dust. Use methods to minimize generation of dust. Use only in well-ventilated areas.

Safe Storage Conditions:

Store and handle in accordance with all current regulations and standards. Keep container tightly closed and properly labeled. Material is hygroscopic and will readily absorb moisture. DO NOT store dry product where exposed to moist conditions. Keep separated from incompatible substances (see below or Section 10 of the Safety Data Sheet).

Incompatibilities/ Materials to Avoid:

Strong acids, Oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Regulatory Exposure Limit(s): Listed below for the product components that have regulatory occupational exposure limits (OEL's) established.

Component	OSHA Final PEL TWA	OSHA Final PEL STEL	OSHA Final PEL Ceiling
Particles Not Otherwise Regulated (PNOR) 00-00-001	15 mg/m ³ (Total) 5 mg/m ³ (Respirable)	-----	-----

OEL: Occupational Exposure Limit; **OSHA:** United States Occupational Safety and Health Administration; **PEL:** Permissible Exposure Limit; **TWA:** Time Weighted Average; **STEL:** Short Term Exposure Limit

NON-REGULATORY EXPOSURE LIMIT(S): Listed below for the product components that have advisory (non-regulatory) occupational exposure limits (OEL's) established.

Component	CAS Number	ACGIH TWA	ACGIH STEL	ACGIH Ceiling	OSHA TWA (Vacated)	OSHA STEL (Vacated)	OSHA Ceiling (Vacated)
Particulates Not Otherwise Specified (PNOS)	Not Assigned	10 mg/m ³ (Inhalable) 3 mg/m ³ (Respirable)	-----	-----	-----	-----	-----

- The Non-Regulatory United States Occupational Safety and Health Administration (OSHA) limits, if shown, are the Vacated 1989 PEL's (vacated by 58 FR 35338, June 30, 1993).

- The American Conference of Governmental Industrial Hygienists (ACGIH) is a voluntary organization of professional industrial hygiene personnel in government or educational institutions in the United States. The ACGIH develops and publishes recommended occupational exposure limits each year called Threshold Limit Values (TLVs) for hundreds of chemicals, physical agents, and biological exposure indices.

REGAL® POOL CARE SYSTEM pH PLUS

SDS No.: R31512R

SDS Revision Date: 06-May-2015

ENGINEERING CONTROLS: Provide local exhaust ventilation where dust may be generated. Ensure compliance with applicable exposure limits.

PERSONAL PROTECTIVE EQUIPMENT:

Eye Protection: Wear safety glasses with side-shields. If eye contact is likely, wear chemical resistant safety goggles and/or face-shield when appropriate.

Skin and Body Protection: As a good hygiene practice, wear protective clothing to minimize skin contact such as standard industrial work clothes, coveralls, safety footwear. When potential for contact with dry material exists, wear disposable coveralls suitable for dust exposure, such as Tyvek®. When potential for contact with wet material exists, wear Tychem® or similar chemical protective suit. Contaminated clothing should be removed and laundered before reuse.

Hand Protection: As a good hygiene practice, wear appropriate chemical resistant gloves. Consult a glove supplier for assistance in selecting an appropriate chemical resistant glove.

Respiratory Protection: A NIOSH approved respirator with N95 (dust, fume, mist) cartridges may be permissible under certain circumstances where airborne dust concentrations are expected to exceed exposure limits, or when symptoms have been observed that are indicative of overexposure. The added protection of a full face-piece respirator is required when visible dusty conditions are encountered and eye irritation may occur. A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant use of a respirator.

HYGIENE MEASURES: Handle in accordance with good industrial hygiene and safety practices. Good hygiene practices include but are not limited to: wearing suitable gloves and/or eye protection; washing hands and affected skin immediately after handling, before breaks, and at the end of the workday; regularly cleaning work area and clothing; etc. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Granules, Powder
Color:	White
Odor:	Odorless
Molecular Weight:	106
Molecular Formula:	Na ₂ CO ₃
Decomposition Temperature:	>400 °C (752 °F)
Boiling Point/Range:	Not applicable to solids
Freezing Point/Range:	Not applicable to solids.
Melting Point/Range:	851 °C (1,564 °F)
Vapor Pressure:	Not applicable
Vapor Density (air=1):	Not applicable

REGAL® POOL CARE SYSTEM pH PLUS

SDS No.: R31512R

SDS Revision Date: 06-May-2015

Relative Density/Specific Gravity 2.5

(water=1):

Bulk Density:	56 lb/ft ³ - 66 lb/ft ³
Water Solubility:	71 g/L @ 0 °C (32 °F), 215 g/L @ 20 °C (68 °F)
pH:	11.1 (4.016 g/l solution @ 25 °C)
Volatility:	No data available
Evaporation Rate (ether=1):	Not applicable
Partition Coefficient (n-octanol/water):	Not applicable
Flash point:	Not flammable
Flammability (solid, gas):	Not flammable
Lower Flammability Level (air):	Not flammable
Upper Flammability Level (air):	Not flammable
Auto-ignition Temperature:	Not applicable
Viscosity:	Not applicable to solids
Hygroscopic:	Yes

10. STABILITY AND REACTIVITY

Reactivity: Not reactive under normal temperatures and pressures.

Chemical Stability: Stable at normal temperatures and pressures.

Possibility of Hazardous Reactions:

DO NOT MIX dry product or concentrated solutions of this product with concentrated solutions of chlorine bleach, ammonia cleaners, or similar products.

Conditions to Avoid:

(e.g., static discharge, shock, or vibration) -. Avoid moisture. Material is hygroscopic and will readily absorb moisture.

Incompatibilities/ Materials to Avoid:

Strong acids. Oxidizing agents.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

TOXICITY DATA:

PRODUCT TOXICITY DATA: Sodium Carbonate

<u>LD50 Oral:</u> > 2,000 mg/kg (Rat)	<u>LD50 Dermal:</u> >2000 mg/kg (Rabbit)	<u>LC50 Inhalation:</u> 2.3 mg/L (2 hr-Rat)
---	--	---

REGAL® POOL CARE SYSTEM pH PLUS

SDS No.: R31512R

SDS Revision Date: 06-May-2015

COMPONENT TOXICITY DATA:

Note: The component toxicity data is populated by the LOLI database and may differ from the product toxicity data given.

Component	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
Sodium Carbonate 497-19-8	4090 mg/kg (Rat)	2210 mg/kg (Mouse)	2300 mg/m ³ (2 hr-Rat)

POTENTIAL HEALTH EFFECTS:

- Eye contact:** Causes serious eye irritation. May cause eye watering, redness, irritation to eye lids, conjunctiva, and cornea. May cause eye burns.
- Skin contact:** Skin contact may cause slight irritation, redness. Prolonged contact and/or occlusion may cause more serious irritation and possibly burns.
- Inhalation:** Inhalation of this material may cause upper airway irritation, cough, redness of mouth and upper airways, wheezing, and shortness of breath. Significant exposures may cause delayed pulmonary edema. Significant exposures may be fatal.
- Ingestion:** Ingestion of this material may cause severe irritation of the mouth and throat, nausea, vomiting, abdominal irritation, and diarrhea.

SIGNS AND SYMPTOMS OF EXPOSURE:

- Inhalation (Breathing):** Respiratory System Effects: May cause minor upper airway irritation, may cause cough, redness of mouth and upper airways, wheezing and shortness of breath.
- Skin:** Skin Irritation: Exposure to skin may cause slight skin redness, irritation. Prolonged contact and occlusion may cause more severe symptoms.
- Eye:** Eye Irritation. May cause serious eye irritation. May cause eye burns. May cause watering, redness, and irritation to the eye lids, conjunctiva, and cornea. Severe burns may cause corneal perforation.
- Ingestion (Swallowing):** Gastrointestinal System Effects: Ingesting this material may cause gastrointestinal (GI) tract irritation and burns. Symptoms may include nausea, vomiting, abdominal pain, gastritis.

TOXICITY:

When in solution, this substance may be corrosive to the gastrointestinal mucosa, skin, eyes, and respiratory tract. The amount of damage is dependent on the concentration of the material exposed to, and the duration and frequency of the exposure. Solid material can be hazardous in the eye, respiratory system, and gastrointestinal (GI) tract, partly due to increased adherence to mucosa. Exposure to vapors or mist from concentrated solutions can also cause symptoms.

Interaction with Other Chemicals Which Enhance Toxicity: None known.

GHS HEALTH HAZARDS:

REGAL® POOL CARE SYSTEM pH PLUS

SDS No.: R31512R

SDS Revision Date: 06-May-2015

GHS: ACUTE TOXICITY - ORAL: Not classified as acutely toxic by oral exposure per OSHA-GHS criteria.

GHS: ACUTE TOXICITY - DERMAL: Not classified as acutely toxic by dermal exposure per OSHA-GHS criteria.

GHS: ACUTE TOXICITY - INHALATION: Not classified as acutely toxic by inhalation exposure per OSHA-GHS criteria.

GHS: CONTACT HAZARD - EYE: Category 2A - Causes serious eye irritation

GHS: CARCINOGENICITY:

Not classified as a carcinogen per GHS criteria. This product is not classified as a carcinogen by NTP, IARC or OSHA.

12. ECOLOGICAL INFORMATION

ECOTOXICITY DATA:

Fish Toxicity:

LC50 *Lepomis macrochirus*: 300 mg/l (96 hr.)

LC50 *Gambusia affinis*: 740 mg/l (96 hr.)

Invertebrate Toxicity:

EC50 *Ceriodaphnia dubia*: 200 - 227 mg/l (48 hr.)

EC50 *Daphnia magna*: 265 mg/L (48 hr.)

FATE AND TRANSPORT:

BIODEGRADATION: Sodium carbonate degradation products: carbonic acid, bicarbonate, carbonate

This material is inorganic and not subject to biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances

PERSISTENCE: This material is believed not to persist in the environment

BIOACCUMULATIVE POTENTIAL: This material is not expected to bioaccumulate.

ADDITIONAL ECOLOGICAL INFORMATION: Ecological injuries are not known or expected under normal use.

13. DISPOSAL CONSIDERATIONS

Waste from material:

Use or reuse if possible. May be subject to disposal regulations. Dispose of in accordance with all applicable regulations.

REGAL® POOL CARE SYSTEM pH PLUS

SDS No.: R31512R

SDS Revision Date: 06-May-2015

Container Management:

Dispose of container in accordance with applicable local, regional, national, and/or international regulations. Container rinsate must be disposed of in compliance with applicable regulations.

14. TRANSPORT INFORMATION

LAND TRANSPORT

U.S. DOT 49 CFR 172.101:

Status: Not regulated.

CANADIAN TRANSPORTATION OF DANGEROUS GOODS:

Status: Not regulated.

MARITIME TRANSPORT (IMO / IMDG) :

Status - IMO / IMDG: Not Regulated

15. REGULATORY INFORMATION

U.S. REGULATIONS

OSHA REGULATORY STATUS:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):

Not regulated.

SARA EHS Chemical (40 CFR 355.30)

Not regulated

REGAL® POOL CARE SYSTEM pH PLUS

SDS No.: R31512R

SDS Revision Date: 06-May-2015

EPCRA SECTIONS 311/312 HAZARD CATEGORIES (40 CFR 370.10):

Acute Health Hazard

EPCRA SECTION 313 (40 CFR 372.65):

Not regulated.

OSHA PROCESS SAFETY (PSM) (29 CFR 1910.119):

Not regulated

NATIONAL INVENTORY STATUS

U.S. INVENTORY STATUS: Toxic Substance Control Act (TSCA): All components are listed or exempt.

TSCA 12(b): This product is not subject to export notification.

Canadian Chemical Inventory: All components of this product are listed on either the DSL or the NDSL.

STATE REGULATIONS

There are no applicable state regulations for this product or its components.

California Proposition 65:

This product does not contain substances at levels which the State of California has found to cause cancer, birth defects, or other reproductive harm.

CANADIAN REGULATIONS

• This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations

WHMIS - Classifications of Substances:

• D2B - Poisonous and Infectious Material; Materials causing other toxic effects - Toxic material

16. OTHER INFORMATION

Prepared by: OxyChem Corporate HESS - Product Stewardship

Rev. Date: Not Revised

HMIS: (SCALE 0-4) (Rated using National Paint & Coatings Association HMIS: Rating Instructions, 2nd Edition)

Health Rating: 1

Flammability Rating: 0

Reactivity Rating: 0

REGAL® POOL CARE SYSTEM pH PLUS

SDS No.: R31512R

SDS Revision Date: 06-May-2015

NFPA 704 - Hazard Identification Ratings (SCALE 0-4)

Health Rating: 1

Flammability: 0

Reactivity Rating: 0

Reason for Revision:

- New Product
- Changed the SDS format to meet the GHS requirements of the revised 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

IMPORTANT:

The information presented herein, while not guaranteed, was prepared by technical personnel and is true and accurate to the best of our knowledge. NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESSED OR IMPLIED, IS MADE REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY OR OTHERWISE. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, storage, disposal and other factors that may involve other or additional legal, environmental, safety or performance considerations, and OxyChem assumes no liability whatsoever for the use of or reliance upon this information. While our technical personnel will be happy to respond to questions, safe handling and use of the product remains the responsibility of the customer. No suggestions for use are intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patents or to violate any Federal, State, local or foreign laws

OSHA Standard 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, safety data sheets, training and access to written records. We request that you, and it is your legal duty to, make all information in this Safety Data Sheet available to your employees

End of Safety Data Sheet