FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL SDS QUESTIONS & REQUESTS, CALL:

1-800-654-6911 (OUTSIDE USA: 1-423-780-2970) 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887) 1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

PRODUCT NAME: Regal Pool Care System Super Floc

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Supplier SCP Distributors LLC 109 Northpark Boulevard , Covington, LA, 70433-5001 USA

Telephone: +19858925521 Telefax: +19858921657 Web:

Manufacturer Advantis Technologies 1200 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States of America
 REVISION DATE:
 05/26/2015

 SUPERCEDES:
 05/13/2009

 MSDS Number:
 000000024421

SYNONYMS: CHEMICAL FAMILY: None DESCRIPTION / USE None established FORMULA: None established

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion	:	Category 1B
Serious eye damage	:	Category 1
GHS Label element Hazard pictograms	:	
Signal word	:	Danger

Hazard statements	:	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
Precautionary statements	:	 Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. P312 Call a POISON CENTER or doctor/ physician if you feel unwell. P363 Wash contaminated clothing before reuse. Storage: P405 Store locked up. Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS OR CHEMICAL NAME ALUMINUM CHLORIDE	<u>CAS#</u> 7446-70-0	<u>% RANGE</u>
2-PROPEN-1-AMINIUM, N,N-DIMETHYL- N-2-PROPENYL-, C	26062-79-3	
ALUMINUM CHLORIDE	7446-70-0	>= 10 - < 20

SECTION 4. FIRST AID MEASURES

Inhalation	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. If not breathing, give artificial respiration. Call for medical assistance.
Skin Contact:	IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops.
Eye Contact:	IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.
Ingestion:	IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.
Notes to Physician:	Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA):	Product is not known to be flammable, combustible, pyrophoric or explosive.
<u>Flammable Properties</u> Flash Point: Fire / Explosion Hazards: Extinguishing Media: Fire Fighting Instructions:	Not applicable Material will not ignite or burn. Choose extinguishing media suitable for surrounding materials. Use water spray to cool unopened containers. In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.
Hazardous Combustion Products:	During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.
Upper Flammable / Explosive Limit, % in air:	no data available
Lower Flammable / Explosive Limit, % in air:	no data available

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations:	Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to boots, impervious gloves, hard hat, splash-proof goggles, impervious clothing, i.e., chemically impermeable suit, self-contained breathing apparatus.
Spill Mitigation Procedures	
Air Release:	Hazardous concentrations in air may be found in local spill area and immediately downwind.Vapors may be suppressed by the use of water fog.
Water Release:	This material is soluble in water.Notify all downstream users of possible contamination.Divert water flow around spill if possible and safe to do so.
Regal Pool Care System Super Floc	

Land Release:	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).Avoid runoff into storm sewers and ditches which lead to waterways.
Additional Spill Information :	Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non- essential personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration.

SAFETY DATA SHEET

SECTION 7. HANDLING AND STORAGE

Handling:	Do not take internally. Avoid contact with skin, eyes and clothing. If in eyes or on skin, rinse well with water. Avoid breathing vapours, mist or gas.
Storage:	Store in a cool, dry and well ventilated place. Isolate from incompatible materials. Do not freeze.
Incompatible Materials for Storage: Empty Container Warning:	Refer to Section 10, "Incompatible Materials." Empty containers retain hazardous residue, dispose of accordingly.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Protective Equipment for F	Local exhaust ventilation is recommended if vapors, mists or aerosols are generated. Otherwise, use general exhaust ventilation.No exposure limits exist for the constituents of this product. Routine Use of Product
Respiratory Protection :	Respiratory protection not normally needed., If vapors, mists or aerosols are generated, wear a NIOSH approved respirator., Wear a NIOSH approved N95 respirator.
Skin Protection :	Avoid contact with skin. Impervious gloves Boots Apron A full impervious suit is recommended if exposure is possible to a large portion of the body.
Eve Protection:	Chemical resistant goggles must be worn. Face-shield

Eye Protection.	Chemical resistant goggles must be worn. Face-shield
Protective Clothing Type:	impervious clothing
General Protective	Ensure that eyewash stations and safety showers are close to the
Measures:	workstation location.

Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
ALUMINUM CHLORIDE (7446-70-0)	TWA	1 mg/m3	ACGIH (02 2014)
ALUMINUM CHLORIDE (7446-70-0)	TWA	1 mg/m3	ACGIH (02 2014)

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	liquid
Form	liquid
Color:	clear
Odor:	None
Molecular Weight:	None established
pH :	1.5 - 2.0
	()
Boiling Point:	219.9 °F (104.4 °C)
Melting point/freezing	No data
point	
Bulk Density:	()
N/ D	no data available
Vapor Pressure:	no data available
Vapor Density:	no data available
Viscosity:	no data available
Solubility in Water:	soluble in cold water
Partition coefficient n-	No data.
octanol/water:	
Evaporation Rate:	no data available
Oxidizing:	None established
Volatiles, % by vol.:	no data available
VOC Content	no data available This product does not contain any chemicals
	listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate
	or Final VOC's (40 CFR 60.489). This product does not contain any
	VOC exemptions listed under the U.S. Clean Air Act Section 450.
HAP Content	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary:
Conditions to Avoid:
Chemical Incompatibility:
Hazardous Decomposition Products:
Decomposition Temperature:

Stable under normal conditions. High temperatures, Avoid freezing. Oxidizing agents, Metals, alkalis hydrochloric acid No data

SECTION 11. TOXICOLOGICAL INFORMATION

<u>Component Animal Toxicology</u> <u>Oral LD50 value</u>: ALUMINUM CHLORIDE LD50 = 3,450 mg/kg Rat 2-PROPEN-1- LD50 > 5,000 mg/kg Rat AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, C

ALUMINUM CHLORIDE	LD50	= 3.450 ma/ka	Rat
		o, 100 mg/ng	1.040

Component Animal Toxicology
Dermal LD50 value:ALUMINUM CHLORIDELD50> 2,000 mg/kgRabbit2-PROPEN-1-LD50> 20,000 mg/kgRabbitAMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, CALUMINUM CHLORIDELD50> 2,000 mg/kgRabbit

<u>Component Animal Toxicology</u> <u>Inhalation LC50 value</u>: ALUMINUM CHLORIDE LC50 no data available

2-PROPEN-1- No data AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, C ALUMINUM CHLORIDE LC50 no data available

Product Animal Toxicity Oral LD50 value: Dermal LD50 value: Inhalation LC50 value:	LD50 Believed to be > 5,000 mg/kg Rat LD50 Believed to be > 2,000 mg/kg Rabbit no data available				
Skin Irritation:	Corrosive to skin				
Eye Irritation:	Corrosive to eyes				
Skin Sensitization:	Not believed to be sensitising to skin.				
Acute Toxicity:	This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract.				
Subchronic / Chronic Toxicity:	Not known or reported to cause subchronic or chronic toxicity.				
Reproductive and Not known or reported to cause reproductive or developmental toxicity. Developmental Toxicity:					
Mutagenicity: Not known or reported to be mutagenic.					
ALUMINUM C	CHLORIDE This material has been shown to be non-mutagenic in the majority of a battery of assays. Not expected to be a mutagenic hazard.				
	This material has been shown to be non-mutagenic in the majority of a battery of assays. Not expected to be a mutagenic hazard.				
Carcinogenicity:	This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.				
Regal Pool Care System	Super Floc				

SECTION 12. ECOLOGICAL INFORMATION

Overview: Slightly toxic to fish and other aquatic organisms.

Ecological Toxicity Values - Product:

LC50 Believed to be approximately 10.8 mg/l (calculated)

Ecological Toxicity Values for: ALUMINUM CHLORIDE

Rainbow trout (Oncorhynchus		-	96 h LC50	6.1 mg/l
	mykiss)			
Mosquito fish		-	96 h LC50	27.1 mg/l
	Daphnia magna,	-	48 h LC50	3.9 mg/l

Ecological Toxicity Values for: 2-PROPEN-1-AMINIUM, N,N-DIMETHYL-N-2-PROPENYL-, C

Bluegill sunfish		96 h LC50 = 0.82 - 1.3 mg/l, (40% Solution)
Rainbow trout (Salmo gairdneri),	-	96 h LC50 0.37 mg/l (40% Solution)
Daphnia magna,	-	48 h LC50= 0.9 mg/l (In clear water), (40% Solution)
Daphnia magna,	-	48 h LC50= 1.2 - 2.5 mg/l, (In 50 ppm clay suspension), (40%
		Solution)
Daphnia magna,	-	48 h LC50= 24.8 mg/l (In 1000 ppm clay suspension), (40%
		Solution)

Ecological Toxicity Values for: ALUMINUM CHLORIDE

Rainbow tr	out (oncomynonius	-	96 h LC50	6.1 mg/l
	mykiss)			
Mosquito fish	• ,	-	96 h LC50	27.1 mg/l
	Daphnia magna,	-	48 h LC50	3.9 mg/l

SECTION 13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

As a hazardous liquid waste it must be disposed of in accordance

Waste Disposal Summary : If this product becomes a waste, it will be a hazardous waste.

Disposal Methods :

Regal Pool Care System Super Floc REVISION DATE : 05/26/2015 with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT UN number Description of the goods Class Packing group Labels Emergency Response Guidebook Number	 2581 Aluminum chloride, solution 8 III 8 154
TDG UN number Description of the goods Class Packing group Labels	: 2581 : ALUMINUM CHLORIDE SOLUTION : 8 : III : 8
IATA UN number Description of the goods Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft) Packing instruction (passenger aircraft)	 2581 Aluminium chloride solution 8 III 8 856 852 Y841
IMDG-CODE UN number Description of the goods Class Packing group Labels EmS Number 1 EmS Number 2	: 2581 : Aluminium Chloride Solution : 8 : III : 8 : F-A : S-B

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know		
	aluminium chloride	7446-70-0
Pennsylvania Right To Know		
	aluminium chloride	7446-70-0
New Jersey Right To Know		
	aluminium chloride	7446-70-0
	2-Propen-1-aminium, N,N- dimethyl-N-2-propenyl-, chloride, homopolymer	26062-79-3

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA

: The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

SECTIONS REVISED:	
Major References :	

First formulated version in SAP. Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.