

MULTI CLEAR SHOCK

1. IDENTIFICATION	
Product name	: MULTI CLEAR SHOCK
Product code	: 29-60370
Supplier	: SCP Distributors Inc - Canadian Division 100 Vinyl Court, Unit A Woodbridge, Ontario L4L 4A3
Other means of identification	: Not available.
Manufacturer	: Manufactured for: SCP Distributors Inc - Canadian Division 100 Vinyl Court, Unit A Woodbridge, Ontario L4L 4A3
Identified uses	: Consumer products: Pool & Spa chemical
Uses advised against	: Not available.
Date of issue (YYYY-MM-DD)	: 2021-01-29
In case of emergency : Emergency phone: CANUTEC (613) 996-6666 (Collect calls accepted)	

2. HAZARDS IDENTIFICATION	
Information in this section only concerns the product as supplied. Contact your account manager to get more information on diluted form hazards identification.	
Product Classification	: ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION - Category 1 SERIOUS EYE DAMAGE - Category 1
Signal word	: Danger
Hazard pictograms	: 
Hazard statements	: Harmful if swallowed. Causes severe skin burns and eye damage.
<u>Precautionary statements</u>	
General	: Corrosive material. Handle with care. Read label before use. Keep out of reach of children.
Prevention	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Specific protective equipment is suggested for this product. See section 8 for details. Do not breathe dust or mist.
Response	: IF INHALED: Move person to fresh air and keep comfortable for breathing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Rinse with water. IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. In any case of exposure, get medical attention if symptoms appear or are severe.
Storage	: Store in an appropriate location.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: No additional information.
Other hazards which do not result in classification	: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture : Mixture

Name	CAS number	% (w/w)
disodium carbonate, compound with hydrogen peroxide (2:3)	15630-89-4	30 - 60
Potassium peroxymonosulfate sulfate	70693-62-8	30 - 60
aluminium sulphate	10043-01-3	5 - 10
potassium hydrogensulphate	7646-93-7	1 - 5
dipotassium peroxodisulphate	7727-21-1	1 - 5

Occupational exposure limits, if available, are listed in Section 8.

4. FIRST AID MEASURES

Description of required first aid measures

Eye contact	In case of contact with eyes, flush with fresh water. Check for and remove any contact lenses. Continue rinsing. Chemical burns must be treated promptly by a physician. Get medical attention if blistering occurs or redness persists. Get medical attention if irritation persists.
Skin contact	Rinse with water. Remove contaminated clothing and wash it before reuse. Chemical burns must be treated promptly by a physician. Get medical attention if blistering occurs or redness persists. Get medical attention if irritation occur.
Ingestion	Rinse mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Chemical burns must be treated promptly by a physician. Get medical attention if symptoms occur. Get medical attention if you feel unwell.
Inhalation	Move victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Get medical attention if adverse health effects persist or are severe. Maintain an open airway.

Most important symptoms/effects, acute and delayed

Eye contact	Adverse symptoms may include the following: pain watering redness
Skin contact	Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	Adverse symptoms may include the following: stomach pains nausea or vomiting headache diarrhea
Inhalation	Adverse symptoms may include the following: respiratory tract irritation coughing

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

See toxicological information (Section 11)

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media None known.

Specific hazards arising from the chemical No specific fire or explosion hazard.

Hazardous thermal decomposition products Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
sulfur oxides
metal oxide/oxides

Special fire-fighting procedures Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action should be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Initiate spill response procedures if required.
Personal protection	Put on appropriate personal protective equipment (see Section 8).
Cleaning method	Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See Section 8 for additional information on hygiene measures.
Storage and Incompatibility	Store in accordance with local regulations. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep out of reach of children. Store away from incompatible materials (see Section 10).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

Ingredient name	Exposure limits
aluminium sulphate	CA Alberta Provincial (Canada, 6/2018). Skin sensitizer. 8 hrs OEL: 2 mg/m ³ , (as Al) 8 hours. CA Quebec Provincial (Canada, 1/2014). TWAEV: 2 mg/m ³ , (as Al) 8 hours. CA Saskatchewan Provincial (Canada, 7/2013). STEL: 4 mg/m ³ , (measured as Al) 15 minutes. TWA: 2 mg/m ³ , (measured as Al) 8 hours.
dipotassium peroxodisulphate	CA Alberta Provincial (Canada, 4/2009). 8 hrs OEL: 0.1 mg/m ³ 8 hours. CA British Columbia Provincial (Canada, 6/2017). TWA: 0.1 mg/m ³ , (as persulfate) 8 hours. CA Saskatchewan Provincial (Canada, 7/2013). STEL: 0.3 mg/m ³ , (measured as persulphate) 15 minutes. TWA: 0.1 mg/m ³ , (measured as persulphate) 8 hours. CA Ontario Provincial (Canada, 7/2015). TWA: 0.1 mg/m ³ 8 hours.

Appropriate engineering controls If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Eye/face protection Continued or severe exposures might required to wear a face shield or chemical splash goggles. It is minimally suggested to wear safety glasses while using or handling this product.

Hands and Body protection It is suggested to wear chemical-resistant gloves while using or handling this product.
No special protective clothing is required.

Respiratory protection It is suggested to wear dust-protection mask for prolonged or intense exposures.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid. [Granular solid.]	pH	9.3 [Conc. (% w/w): 1%]	Flash point	Not available.
Color	White.	Relative density	1.34	Melting point	Not available.
Odor	Odorless.	Viscosity	Not available.	Boiling point	Not available.
Odor threshold	Not available.	Vapor pressure	Not available.	Fire point	: Not available.
Solubility in water	: Not available.	Vapor density	: Not available.	Evaporation rate	: Not available.
Decomposition temperature	: Not available.	Auto-ignition temperature	: Not available.		
Partition coefficient: n-octanol/ water	: Not available.	Flammability (solid, gas)	: Not available.		
Lower and upper explosive (flammable) limits	: Not available.				

10. STABILITY AND REACTIVITY

Reactivity	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	The product is stable.
Incompatible materials	No specific data.
Conditions to avoid	No specific data.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Route of exposure	Not available.	
	<u>Potential acute health effects</u>	<u>Symptoms</u>
Eye contact	May cause eye burn	Adverse symptoms may include the following: pain watering redness
Skin contact	May cause skin burns	Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	Harmful if swallowed. May cause burns to mouth, throat and stomach.	Adverse symptoms may include the following: stomach pains nausea or vomiting headache diarrhea
Inhalation	Inhalation of vapors or mist may cause respiratory tract irritation.	Adverse symptoms may include the following: respiratory tract irritation coughing

Toxicity data

Product/ingredient name	Result	Species	Dose	Exposure
disodium carbonate, compound with hydrogen peroxide (2:3)	LD50 Oral	Rat	1034 mg/kg	-
Potassium peroxymonosulfate sulfate	LC50 Inhalation Dusts and mists	Rat	>5 mg/l	4 hours
aluminium sulphate	LD50 Oral	Rat	500 mg/kg	-
Potassium bisulfate	LD50 Oral	Rat	6207 mg/kg	-
dipotassium peroxodisulphate	LD50 Oral	Rat	2340 mg/kg	-
	LD50 Oral	Rat	802 mg/kg	-

Information on toxicological effects

Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.
Sensitization	Not available.
Carcinogenicity	No known significant effects or critical hazards.

12. ECOLOGICAL INFORMATION

Ecotoxicity data

Product/ingredient name	Result	Species	Exposure

disodium carbonate, compound with hydrogen peroxide (2:3) aluminium sulphate	Acute IC50 68000 µg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
	Acute EC50 6570 µg/l Fresh water	Crustaceans - Asellus aquaticus - Adult	48 hours
	Acute IC50 167 µg/l Fresh water	Algae - Chlorella sp. - Exponential growth phase	72 hours
	Acute IC50 3200 µg/l Fresh water Acute LC50 1.53 mg/l Fresh water Chronic NOEC 4 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
dipotassium peroxodisulphate	Acute EC50 2.88 mg/dm3 Fresh water	Fish - Rasbora sumatrana - Adult	96 hours
		Fish - Salvelinus fontinalis - Eyed stage, eyed embryo	30 days
		Algae - Pseudokirchneriella subcapitata	72 hours
	Acute LC50 1175000 µg/l Acute LC50 92000 µg/l	Crustaceans - Cyclops strenuus	48 hours
		Daphnia - Daphnia magna	48 hours

Persistence and degradability : Unknown **Bioaccumulative potential** : Unknown **Mobility in soil** : Unknown **Other adverse effects** : Unknown

13. DISPOSAL CONSIDERATIONS

Disposal methods Dispose content and container in accordance with local, regional and national regulation in force.

14. TRANSPORT INFORMATION

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	TDG Placard
TDG Classification	UN3084	Corrosive solids, oxidizing, n.o.s. (Potassium peroxymonosulfate sulfate, disodium carbonate, compound with hydrogen peroxide (2:3))	8 (5.1)	II	

Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.40-2.42 (Class 8), 2.23-2.25 (Class 5).

Additional information See shipping documents for specific information on DOT, IMDG or IATA

15. REGULATORY INFORMATION

Canadian lists

Canadian NPRI None of the components are listed.
CEPA Toxic substances None of the components are listed.
Canada inventory All components are listed or exempted.

International lists

United States All components are listed or exempted.

16. OTHER INFORMATION

Hazardous Material Information System (U.S.A.)

Health Hazard	0
Fire Hazard	0
Reactivity	0
Personal Protection	

Date of issue/Date of revision (YYYY-MM-DD) : 2021-01-29

Prepared by : Regulatory Affairs Department
 SCP Distributors Inc - Canadian Division
 100 Vinyl Court, Unit A
 Woodbridge, Ontario
 L4L 4A3

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.