



DIGITAL GAS  
POOL & SPA  
HEATER

Available as Atmospheric



# DIGITAL

## GAS POOL & SPA HEATER



"Top 10 Best Pool Heaters"

Named Forbes  
#1 Pool Heater



Trusted Design | Digital Controls | Flexible Installation

 PROUDLY BASED IN THE U.S.A

# DIGITAL

## GAS POOL & SPA HEATER

### Trusted Design

Named #1 Pool Heater by Forbes, the Rheem Digital Gas is a tried and true favorite among pool pros. Its durable design and intuitive controls make it one of the strongest workhorse pool heaters on the market. This pool and spa heater is the perfect solution for environments requiring efficiency, convenience and versatility.



## AMAZING FEATURES

### Heat Exchanger

Our heat exchangers last longer thanks to our straight tube design. By eliminating bends and helical coils we have reduced unnecessary friction in critical areas. Digital Gas models are available in copper or cupronickel.

### Flexible Installation

Whether upgrading an existing system or adding a new pool or spa, the Rheem Digital Gas Pool and Spa Heater offers flexible installation solutions thanks to a brilliant low-profile design.

### Self-Adjusting Burner

The self-adjusting burner compensates for gas pressure fluctuations, ensuring that the heater will always burn clean and safe.




# ProTek Shield



ProTek Shield is a cutting-edge module that protects the heat exchanger and extends the life of your Rheem Digital Gas Pool and Spa Heater.

- Excellent for use in chlorinated and salt water pools
- Engineered to take the brunt of the corrosion that naturally occurs over time
- Compact design
- Easy to replace



ProTek Shield Replacement Kit	Part No.
ProTek Shield Module	017960F
ProTek Shield Bulk Pack (25 PCS)	018847F

## Strength & Durability

It is built to last with its corrosion resistant cabinet made of galvanized metal and your choice of a copper or cupronickel fin tube heat exchanger. Designed to withstand even the harshest of weather conditions.

## Digital Controls

Equipped with an intelligent control system that can easily be tied into an existing remote system, our heater also features a microprocessor-controlled thermostat for setting the perfect temperature for your pool or spa.


**Outdoor Protective Bezel**

**Durable Indoor/Outdoor Jacket**

**Digital Control**


**Fin Tube Heat Exchanger**

**Polymer Header with ProTek Shield**





# Digital Gas Pool & Spa Heater Models 206A - 406A



SCAN HERE



To view our Residential Pool & Spa Catalog For our full offering of models & part numbers.

### Amp Draw

120 VAC, 1Ph, 60Hz      240 VAC, 1Ph, 60Hz

4

2

Model No.	BTUH Input (kwh)	(A) Cabinet Width in.(mm)	(B) Flue Dia. in. (mm)	(C) Indoor Draft Hood in. (mm)	(D) in. (mm)	(J)* in. (mm)	Shipping Weights lbs. (kg)	
							w/Stackless Top	Indoor Draft Hood
<b>Residential Models - Copper Heat Exchanger</b>								
P-M206A-E(N/P)-C	199.5 (58.4)	20 (508)	6 (152)	61 <sup>5</sup> / <sub>8</sub> (1565)	10 (254)	11 <sup>3</sup> / <sub>4</sub> (298)	187 (85)	14 (6.4)
P-M266A-E(N/P)-C	266.0 (77.9)	23 (584)	7 (178)	62 (1575)	11.5 (292)	11 (279)	210 (95)	16 (7.3)
P-M336A-E(N/P)-C	332.5 (97.4)	26 (660)	8 (203)	63 (1600)	13 (330)	10 <sup>5</sup> / <sub>8</sub> (270)	230 (104)	19 (8.6)
P-M406A-E(N/P)-C	399 (116.9)	29 (737)	9 (229)	64 <sup>9</sup> / <sub>16</sub> (1640)	14.5 (368)	12 <sup>1</sup> / <sub>8</sub> (309)	249 (113)	21 (9.5)
<b>Residential Models - Cupronickel Heat Exchanger</b>								
P-M206A-E(N/P)-X	180.0 (52.7)	20 (508)	6 (152)	61 <sup>5</sup> / <sub>8</sub> (1565)	10 (254)	11 <sup>3</sup> / <sub>4</sub> (298)	187 (85)	14 (6.4)
P-M266A-E(N/P)-X	240.0 (70.3)	23 (584)	7 (178)	62 (1575)	11.5 (292)	11 (279)	210 (95)	16 (7.3)
P-M336A-E(N/P)-X	300.0 (87.9)	26 (660)	8 (203)	63 (1600)	13 (330)	10 <sup>5</sup> / <sub>8</sub> (270)	230 (104)	19 (8.6)
P-M406A-E(N/P)-X	360.0 (105.5)	29 (737)	9 (229)	64 <sup>9</sup> / <sub>16</sub> (1640)	14.5 (368)	12 <sup>1</sup> / <sub>8</sub> (309)	249 (113)	21 (9.5)

**Fin Tube Material - Copper (C) or Cupronickel (X)**  
**Fuel Type - Natural (N) Propane (P)**

\*Note: For outdoor stack height, use "J" dimension for appropriate size plus 6 inches (152 mm).



Litho in U.S.A. ©2024 Raypak, Inc. | MKG-15-1522 | RM-P-601-1 Rev A | Effective 4-8-24 | Replaces 11-01-20

[rheem.com/pool](http://rheem.com/pool)

2151 Eastman Avenue | Oxnard, CA 93030 | 805-278-5300

### Raypak Tech Corner

Looking for quick answers to your Raypak troubleshooting questions? We've got you covered! Skip the wait times on the phone and check out our self-serve resource center, Tech Corner.

Our comprehensive database is designed to help you diagnose and solve issues you may encounter with your Raypak equipment quickly and easily.

[raypak.com/support/tech-corner/](http://raypak.com/support/tech-corner/)

