Revision Date: 1/19/16 Page 1 of 12



SAFETY DATA SHEET

Section 1. Identification

Product Name: SB-5000 Chemical Name: Mixture

Synonyms: Stain Blocking Invisible Sealer

Supplier's Details: SEK-Surebond Corporation

3925 Stern Avenue St. Charles, IL 60174 (800) 932-3343 www.sek.us.com

Emergency Telephone Number: CHEMTREC (800) 424-9300 (United States Only)

Chemtrec (outside USA): (703) 527-3887

Section 2. Hazards Identification

Hazard Classification:

OSHA/HCS Status:

This product contains one or more chemicals considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Physical Hazards

NA

Health Hazards

SKIN IRRITATION - Category 3 INHALATION - Category 4

GHS Label Elements:

Hazard Pictograms:



Signal Word: Warning

Revision Date: 1/19/16 Page 2 of 12

Hazard Statements:

H316 Causes mild skin irritation
H332 Harmful if inhaled

Precautionary Statements:

Prevention:

Keep out of reach of children. Do not breathe vapors, spray or mist. Use only outdoors in a well-ventilated area. Wear protective gloves, clothing, face and eye protection. Wash thoroughly after handling.

Response:

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if feel unwell.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation occurs. Take off contaminated clothing and wash before reuse.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if eye irritation persists.

In case of fire: Use water, water fog, dry chemical, CO2 or alcohol resistant foam to extinguish.

Storage:

Keep in a cool, well-ventilated place. Do not allow to freeze.

Disposal:

Dispose of contents and container to appropriate waste site or reclaimer in accordance with all applicable laws, regulations, and product characteristics at time of disposal.

Hazards not otherwise classified:

None known.

Section 3. Composition/Information on Ingredients

Substance/Mixtures: Mixture Chemical Name: NA

Other Means of Identification: SB-5000 Stain Blocking Invisible Sealer

CAS number/other identifiers:

CAS Number: Mixture

Chemical Name	Concentration	Additional Identification	Notes
2-butoxyethanol	<5.0%	CAS-No.: 111-76-2	% by weight

This substance has workplace exposure limit(s). See Section 8.

Section 4. First Aid Measures

Revision Date: 1/19/16 Page 3 of 12

Description of Necessary First Aid Measures:

Inhalation:

Move to fresh air. If breathing stops, provide artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Eye Contact:

Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Get medical attention if irritation persists.

Skin Contact:

Wash thoroughly after handling. Remove contaminated clothing and shoes. Get medical attention if irritation persists. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.

Ingestion:

Call a physician or poison control center if you feel unwell. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person.

Most Important Symptoms/Effects (both acute and delayed):

May irritate and cause redness and pain.

Indication of immediate medical attention and special treatment needed (if necessary):

Hazards: Glycol Ethers: Some glycol ethers cause adverse effects in animals that include the

reproductive system, offspring, blood, kidney and liver.

Treatment: Treat symptomatically.

Section 5. Firefighting Measures

General Fire Hazards: Not applicable.

Extinguishing Media:

Suitable Extinguishing Media: Water fog, dry chemical, carbon dioxide and/or alcohol resistant foam.

Unsuitable Extinguishing Media: None known. Hazardous Thermal Decomposition: None known.

Special hazards arising from

the substance or mixture: Hazardous decomposition or by-products during combustion: carbonyl

fluoride, hydrogen fluoride.

Advice for Firefighters:

Special firefighting procedures:

Use water spray to keep fire-exposed containers cool.

Revision Date: 1/19/16 Page 4 of 12

Special Protective Equipment for Firefighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear appropriate personal protective equipment.

Environmental Precautions:

Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. For large spillages, flush spill area with water spray. Prevent runoff from entering drains, sewers or streams. Dike for later disposal.

Notification Procedures:

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Section 7. Handling and Storage

Precautions for Safe Handling:

Avoid breathing mist or vapors. Avoid contact with eyes, skin and clothing. Do not taste or swallow. Use only with adequate ventilation. Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities:

Keep container tightly closed and in a well-ventilated place. Store away from heat. Do not allow to freeze.

Storage stability:

Shelf life, use within: 24 months

Section 8. Exposure Controls/Personal Protection

Control Parameters:

Occupational Exposure Limits:

Country specific exposure limits have not been established or are not applicable unless listed below.

Revision Date: 1/19/16 Page 5 of 12

Chemical Name	Туре	Exposure Limit Values	Source
2-butoxyethanol; ethylene	TWA	20 ppm	US. ACGIH Threshold Limit Values (01 2010)
glycol monobutyl ether;			
butyl cellosolve			
	PEL	50 PPM 240 mg/m3	US. OSHA Table Z-1 Limits for Air
			Contaminants (29 CFR 1910.1000) (02 2006)

Exposure Controls:

Appropriate Engineering Controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

<u>Individual Protection Measures, Such As Personal Protective Equipment:</u>

General Information:

Eye bath. Washing facilities. Safety shower.

Eye/Face Protection:

Wear safety glasses with side shields (or goggles) and a face shield. Wear a full-face respirator, if needed.

Skin Protection:

Hand Protection:

Wear chemical-resistant gloves, footwear and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.

Other:

No data available.

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.

Hygiene Measures:

Observe good industrial hygiene practices.

Environmental Controls:

No data available.

Revision Date: 1/19/16 Page 6 of 12

Section 9. Physical and Chemical Properties

Information on Basic Physical and Chemical Properties:

Appearance:

Physical State: Liquid
Form: Liquid
Color: Hazy liquid

Odor: Mild

Odor Threshold: Not Determined

pH: 6 - 7

Freezing Point:

Boiling Point:

100° C estimated
100° C estimated
Not Determined
Evaporation Rate:

Not Determined

Flammability (solid, gas):

Flammability – Upper (%)-:

NA

Flammability – Lower (%)-:

NA

Vapor Pressure: 17mm@ 68°F (20°C) estimated

Vapor Density (air=1): Heavier than air Specific Gravity: 1.0 - 1.05 (20°C)

Solubility:

Solubility in Water: Miscible

Solubility (other): No data available

Partition coefficient

(n-octanol/water):
 Auto-ignition Temperature:
 Decomposition Temperature:
 Dynamic Viscosity:
 Kinematic Viscosity:
 Explosive Properties:
 Oxidizing Properties:
 No data available
 No data available
 No data available
 No data available
 No data available

Section 10. Stability and Reactivity

Reactivity: None known

Chemical Stability: Stable

Possibility of Hazardous Reactions: None known

Conditions to Avoid: Heat, sparks, flames
Incompatible Materials: Strong oxidizing agents

Hazardous Decomposition Products: Carbon dioxide

Carbon monoxide

Revision Date: 1/19/16 Page 7 of 12

Carbonyl fluoride

Hydrogen fluoride during combustion.

Section 11. Toxicological Information

Information on Likely Routes of Exposure:

Inhalation:May be harmful if inhaled.Ingestion:May be harmful if swallowed.Skin Contact:May cause skin irritation.Eye Contact:May cause eye irritation.

Information on Toxicological Effects:

Acute Toxicity:

Oral

Product: Oral LD-50: (Rat): 1,300 mg/kg (2-butoxoxyethanol)

Oral LD-50: (Guinea Pig): 1,400 mg/kg (2-butoxoxyethanol)

Dermal

Product: Dermal LD-50: (Rat): > 2,000 mg/kg (2-butoxoxyethanol)

Dermal LD-50: (Guinea Pig): > 2,000 mg/kg (2-butoxoxyethanol)

Inhalation

Product: Vapor: LC50 (Rat, 3 h): > 4.9 mg/l (2-butoxoxyethanol)

Vapor: LCO (Guinea Pig, 1 h): > 3.4 mg/l (2-butoxoxyethanol)

Repeated Dose Toxicity

Product: LOAEL (Rat, Oral Study): 69 mg/kg (Target Organ(s): Liver) (2-butoxoxyethanol)

NOAEL (Rat, Dermal Study): 150 mg/kg (2-butoxoxyethanol)

LOAEC (Rat, Inhalation Study): 152 mg/m³ (Target Organ(s): Blood) (2-butoxoxyethanol)

Skin Corrosion/Irritation

Product: (Rabbit, 24 h): moderate (2-butoxoxyethanol)

Serious Eye Damage/Eye Irritation

Product: (Rabbit, 24 h): moderate (2-butoxoxyethanol)

Respiratory or Skin Sensitization

Product: Skin Sensitization: (Guinea Pig) – Not a skin sensitizer.

Mutagenicity:

Revision Date: 1/19/16 Page 8 of 12

In Vitro

Product: Salmonella typhimurium assay (Ames test): negative +/- activation.

In Vivo

Product: Chromosomal aberration intraperitoneal injection (Mouse, Male): negative.

Carcinogenicity

Product: Based on available data the classification criteria are not met. Not classified as hazardous.

Reproductive Toxicity

Product: Based on available data the classification criteria are not met. Not classified as hazardous.

Specific Target Organ Toxicity – Single Exposure

Product: Not classified.

Specific Target Organ Toxicity – Repeated Exposure

Product: Not classified.

Aspiration Hazard

Product: Droplets of the product aspirated into the lungs through ingestion or vomiting may be harmful.

Other Adverse Effects

No data available.

Section 12. Ecological Information

Toxicity:

Acute Toxicity:

Fish

Product: LC-50 (Oncorhynchus mykiss, 96h): 1,474 mg/l (2-butoxoxyethanol)

Aquatic Invertebrates

Product: EC-50 (Water Flea, 48 h): 1,550 mg/l (2-butoxoxyethanol)

Chronic Toxicity:

Fish

Product: NOEC (Zebra Fish, 21 d): > 100 mg/l (2-butoxoxyethanol)

Revision Date: 1/19/16 Page 9 of 12

Aquatic Invertebrates

Product: NOEC (daphnid, 21 d): 100 mg/l (2-butoxoxyethanol)

Toxicity to Aquatic Plants

Product: EC-50 (Algae (Pseudokirchneriella subcapitata, 72 h): 1,840 mg/l (2-butoxoxyethanol)

Persistence and Degradability:

Biodegradation

Product: No data available on complete product.

Biological Oxygen Demand

Product: No data available

Specified Substance(s)

2-butoxyethanol; ethylene No data available

glycol monobutyl ether

Chemical Oxygen Demand

Product: No data available

Specified Substance(s)

2-butoxyethanol; ethylene No data available

glycol monobutyl ether

BOD/COD Ratio

Product: No data available

Specified Substance(s)

2-butoxyethanol; ethylene No data available

glycol monobutyl ether

Bio accumulative Potential

Product: No data available on complete product.

Mobility in Soil Expected to partition to water.

Results of PBT and vPvB

Assessment: No data available

Revision Date: 1/19/16 Page 10 of 12

Section 13. Disposal Considerations

Waste Treatment Methods

General Information: Dispose of waste and residues in accordance with local authority

requirements in a permitted industrial waste facility.

Disposal Methods: Combustion products will include halogen aid (HCI/HF/HBr). Facility must

be capable of handling halogenated materials. Since emptied containers retain product residue, follow label warnings even after container is

emptied.

Section 14. Transport Information

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and description. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

DOT:

Not regulated

Possible Shipping Description(s):

Not regulated

IMDG-International Maritime Dangerous Goods Code:

Class not regulated

Possible Shipping Description(s):

Not regulated

IATA:

Class not regulated

Possible Shipping Description(s):

Not regulated

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

Components of this product have been classified in accordance with hazard criteria of the Controlled Products Regulations and SDS contains all the information required by the Controlled Products Regulations.

Revision Date: 1/19/16 Page 11 of 12

WHMIS (Canada) Status: Controlled.

SARA 311/312 Hazard Classifications:

Immediate (acute) health hazard. Delayed (chronic) health hazard.

US EPCRA (SARA Title III) Section 313 – Toxic Chemical List:

2-BUTOXYETHANOL (ETHYLENE GLYCOL MONOBUTYL ETHER) (GLYCOL ETHER CATEGORY)

California Proposition 65:

This material does not contain any chemical components with known CAS numbers that exceed the threshold reporting levels established by California Proposition 65.

OSHA: Hazardous

Components of this product are reported in the following inventories:

TCSA (US toxic Substances Control Act): This material contains a chemical which requires export notification under TSCA 12(b):

IngredientCAS No.RegulationStatusFluorochemical UrethaneTrade SecretTSCA 5Applicable

(NJTS Reg. No. 0449960-6607) SNUR or Consent order Chemicals

AICS/NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme): All components of this product are listed or otherwise comply.

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act): All components of this product are listed or otherwise comply.

AICS/NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme: All components of this product are listed or otherwise comply.

MITI (Japanese Handbook of Existing and New Chemical Substances: All components of this product are listed or otherwise comply.

ECL (Korean Toxic Substances Control Act): All components of this product are listed or otherwise comply.

Philippines Inventory (PICCS): All components of this product are listed or otherwise comply.

Inventory of Existing Chemical Substances in China: All components of this product are listed or otherwise comply.

Revision Date: 1/19/16 Page 12 of 12

Section 16. Other Information

Revision Information: Not relevant.

Key Literature References

and Sources for Data: No data available.

Training Information: No data available.

Date of Issue/Date of Revision: 1/19/2016

Notice to Reader

THE INFORMATION IN THIS SAFETY DATA SHEET (SDS) WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS CORRECTNESS OR ACCURACY. SOME INFORMATION PRESENTED AND CONCLUSIONS DRAWN HEREIN ARE FROM SOURCES OTHER THAN DIRECT TEST DATA ON THE SUBSTANCE ITSELF. THIS SDS WAS PREPARED AND IS TO BE USED ONLY FOR THIS PRODUCT. IF THE PRODUCT IS USED AS A COMPONENT IN ANOTHER PRODUCT, THIS SDS INFORMATION MAY NOT BE APPLICABLE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION OR PRODUCTS FOR THEIR PARTICULAR PURPOSE OR APPLICATION. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE, AND/OR DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR ANY LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.

SEK-Surebond is a registered trademark of SEK-Surebond Corporation.