

SPECK X pumps

High-performance design ...



BADU[®] Block Multi Series **Normblock Multi Series**

All Plastic Commercial Pool Pump 1750 RPM

Speck Pumps Multi Series

Durable, Serviceable, Fast.

They say you always have to pick two between price, quality, and speed. But what if you didn't?

That's the story of Speck's Multi Series. Innovative polyurethane construction keeps prices down while maintaining quality. It's all backed by Speck's industry-best lead times.



Normblock Multi Series

Our Baseline Horizontal Design

FEATURES

- Polyurethane construction at higher horsepowers than any other manufacturer. No need for cast-iron or to epoxy coat.
- Flexible design for easy replacement. Available with 4", 5", 6" and 8" Suction fittings for a perfect match.
- 6" and 8" Strainer Tanks available for even the largest jobs.
- All models comes with heavy-duty TEFC motors, which due to our simple de-coupling shaft, can be easily replaced without replacing the seal.



BADU Block Multi Series

Adding an Intelligent Twist to the Normblock's Versatile Design

FEATURES


- BADU Block Multi's stand conventional wisdom on its head, literally. By orienting the pump vertically, we unlock a series of extra benefits beyond those of the Normblock.
- The immensely space-saving design allows for an up to six-fold decrease in footprint.
- Independently rotating volute delivers even more flexibility, allowing for discharge articulation in eight different directions.
- Optional VFD can be mounted directly on motor feet, and preprogrammed at the factory for plug-and-play ease of use.



Performance Curves




BADU Block & Normblock Multi Series (7.5 HP, 10 HP, 15 HP, 20 HP)



A. 65/250 (Ø 225mm) - 7.5 HP S.F. 1.25
 B. 65/250 (Ø 240mm) - 10 HP S.F. 1.25

C. 100/250 (Ø 220mm) - 15 HP S.F. 1.25
 D. 100/250 (Ø 240mm) - 20 HP S.F. 1.25

BADU Block & Normblock Multi 125/250 Series (20 HP, 25 HP, 30 HP)



Normblock Multi 125/250
 (Horizontal Pump)

A. 125/250 (Ø 235mm) - 20 HP S.F. 1.25
 B. 125/250 (Ø 245mm) - 25 HP S.F. 1.15
 C. 125/250 (Ø 255mm) - 30 HP S.F. 1.15

BADU Block Multi 125/250
 (Vertical Pump w/ ceramic coated cast iron
strainer housing - 10" suction port)

A. 125/250 (Ø 235mm) - 20 HP S.F. 1.25
 B. 125/250 (Ø 245mm) - 25 HP S.F. 1.15
 C. 125/250 (Ø 255mm) - 30 HP S.F. 1.15

BADU Block Multi 125/250
 (Vertical Pump w/ plastic strainer housing -
8" suction port)

D. 125/250 (Ø 235mm) - 20 HP S.F. 1.25
 E. 125/250 (Ø 245mm) - 25 HP S.F. 1.15
 F. 125/250 (Ø 255mm) - 30 HP S.F. 1.15

Pump Options




Optional all plastic strainer tank for horizontal flooded suction applications

Strainer Tank Options

Horizontal pump: 6" & 8"
Vertical pump: 8" & 10"

Discharge Connection Positions

Discharge connection can be rotated in 45° increments.



Optional ceramic coated cast iron strainer tank



A Sampling of Recent BADU® Block and Normblock Installations

Wesleyan University
Middletown, CT

Del Webb Active Adult Community
Nocatee, FL

Four Seasons Walt Disney World
Orlando, FL

The Ritz-Carlton
Kapalua, HI

Tanganyika Wildlife Park
Goddard, KS

Spanish Peaks Mountain Club
Big Sky, MT

Dedham Health & Athletic Complex
Dedham, MA

The Westin Stonebriar Hotel & Golf Club
Frisco, TX

Margaritaville Lake Resort
Montgomery, TX

Life Time Fitness
Sterling, VA

Edgebrook Club
Bellevue, WA

Oglebay Resort
Wheeling, WV

Legoland New York Resort
Goshen, NY

Alfond Municipal Pool
Waterville, ME


Lake Superior State University
Sault Ste. Marie, MI

Los Banos del Mar
Santa Barbara, CA

The White House
Washington, D.C.

Four Seasons Hotel
Miami, FL

WE BRING WATER TO LIFE®



SPECK X
pumps

8125 Bayberry Road
Jacksonville, FL 32256 USA

info.usa@speck-pumps.com
www.speck-pumps.com

Toll Free 800.223.8538
Phone 904.739.2626

