

# Superior Strength Solvent-Based Adhesive Instructions

**DIRECTIONS:**

1. Surfaces must be clean and free from dust, oil, grease, excessive water, ice, or any other material that may interfere with proper adhesion.
2. Cut tip on slant for 1/4" to 3/8" bead. Puncture inner seal and place in cartridge gun.
3. Apply adhesive with caulking gun to one of the surfaces in a continuous bead to ensure complete coverage.
4. Apply only as much adhesive as you can cover in 10 minutes.
5. Press surfaces together firmly. For faster curing, lift up top product and immediately reposition (flash). Do not smear adhesive.
6. Vertical or slanted applications may require permanent bracing.

**CLEANUP:**

Use mineral spirits while adhesive is wet. Follow solvent vendor's precautions.

**USER TIPS:**

1. If block, paver, etc. has been tumbled, make sure surface is clean of any dust, dirt or material that may deter proper adhesion.
2. When using on tumbled blocks or pavers, we recommend a 3/8" bead. Be sure surface is free of dust, dirt or other materials that may deter proper bond.
3. Recommended application temperatures from 10°F to 120°F
4. When using on steps or high traffic areas, allow a 48 hour cure time and 4-5 days before use.
5. If materials have grooves, make sure you have full positive connection to both surfaces.
6. Not for continuous submersion or use under water.
7. Not for use on plastic, rubber or fiberglass materials.

**DANGER: EXTREMELY FLAMMABLE.  
VAPOR HARMFUL.**

Contains acetone, hexane and toluene. Keep away from heat, sparks and flame. Use only with positive cross-ventilation. Avoid breathing vapors. Do not swallow. Do not allow eye contact or prolonged skin contact. Uncured product can cause eye or skin irritation. Prolonged or repeated overexposure to solvents in uncured product can cause central nervous system, peripheral nervous system, eye, skin, liver, kidney or respiratory system effects. First Aid: If dizziness or other adverse effects are experienced, move to fresh air; contact physician if discomfort persists. If eye contact occurs, flush eyes with water for 15 minutes; contact physician immediately. If swallowed, do not induce vomiting; contact physician immediately. Wash skin contact areas with soap and water; contact physician if irritation persists. For additional information, please refer to Material Safety Data Sheet.

**KEEP OUT OF THE REACH OF CHILDREN.****WARNING:**

This product contains toluene, a chemical known to the State of California to cause birth defects or other reproductive harm.

Do not store in direct sunlight.

**IMPORTANT NOTICE:**

Our recommendations, if any, for the use of this product are based on tests believed to be reliable. Since the use of this product is beyond the control of the manufacturer, no guarantee or warranty, expressed or implied, is made for the merchantability, fitness or suitability for the use of this product or otherwise extending beyond the description hereof except the obligation to replace that product for portion of shipment proved defective. Furthermore, nothing contained herein shall be construed as a recommendation to use any product in conflict with existing laws and/or patents covering any material or use. Liability is limited to product replacement only.

**24 Hour  
Chemical Emergency  
(800) 424-9300**

**VOC: 303 g/L**