

SAFETY DATA SHEET

According to 29 CFR 1910.1200 Hazard Communication Standard 2012 (HazCom 2012)

SECTION 1: Identification

Product identifier

Product name Iron Total 3 - Reagent A

Product number R-8044A

Recommended use and

restrictions

To be used in accordance with manufacturer instructions or under the direct guidance of the

manufacturer.

Manufacturer Taylor Technologies, Inc.

31 Loveton Circle Sparks, MD 21152 Phone: (410) 472-4340

Emergency phone: (800) 837-8548

SECTION 2: Hazard(s) identification

Physical hazards Not applicable

Health hazards Eye damage/irritation Category 2A

Environmental hazards Not currently regulated by OSHA. For additional information, refer to section 12 of the SDS.

Label elements

Hazard pictograms



Signal word Warning

Hazard statements Causes serious eye irritation

Precautionary statements

Prevention Wear protective gloves/protective clothing/eye protection/face protection if contact is likely to

occur. Wash skin thoroughly after handling.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. IF EYE IRRITATION PERSISTS: Get medical

advice/attention.

Storage Keep tightly capped. Store out of direct sunlight between 36°F–85°F.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazards not otherwise classified Not applicable

SECTION 3: Composition/information on ingredients

М	lixtu	rΔ

Chemical name	Common name and synonyms	CAS number	% w/w
Water	Dihydrogen oxide	7732-18-5	45–60
Acetic acid	Glacial acetic acid	64-19-7	20–30
Sodium acetate trihydrate	Acetic acid sodium salt	6131-90-4	15–30

SECTION 4: First-aid measures

If inhaled

Remove individual to fresh air. Seek medical advice/attention if breathing becomes difficult or if respiratory irritation develops. Give oxygen or artificial respiration if needed.

In case of skin contact

Immediately flush skin with plenty of water for at least 20 minutes. If clothing comes in contact with the product, the clothing should be removed and laundered before reuse. Seek medical advice/attention if irritation develops.

SDS US

In case of eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms persist or in all cases of concern, seek medical advice/attention.

If swallowed

Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs. If symptoms persist or in all cases of concern, seek medical advice/attention.

Most important symptoms and effects, both acute and delayed

Refer to section 2 and/or section 11 of the SDS for the most important known symptoms and effects.

Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Alcohol-resistant foam, carbon dioxide, dry chemical powder, water spray.

Unsuitable extinguishing media Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Specific hazards arising from the substance or mixture

Fire hazard Not flammable Explosion hazard Not explosive

Reactivity Hazardous reactions will not occur under normal conditions.

Hazardous combustion products Carbon oxides, sodium oxides. Other irritating fumes and smoke.

Advice for firefighters

Precautionary measures Exercise caution when fighting any chemical fire; hazardous fumes will be present.

Firefighting Use water spray or fog for cooling exposed containers.

equipment/instructions

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Other information Refer to section 9 of the SDS for flammability properties.

SECTION 6: Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

Environmental precautions

Avoid discharge into drains, watercourses, or onto the ground.

Methods and material for containment and cleaning up

Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewers, basements, or confined areas. Following product recovery, flush area with water. Dilute acid with water and neutralize with dilute base. If not recoverable, dilute with water or flush to holding area and neutralize. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Reference to other sections

For exposure controls and personal protection, refer to section 8 of the SDS. For waste disposal, refer to section 13 of the SDS.

SECTION 7: Handling and storage

Personal precautions, protective equipment, and emergency procedures

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

Conditions for safe storage, including any incompatibilities

Keep tightly capped. Store out of direct sunlight between 36°F–85°F. Store away from incompatible materials (refer to section 10 of the SDS).

SECTION 8: Exposure controls/personal protection

Occupational exposure limits

US ACGIH Threshold Limit Values

Components	Туре	Value
Acetic acid (CAS 64-19-7)	STEL	37 mg/m ³
	TWA	25 mg/m ³

US NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value
Acetic acid (CAS 64-19-7)	ST	37 mg/m ³
	TWA	25 mg/m ³
	IDLH	123 mg/m ³

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Acetic acid (CAS 64-19-7)	TWA	25 mg/m ³

Biological limit values

No biological exposure limits noted for the ingredient(s)

Exposure controls

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling

this product.

Personal protective equipment

Eye/face protection Wear appropriate chemical safety goggles if contact is likely to occur.

Skin protection Wear appropriate chemical-resistant gloves and clothing if contact is likely to occur.

Body protection Wear appropriate protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA

approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the

exposure limits. Advice should be sought from respiratory protection suppliers.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid Form Liquid

Color Clear, colorless

Odor Vinegar

Odor threshold No data available

pH 4.5

Evaporation rate No data available Melting point Not applicable Freezing point No data available Boiling point No data available Flash point Not applicable Specific gravity No data available Auto-ignition temperature Not applicable Decomposition temperature No data available Flammability (solid, gas) Not applicable Upper Flammability Limit Not applicable Lower Flammability Limit Not applicable Vapor pressure No data available No data available Relative vapor density

Solubility Soluble in all proportions

Partition coefficient

(n-octanol/water)

No data available

Viscosity

No data available

Explosive properties

Oxidizing properties

Percent volatile

Not applicable

Not applicable

50–60%

SECTION 10: Stability and reactivity

Reactivity Hazardous reactions will not occur under normal conditions.

Chemical stability Stable under recommended handling and storage conditions (refer to section 7 of the SDS)

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use

Conditions to avoidContact with incompatible materials. Excess heat.

Incompatible materials Fluoride, metals, nitric acid, potassium nitrate, strong bases, strong oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products under conditions of normal use

SECTION 11: Toxicological information

Information on toxicological effects

Inhalation May cause irritation to the respiratory system
Skin contact May cause slight or mild transient irritation

Eye contact Causes serious eye irritation

Ingestion May cause irritation, nausea, vomiting, and diarrhea

Most important

symptoms/effects, acute and

delayed

Direct skin contact may cause slight or mild transient irritation. Symptoms may include redness

and itching.

Direct eye contact causes irritation. Symptoms may include stinging, tearing, redness, swelling,

and blurred vision.

Inhalation of mists can cause respiratory irritation. Symptoms may include coughing and

breathing difficulties.

Ingestion may cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Acute toxicity This product is not classified as an acute toxicity hazard. See below for product and individual

ingredient acute toxicity data.

Product Species Acute Toxicity Estimate (ATE)

Iron Total 3 - Reagent A (CAS Mixture)

Acute

Dermal

LD₅₀

Inhalation LC₅₀

Rabbit

Rat

Species

>20 mg/L

Oral

LD₅₀ Rat

J

>5000 mg/kg

4253 mg/kg

Acute Toxicity Estimate (ATE)

Acetic acid (CAS 64-19-7)

Acute

Components

Dermal

LD₅₀ Rabbit

Rat

1060 mg/kg

Inhalation

LC₅₀ Rat

11.4 mg/L

Oral

LD₅₀

3.530 mg/kg

Sodium acetate trihydrate (CAS 6131-90-4)

Acute

Dermal

LD₅₀ Rat No data available

Inhalation

LC₅₀ Rat No data available

Oral

LD₅₀ Rat 3500 mg/kg

Skin corrosion/irritationMay cause slight or mild transient irritation

Serious eye damage/eye irritation Causes serious eye irritation

Respiratory sensitizationNo data availableSkin sensitizationNo data availableGerm cell mutagenicityNo data available

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not classifiable

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096)

Not regulated

US National Toxicology Program (NTP) Report on Carcinogens

Not regulated

Reproductive toxicity

No data available

Specific target organ toxicity

No data available

(single exposure)

Specific target organ toxicity

(repeated exposure)

No data available

Aspiration hazard No data available

SECTION 12: Ecological information

Ecotoxicity This product is not classified as environmentally hazardous.

Persistence and degradability

Bioaccumulative potential

Mobility in soil

No data available

No data available

Other adverse effects Large or frequent spills can have a harmful or damaging effect on the environment.

SECTION 13: Disposal considerations

Collect and reclaim or dispose of in sealed containers at a licensed waste disposal site. Since emptied containers may retain product residue, follow label warnings even after container is emptied. This material and its container must be disposed of in a safe manner. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

Not regulated as dangerous goodsIATANot regulated as dangerous goodsIMDGNot regulated as dangerous goods

SECTION 15: Regulatory information

US federal regulations

CERCLA Hazardous Substance (40 CFR 302.4)

Chemical name CAS number Reportable Quantity

Acetic acid 64-19-7 5000 lbs

OSHA Hazard Communication Standard (29 CFR 1910.1200)

Chemical name CAS number

Acetic acid 64-19-7

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096)

Not regulated

SARA 302 Extremely Hazardous Substance (40 CFR 355 Appendices A / B)

Not regulated

SARA 304 Emergency Release Notification

Not regulated

SARA 311/312 Hazardous Chemical

Chemical nameCAS numberAcetic acid64-19-7

SARA 313 (TRI reporting)

Not regulated

TSCA Section 8(b) Chemical Inventory

All components are on the U.S. EPA TSCA Inventory list.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs)

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated

Safe Drinking Water Act (SDWA)

Not regulated

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (California Proposition 65)

Not regulated

Massachusetts Right-to-Know Act

Chemical name	CAS number	
Acetic acid	64-19-7	

New Jersey Worker and Community Right-to-Know Act

Chemical name	CAS number
Acetic acid	64-19-7

Pennsylvania Worker and Community Right-to-Know Act

Chemical name	CAS number
Acetic acid	64-19-7

Rhode Island Right-to-Know Act

Chemical name	CAS number	

Acetic acid 64-19-7

SECTION 16: Other information

NFPA Rating

Health hazard	2
Fire hazard	0
Reactivity	1
Specific	N/A

Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be altered in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and the most current data available.

Issue date:

May 2015

Last revisions

October 2017