

	1. Product and Compa	any Identification	
Product Code:	904473		
Product Name:	3S 2FE MG MN 0.4ZN 0.1CU (55 GAL DRUM)		
Trade Name:	Liquid Fertilizer		
Company Name:	Turf Care Supply Corp.	Phone Number:	
	50 Pearl Road Suite 200	1 (330)558-0910	
	Brunswick, OH 44212		
Web site address:	www.turfcaresupply.com		
Email address:	regaffairs@tcscusa.com		
Emergency Contact:	PERS	1 (800)633-8253	
Information:	Turf Care Supply Corp.	1 (330)558-0910	
Synonyms:	Liquid Fertilizer.		
	2. Hazards Idei	ntification	
		mineation	
Acute Toxicity: Oral, Catego	-		
Acute Toxicity: Skin, Catego	ry 5		
GHS Signal Word:	Warning		
GHS Hazard Phrases:	Harmful if swallowed.		
GIIS Hazaru Fillases.	May be harmful in contact with s	kin	
GHS Precautionary Phrases:	Wash hands thoroughly after ha		
	Do not eat, drink or smoke when using this product.		
	Do not handle until all safety precautions have been read and understood.		
	Use personal protective equipme	ent as required.	
GHS Response Phrases:	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.		
	Rinse mouth.		
	IF exposed or concerned: Get m		
GHS Storage and Disposal Phrases:	Store in a diked or contained are	ea to prevent uncontrolled release to the environment.	
Potential Health Effects	e .	skin contact may cause dermatitis. Prolonged or	
(Acute and Chronic):		ermanent eye damage. Chronic exposure may cause tive effects have been reported in animals.	
Inhalation:	May be harmful if inhaled. Low h	azard for normal industrial handling. The toxicological	
		e not been fully investigated. May cause systemic	
		to mucous membranes and upper respiratory tract.	
Skin Contact:	May cause skin irritation. Low ha	zard for usual industrial handling.	
Eye Contact:	May cause eye irritation.		
Ingestion:	-	y cause gastrointestinal irritation with nausea, vomiting	
		mal industrial handling. The toxicological properties of	
	this substance have not been ful	ly investigated. May cause systemic effects.	



		oomposition/inc	ormation on Ingredients	
CAS #	Hazardous Compo	nents (Chemical Name)	Concentration	
7782-63-0	Ferrous sulfate		5.00 - 20.0 %	
7487-88-9	Magnesium sulfate		5.00 - 15.0 %	
7446-20-0	Zinc sulfate heptahy	/drate	1.00 - 5.00 %	
10034-96-5	Manganous sulfate		1.00 - 5.00 %	
7758-98-7	Cupric sulfate		0 - 5.00 %	
		4. First A	id Measures	
Emergency a				
Procedures:				
In Case of In	I	respiration. If breathing is	nd move to fresh air immediately. If not breathing, give artificia difficult, give oxygen. Get medical aid.	
In Case of SI	:		kin with plenty of water. Remove contaminated clothing and rritation develops and persists. Wash clothing before reuse. enty of water.	
In Case of Ey	•		vater for at least 15 minutes, occasionally lifting the upper an I aid. Do NOT allow victim to rub eyes or keep eyes closed.	
In Case of Ingestion:		Get medical aid. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Call a poison control center. If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.		
Signs and Symptoms OfTo the best of our knowledge, the chemical, physical, and toxicological propertiesExposure:not been thoroughly investigated.				
Note to Phys	sician:	Treat symptomatically and	l supportively.	
		5. Fire Figh	nting Measures	
Flash Pt:		No data.		
Explosive Li	mits:	LEL: No data.	UEL: No data.	
Autoignition	Pt:	No data.		
Suitable Exti		For small fires, use dry ch	ible; use agent most appropriate to extinguish surrounding fir emical, carbon dioxide, or water spray. For large fires, use dr alcohol-resistant foam, or water spray.	
N N		MSHA/NIOSH (approved noncombustible. Decompo products. Runoff from fire	contained breathing apparatus in pressure-demand, or equivalent), and full protective gear. Substance is oses at high temperatures, resulting in toxic and corrosive control or dilution water may cause pollution.	
Flammable F Hazards:	Properties and	No data available.		
		No data available.		
	Combustion	No data available.		



		6. Acci	dental Release N	Measures	
Protective P Protective E Emergency	quipment and	Splash proof sa	afety goggles.		
Environmen	tal Precautions:		to the environment. luct enter drains.		
Steps To Be Taken In Case Material Is Released Or Spilled:		Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Avoid runoff into storm sewers and ditches which lead to waterways. Do not let this product enter the environment except as directed on product label. Clean up spill immediately, observing precautions in the Protective Equipment section.			
		Personal preca Use personal p	autions. protective equipment.		
			•	AUTIONS. contact with skin and eyes, and a	avoid breathing
		Methods for cle Ventilate area		material pickup is complete.	
		7.	Handling and St	orage	
	To Be Taken in			hly after handling. Use only in a ish clothing before reuse.	well-ventilated
Handling: Precautions	To Be Taken in	ingestion and ir area. Keep con Keep container	tainer tightly closed. Wa closed when not in use.	sh clothing before reuse.	well-ventilated
Handling: Precautions Storing:	To Be Taken in 8.	ingestion and ir area. Keep con Keep container Exposure	tainer tightly closed. Wa closed when not in use. Controls/Perso	nal Protection	
Handling: Precautions Storing: CAS #	To Be Taken in 8. Partial Chemical	ingestion and ir area. Keep con Keep container Exposure	tainer tightly closed. Wa closed when not in use. Controls/Perso OSHA TWA	nal Protection	Other Limits
Handling: Precautions Storing: CAS # 7782-63-0	To Be Taken in 8. Partial Chemical Ferrous sulfate	ingestion and ir area. Keep con Keep container Exposure Name	tainer tightly closed. Wa closed when not in use. Controls/Perso OSHA TWA No data.	nal Protection ACGIH TWA TWA: 1 mg/m3	Other Limits No data.
Handling: Precautions Storing: CAS #	To Be Taken in 8. Partial Chemical Ferrous sulfate Magnesium sulfate	ingestion and ir area. Keep con Keep container Exposure Name	tainer tightly closed. Wa closed when not in use. Controls/Perso OSHA TWA	nal Protection	Other Limits
Handling: Precautions Storing: CAS # 7782-63-0 7487-88-9	To Be Taken in 8. Partial Chemical Ferrous sulfate	ingestion and ir area. Keep con Keep container Exposure Name	tainer tightly closed. Wa closed when not in use. Controls/Perso OSHA TWA No data. No data.	nal Protection ACGIH TWA TWA: 1 mg/m3 No data.	Other Limits No data. No data. No data.
Handling: Precautions Storing: CAS # 7782-63-0 7487-88-9 7446-20-0	To Be Taken in 8. Partial Chemical Ferrous sulfate Magnesium sulfate Zinc sulfate heptal	ingestion and ir area. Keep con Keep container Exposure Name	tainer tightly closed. Wa closed when not in use. Controls/Perso OSHA TWA No data. No data. No data.	nal Protection ACGIH TWA TWA: 1 mg/m3 No data. No data. TWA: 0.02 mg/m3 (resp.) 0.1	Other Limits No data. No data. No data.
Handling: Precautions Storing: CAS # 7782-63-0 7487-88-9 7446-20-0 10034-96-5 7758-98-7	To Be Taken in 8. Partial Chemical Ferrous sulfate Magnesium sulfate Zinc sulfate heptal Manganous sulfate Cupric sulfate Equipment	ingestion and ir area. Keep con Keep container Exposure Name A respiratory pr requirements of conditions warr (EU EN 143) pa	tainer tightly closed. Wa closed when not in use. CONTROIS/Perso OSHA TWA No data. No data. CEIL: 5 mg/m3 No data. rotection program that m r European Standard EN ant respirator use. For n	nal Protection ACGIH TWA TWA: 1 mg/m3 No data. TWA: 0.02 mg/m3 (resp.) 0.1 mg/m3 (IHL) No data. teets OSHA's 29 CFR 1910.134 149 must be followed whenever usiance exposures use type P9 her level protection use type OV	Other Limits No data. No data. No data. No data. No data. and ANSI Z88.2 er workplace 5 (US) or type P1
Handling: Precautions Storing: CAS # 7782-63-0 7487-88-9 7446-20-0 10034-96-5 7758-98-7 Respiratory (Specify Typ	To Be Taken in 8. Partial Chemical Ferrous sulfate Magnesium sulfate Zinc sulfate heptal Manganous sulfate Cupric sulfate Equipment re):	ingestion and ir area. Keep con Keep container Exposure Name A respiratory pr requirements of conditions warr (EU EN 143) pa type ABEK-P2 Wear appropria	tainer tightly closed. Wa closed when not in use. CONTROIS/Perso OSHA TWA No data. No data. CEIL: 5 mg/m3 No data. CEIL: 5 mg/m3 No data. Totection program that m r European Standard EN ant respirator use. For n article respirator. For hig (EU EN 143) respirator of the protective eyeglasses	nal Protection ACGIH TWA TWA: 1 mg/m3 No data. TWA: 0.02 mg/m3 (resp.) 0.1 mg/m3 (IHL) No data. teets OSHA's 29 CFR 1910.134 149 must be followed whenever usiance exposures use type P9 her level protection use type OV	Other Limits No data. No data. No data. No data. No data. and ANSI Z88.2 er workplace 5 (US) or type P1 //AG/P99 (US) or described by
Handling: Precautions Storing: CAS # 7782-63-0 7487-88-9 7446-20-0 10034-96-5 7758-98-7 Respiratory (Specify Typ	To Be Taken in 8. Partial Chemical Ferrous sulfate Magnesium sulfate Zinc sulfate heptal Manganous sulfate Cupric sulfate Equipment re):	ingestion and ir area. Keep con Keep container Exposure Name A respiratory pr requirements of conditions warr (EU EN 143) pa type ABEK-P2 Wear appropria OSHA's eye an EN166.	tainer tightly closed. Wa closed when not in use. CONTROIS/Perso OSHA TWA No data. No data. CEIL: 5 mg/m3 No data. CEIL: 5 mg/m3 No data. rotection program that m r European Standard EN ant respirator use. For n article respirator. For hig (EU EN 143) respirator of the protective eyeglasses and face protection regular	nal Protection ACGIH TWA TWA: 1 mg/m3 No data. No data. TWA: 0.02 mg/m3 (resp.) 0.1 mg/m3 (IHL) No data. TWA: 29 CFR 1910.134 No data. No data. No data. So data. No data. No data. No data. No data. So data. No data. No data. So data. No data.	Other Limits No data. No data. No data. No data. No data. and ANSI Z88.2 er workplace 5 (US) or type P1 //AG/P99 (US) or described by ropean Standard
Handling: Precautions Storing: CAS # 7782-63-0 7487-88-9 7446-20-0 10034-96-5 7758-98-7 Respiratory (Specify Typ Eye Protecti Protective G	To Be Taken in 8. Partial Chemical Ferrous sulfate Magnesium sulfate Zinc sulfate heptal Manganous sulfate Cupric sulfate Equipment re):	ingestion and ir area. Keep con Keep container Exposure Name A respiratory pr requirements of conditions warr (EU EN 143) pa type ABEK-P2 Wear appropria OSHA's eye an EN166. Wear appropria	tainer tightly closed. Wa closed when not in use. CONTROIS/Perso OSHA TWA No data. No data. CEIL: 5 mg/m3 No data. CEIL: 5 mg/m3 No data. rotection program that m r European Standard EN ant respirator use. For n article respirator. For hig (EU EN 143) respirator of the protective eyeglasses and face protection regular	ACGIH TWA TWA: 1 mg/m3 No data. TWA: 0.02 mg/m3 (resp.) 0.1 mg/m3 (IHL) No data. TWA: 0.02 mg/m3 (resp.) 0.1 mg/m3 (IHL) No data. Heets OSHA's 29 CFR 1910.134 N 149 must be followed whenever uisance exposures use type P9 her level protection use type P0 cartridges. s or chemical safety goggles as tions in 29 CFR 1910.133 or Eu	Other Limits No data. No data. No data. No data. No data. and ANSI Z88.2 er workplace 5 (US) or type P1 //AG/P99 (US) or described by ropean Standard

GHS format



Work/Hygienic/MaintenanceHandle in accordance with good industrial hygiene and safety practice. Wash handsPractices:before breaks and at the end of workday. Wash thoroughly after handling.

	9. Physical and Chemical Properties
Physical States:	[]Gas [X]Liquid []Solid
Appearance and Odor:	Clear. colored.
	Ammoniacal odor.
pH:	6.0 - 7.0
Melting Point:	No data.
Boiling Point:	> 100 C
Flash Pt:	No data.
Evaporation Rate:	No data.
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: No data. UEL: No data.
Vapor Pressure (vs. Air or mm Hg):	No data.
Vapor Density (vs. Air = 1):	No data.
Specific Gravity (Water = 1):	1.1 - 1.4
Solubility in Water:	No data.
Solubility Notes:	Infinitely miscible with water.
Octanol/Water Partition Coefficient:	No data.
Autoignition Pt:	No data.
Decomposition Temperature:	No data.
Viscosity:	No data.
	10. Stability and Reactivity
Reactivity:	Stable. However, may decompose if heated.
Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	Incompatible materials, dust generation, heating to decomposition. High temperatures.
Incompatibility - Materials To Avoid:	Strong oxidizing agents, bases, acids, aluminum.
Hazardous Decomposition or Byproducts:	Carbon monoxide, oxides of nitrogen, Carbon dioxide, oxides of sulfur, nitrogen oxides (NOx) and ammonia (NH3). Nitrogen oxides, oxides of phosphorus, Ammonia, Oxides of potassium, Hydrogen chloride, chlorine, irritating and toxic fumes and gases.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	No data available.



		11. Toxicological	Informatio	on		
Toxicological Information:		Epidemiology: No information found. Teratogenicity: No information available. Tumorigenic effects have been reported in experimental animals. Teratogenicity: Teratogenic effects have occurred in experimental animals. Adverse reproductive effects have occurred in experimental animals. Neurotoxic effects have occurred in experimental animals. Reproductive toxicity - no data available. Inhalation: May cause damage to organs through prolonged or repeated exposure.				
Carcinogenic	city/Other	Carcinogenicity				
CAS #	Hazardous Co	mponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
7782-63-0	Ferrous sulfate		n.a.	n.a.	n.a.	n.a.
7487-88-9	Magnesium sulf	ate	n.a.	n.a.	n.a.	n.a.
7446-20-0	Zinc sulfate hep	otahydrate	n.a.	n.a.	n.a.	n.a.
10034-96-5	Manganous sul	fate	n.a.	n.a.	n.a.	n.a.
7758-98-7	Cupric sulfate		n.a.	n.a.	n.a.	n.a.
		12. Ecological li	nformation			
Persistence a Degradability		Urea will dissolve and disperse i degrade water quality and taste. may affect water quality. Do not empty into drains. No data available.				-
Bioaccumula	tive Potential:	No data available.				
Mobility in S	oil:	No data available.				
		13. Disposal Con	sideration	IS		
Waste Dispo	sal Method:	Chemical waste generators mus as a hazardous waste. US EPA in 40 CFR Parts 261. Additionall hazardous waste regulations to o RCRA P-Series: None listed. RCRA U-Series: None listed.	guidelines for th y, waste genera	ne classificati ators must co	on determina nsult state ar	tion are listed Id local
		Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.				
		14. Transport Ir	nformation			
						GHS for



LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated. **DOT Hazard Class:**

UN/NA Number:

15. Regulatory Information

EPA SARA (S	Superfund Amendments and Reauthorization	n Act of 1986) Lists		
CAS #	Hazardous Components (Chemical Name	e) S. 302 (EHS	S) S. 304 RQ	S. 313 (TRI)
7782-63-0	Ferrous sulfate	No	Yes NA	No
7487-88-9	Magnesium sulfate	No	No	No
7446-20-0	Zinc sulfate heptahydrate	No	No	Yes-Cat. N982
10034-96-5	Manganous sulfate	No	No	Yes-Cat. N450
7758-98-7	Cupric sulfate	No	Yes NA	Yes-Cat. N100
This materia	al meets the EPA 'Hazard Categories' de	fined for SARA T	itle III Sections 311/3	312 as indicated:
] Yes [X] No	Explosive	[X] Yes [] No	Acute toxicity (any route c	of exposure)
] Yes [X] No	Flammable (gases, aerosols, liquid, or solid)	[] Yes [X] No	Skin Corrosion or Irritation	ı
[] Yes [X] No	Oxidizer (liquid, solid or gas)	[] Yes [X] No	Serious eye damage or ey	e irritation
[] Yes [X] No	Self-reactive	[] Yes [X] No	Respiratory or Skin Sensi	tization
[] Yes [X] No	Pyrophoric (liquid or solid)	[] Yes [X] No	Germ cell mutagenicity	
[] Yes [X] No	Pyrophoric gas	[] Yes [X] No	Carcinogenicity	

- [] Yes [X] No Reproductive toxicity
- [] Yes [X] No Specific target organ toxicity (single or repeated exposure)
- [] Yes [X] No Aspiration Hazard
- [] Yes [X] No Simple Asphyxiant
- [] Yes [X] No (Health) Hazard Not Otherwise Classified (HNOC)

CAS # Hazardous Components (Chemical Name)

[] Yes [X] No (Physical) Hazard Not Otherwise Classified (HNOC)

7782-63-0 Ferrous sulfate

[] Yes [X] No Self-heating

[]Yes [X] No

[] Yes [X] No Organic peroxide

[] Yes [X] No Corrosive to metal

[] Yes [X] No Gas under pressure (compressed gas)

Combustible Dust

[] Yes [X] No In contact with water emits flammable gas

- 7487-88-9 Magnesium sulfate
- 7446-20-0 Zinc sulfate heptahydrate
- 10034-96-5 Manganous sulfate
- 7758-98-7 Cupric sulfate

Other US EPA or State Lists

CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NJ EHS: No; NY Part 597: Yes: HS; PA HSL: Yes - E CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No CAA HAP, ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; MA Oil/HazMat: Yes - Cat.; MI CMR, Part 5: Yes - Cat.; NJ EHS: Yes - Cat.; NY Part 597: No; PA HSL: No CAA HAP, ODC: Yes - Cat.; CWA NPDES: No; TSCA: No; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: Yes -Cat.; NJ EHS: Yes - Cat.; NY Part 597: No; PA HSL: No CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -Inventory; CA PROP.65: No; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NJ EHS: Yes - Cat.; NY Part 597: Yes: HS; PA HSL: Yes - E



SAFETY DATA SHEET 3S 2FE MG MN 0.4ZN 0.1CU (55 GAL DRUM) Printed: 09/29/2021 Revision: 09/29/2021

16. Other Information			
Revision Date:	09/29/2021		
Hazard Rating System:	Flammability Health NFPA: Special Hazard		
Additional Information At This Product:	oout No data available.		
Company Policy or Disclaimer:	Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and Turf Care Supply Corp. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purposes.		