

STEPS & CAPS

STEPS, CAPS (WALLS, COUNTERS AND PILLARS),
POOL COPING & OVERLAY SYSTEMS



STEPS

Borealis	P. 251
Maya	P. 252
Raffinato	P. 253
Röcka	P. 254
Sandstone	P. 255
Systema	P. 256
Terrazzo	P. 257
York	P. 258

OVERLAY SYSTEMS

Blu 45 mm	P. 260
Sandstone	P. 261
Venetian	P. 262

CAPS

Architectural	P. 264
Bali Travertina Raw	P. 266
Brandon	P. 267
Limestone	P. 268
Sandstone	P. 269
Bullnose	P. 270
Bullnose Grande	P. 271
Graphix	P. 272
Piedimonte	P. 273
Portofino	P. 274
Raffinato	P. 276
Terrazzo	P. 278
Travertina Raw	P. 279
York	P. 280

COMPATIBILITY CHART


Walls & Pillars	Caps																			
	Architectural	Brandon	Bullnose	Bullnose Grande	Graphix	Limestone	Piedimonte	Piedimonte 28"x28"	Portofino	Raffinato 60 mm	Raffinato 90 mm	Sandstone	Sandstone Bullnose	Sandstone Overlay	Terrazzo	Terrazzo Bullnose	Travertina Raw14"x28"	York	York 28"x28"	York 32"x32"
Borealis (does not require a cap)																				
Brandon 90 & 180 mm		x	x	x		x	x		x	x	x	x	x	x	x	x	x	x		
Brandon 90 & 180 mm pillar						x		x		x	x	x					x		x	
Fascia Wall Collection - single-sided	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x		
Fascia Wall Collection - double-sided									x											
G-Force					x	x	x			x	x	x			x	x	x			
Graphix					x	x	x			x	x	x		x	x	x	x			
Mini-Creta Collection	x	x	x	x		x	x		x	x	x	x	x	x	x	x	x	x		
Mini-Creta Pillar 24" Collection						x		x		x	x	x					x		x	
Prescott Collection						x	x		x	x	x	x		x	x	x	x	x		
Prescott Pillar Collection						x		x		x	x	x					x		x	
Raffinato Collection				x	x	x	x			x	x	x	x	x	x	x	x			
Raffinato Pillar Collection						x		x		x	x	x					x			
Röcka (does not require a cap)																				
Semma	x	x	x		x	x	x		x	x	x	x		x	x	x	x	x		
Semma Pillar										x		x					x			x
Skyscraper										x	x	x		x	x	x				
Systema				x	x	x	x			x	x	x	x	x	x	x	x			
Travertina Raw	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x		
Travertina Raw pillar										x	x	x					x		x	

NOTE: The combinations shown in this chart are not exclusive. Other combinations can be possible.

Applications	Caps																									
	Architectural	Bali Travertina Raw	Brandon	Bullnose	Bullnose Grande	Graphix	Limestone	Piedimonte 14"x30"	Piedimonte 28"x28"	Portofino	Raffinato 60 mm	Raffinato 90 mm	Sandstone	Sandstone Bullnose	Sandstone Overlay	Terrazzo	Terrazzo Bullnose	Travertina Raw 14"x28"	York wall caps 16", 32", 48"	York 14"x48"	York 24"x36"	York 28"x28"	York 32"x32"	Blu 45 mm	Venetian	
Step	X		X	X	X	X	X	X		X	X	X	X	X		X	X	X	X	X						
Concrete & step overlay system															X										X	X
Pool coping		X		X	X			X		X	X	X	X	X	X	X	X	X	X							
Wall single-sided	X		X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X						
Wall double-sided	X					X	X			X	X	X	X					X	X	X						
Counter top								X	X										X							
Pillar									X		X							X			X	X	X			

INSTALLATION GUIDE


POOL COPING



POOL COPING INSTALLATION

Typical cross section


NATURAL STONE COPING



INSTALLATION GUIDE

OVERLAY OF EXISTING CONCRETE STEPS VENETIAN CAP, RISER AND SLAB BLU 45 mm


OPTION 1: 7" (178 mm) HIGH RISER



STEP OVERLAY SYSTEM INSTALLATION

Typical cross section

OPTION 2: 5 7/8" (150 mm) TO 7 7/8" (200 mm) HIGH RISER




STEP OVERLAY SYSTEM INSTALLATION


Typical cross section

INSTALLATION GUIDE


BOREALIS



MAYA




RAFFINATO




INSTALLATION GUIDE


RÖCKA




SANDSTONE



SYSTEMA



YORK






BOREALIS

DESCRIPTION: Step TEXTURE: Wood

Pallet Overview




Specifications per pallet




8 units / pallet

	Imperial	Metric
Dimension Front (L x D x H)	48 x 15 3/4 x 6	1 219 x 400 x 152
Dimension Back (L x D x H)	48 x 16 x 6	1 219 x 406 x 152
Cubing	32 lin. ft	9.76 lin. m
Approx. Weight	3 073 lbs	1 394 kg
Number of rows	4	
Coverage per row	8 lin. ft	2.44 lin. m
Lin. coverage per row	4 lin. ft	1.22 lin. m



Wood
Smoked Pine



Wood
Hazelnut Brandy

NOTES

See page 6 for icons description.

*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.


To achieve a natural appearance, product dimensions can vary $\pm \frac{3}{16}$ " (5 mm) for height and $\pm \frac{1}{2}$ " (13 mm) for length and width.


Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.





MAYA

DESCRIPTION: Step TEXTURE: Slate

Specifications per pallet		Imperial	Metric
 4 units / pallet	Product dimension (L x D x H)	48 x 32 x 6	1 219 x 813 x 152
	Cubing	4 units	4 units
	Approx. Weight	2 550 lbs	1 157 kg
	Number of rows	4	
	Coverage (Approx.)	16 lin. ft	4.88 lin. m.
	Linear coverage per row (Approx.)	4 lin. ft	1.22 lin. m.



MAYA STEP PATTERNS (EXAMPLES)



NOTES

See page 6 for icons description.

*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

To achieve a natural appearance, product dimensions can vary $\pm \frac{3}{16}$ " (5 mm) for height and $\pm \frac{1}{2}$ " (13 mm) for length and width.

Manufactured in four different shapes that may result in an uneven distribution in the packaging. As a result, it is not guaranteed that a pallet will contain all the 4 units in different shapes.


Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.

D ❄️

RAFFINATO

DESCRIPTION: Step TEXTURE: Smooth

Pallet Overview



Specifications per pallet



9 units / pallet


	Imperial	Metric
Product dimension (L × D × H)	42 × 14 ½ × 7 ⅞	1 067 × 368 × 180
Cubing	9 units	9 units
Approx. Weight	3 236 lbs	1 468 kg
Number of rows	3	
Coverage per row	10.5 lin. ft	3.2 lin. m
Lin. coverage per row	31.5 lin. ft	9.6 lin. m



Smooth
Caffè Crema



Smooth
Beige Cream



Smooth
Greyed Nickel



Smooth
Shale Grey



Smooth
Onyx Black

NOTES

See page 6 for icons description.

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.




RÖCKA

DESCRIPTION: Step TEXTURE: Fossil stone

48" DOUBLE-SIDED			
Specifications per pallet		Imperial	Metric
 8 units / pallet	Dimension Front (L × D × H)	48 × 14 7⁄8 × 6	1 219 × 378 × 152
	Dimension Back (L × D × H)	48 × 14 7⁄8 × 6	1 219 × 359 × 152
	Cubing	8 units	8 units
	Linear coverage per pallet	32 lin. ft	9.76 lin. m
	Approx. Weight	2 770 lbs	1 256 kg
	Number of rows	4	
	Lin. coverage per row	8 lin. ft	2.44 lin. m

60"			
Specifications per pallet		Imperial	Metric
 6 units / pallet	Dimension Front (L × D × H)	60 × 15 1⁄4 × 6	1 524 × 387 × 152
	Dimension Back (L × D × H)	60 × 14 5⁄8 × 6	1 524 × 371 × 152
	Cubing	6 units	6 units
	Linear coverage per pallet	30 lin. ft	9.14 lin. m
	Approx. Weight	2 640 lbs	1 197 kg
	Number of rows	2	
	Lin. coverage per row	15 lin. ft	4.57 lin. m



RÖCKA WALL & EDGE

When building a staircase, the Röcka wall can be used to complete the sides and act as part of a structural system. See the product specifications on page 250.

NOTES

- See page 6 for icons description.


Röcka 48" is a double-sided step. Each side has slight natural texture differences. Please take that into consideration when installing them side by side. We recommend keeping the same texture together.

Please note that there is a slight vertical angle on the front and back faces of the step 3⁄8", from the bottom to the top of the step.
- To achieve a natural appearance, product dimensions can vary ± 3⁄16" (5 mm) for height and ± 1⁄2" (13 mm) for length and width.


*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.

Pallet Overview - 48"




Pallet Overview - 60"



Chocolate Brown
Fossil stone

Rock Garden Brown
Fossil stone

Riviera
Fossil stone






SANDSTONE Natural Stone collection

DESCRIPTION: Step **TEXTURE:** Natural stone

Pallet Overview



Specifications per pallet



4 units / pallet

	Imperial	Metric
Product dimension (L × D × H)	47 1/4 × 15 3/4 × 5 7/8	1 200 × 400 × 150
Linear coverage per pallet	15.75 lin. ft	4.80 lin. m
Approx. Weight	1 742 lbs	790 kg
Number of rows	2	
Linear coverage per row	7.87 lin. ft	2.40 lin. m.



Natural stone
Grey

Natural stone
Beige

NOTES

See page 6 for icons description.

NATURAL STONE COLLECTION

Natural stones are products of nature. They are sold as is and are not covered by Techo-Bloc's Warranty. Installation is deemed acceptance of products.

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.




SYSTEMA (Available Spring 2026)

DESCRIPTION: Lighting Ready Step* TEXTURE: Smooth

Specifications per pallet		Imperial	Metric
 8 units / pallet	Product dimension (L x D x H)	42 x 16 3/4 x 7 1/8	1 067 x 425 x 180
	Cubing	28 lin.ft	8.54 lin.m.
	Approx. Weight	3 270 lbs	1 483 kg
	Number of rows	2	
	Linear coverage per unit (Approx.)	3.5 lin.ft	1.07 lin.m.

Pallet Overview**



Chestnut Brown
Caf  Crema
Beige Cream
Greyed Nickel
Shale Grey
Onyx Black

Smooth
Smooth
Smooth
Smooth
Smooth
Smooth



NOTES

See page 6 for icons description.

*Designed for easy integration of lighting with a 19 mm height recessed channel under the step.

**Palletized upright.


Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.



TERRAZZO

DESCRIPTION: Step **TEXTURE:** Polished

Pallet Overview



Specifications per pallet



8 units / pallet

	Imperial	Metric
Product dimension (L × D × H)	48 × 15 × 6	1 219 × 381 × 152
Cubing	32 lin. ft	9.76 lin. m.
Approx. Weight	2 840 lbs	1 288 kg
Number of rows	4	
Lin. coverage per unit	4 lin.ft	1.22 lin.m.




Polished
Stardust Beige



Polished
Mineral White



Polished
Moonrock Grey



Polished
Meteor Black

NOTES

See page 6 for icons description.

Every unit is calibrated to ensure height is within a 1 mm tolerance.

*The Terrazzo Collection comes with a factory-applied, water-based "natural look" protectant that enhances the surface and aids in maintenance. However, to maintain its de-icing salt resistant properties, it is essential to re-apply a concrete or natural stone water-based protectant or sealer periodically.

We recommend applying the protectant as soon as you observe water absorption. If water is still repelled, re-application is not yet necessary. Always test the protectant or sealer on a small, hidden area before full application.

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.




YORK 60"

DESCRIPTION: Step TEXTURE: Limestone surface with chiseled edges

Specifications per pallet		Imperial	Metric
 6 units / pallet	Product dimension (L x D x H)	60 x 15 x 6	1 524 x 381 x 152
	Cubing	6 units	6 units
	Linear coverage per pallet	30 lin. ft	9.14 lin. m
	Approx. Weight	2 649 lbs	1 202 kg
	Number of rows	2	
	Linear coverage per row	15 lin. ft	4.57 lin. m

Pallet Overview		



NOTES

See page 6 for icons description.

York is a single sided step chiseled on 3 sides.

*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

To achieve a natural appearance, product dimensions can vary $\pm \frac{3}{16}$ " (5 mm) for height and $\pm \frac{1}{2}$ " (13 mm) for length and width.


Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.



BLU 45 mm


DESCRIPTION: Concrete Overlay System **TEXTURE:** Slate

Pallet Overview




Slate
Chestnut Brown
Slate
Champlain Grey
Slate
Shale Grey

Specifications per pallet



	Imperial	Metric
A Product dimension (L x D x H)	6 1/2 x 13 x 1 3/4	165 x 330 x 45
B Product dimension (L x D x H)	13 x 13 x 1 3/4	330 x 330 x 45
C Product dimension (L x D x H)	19 1/2 x 13 x 1 3/4	495 x 330 x 45
Cubing	127.44 ft ²	11.84 m ²
Approx. Weight	2 631 lbs	1 193 kg
Number of rows	12	
Coverage per row	10.62 ft ²	0.99 m ²

Laying Patterns Options



Patterns are for design inspiration only. The installer is responsible to calculate & purchase the correct amount of material.

NOTES

See page 6 for icons description.

Blu 45 mm should only be used to overlay existing concrete patios.

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

See page 248 for more technical information.


For joint filling surface coverage, see page 36.


Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.



BLU 45 mm


DESCRIPTION: Concrete Overlay System TEXTURE: Smooth

Specifications per pallet		Imperial	Metric
A 	Product dimension (L×D×H) A	6 ½ × 13 × 1 ¾	165 × 330 × 45
	Product dimension (L×D×H) B	13 × 13 × 1 ¾	330 × 330 × 45
48 units / pallet	Product dimension (L×D×H) C	19 ½ × 13 × 1 ¾	495 × 330 × 45
B 	Cubing	127.44 ft²	11.84 m²
48 units / pallet	Approx. Weight	2 631 lbs	1 193 kg
C 	Number of rows	12	
24 units / pallet	Coverage per row	10.62 ft²	0.99 m²




Laying Patterns Options


01 | Linear



02 | Linear



03 | Modular



Patterns are for design inspiration only. The installer is responsible to calculate & purchase the correct amount of material.

NOTES

See page 6 for icons description.

Blu 45 mm should only be used to overlay existing concrete patios.

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

See page 248 for more technical information.

For joint filling surface coverage, see page 36.

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.

Chestnut Brown
Champlain Grey
Beige Cream
Grayed Nickel
Shale Grey
Onyx Black

Smooth
Smooth
Smooth
Smooth
Smooth
Smooth






SANDSTONE

DESCRIPTION: Natural Stone Cap Overlay System **TEXTURE:** Natural Stone

Pallet Overview



Natural Stone
Beige


Natural Stone
Grey

Specifications per pallet



84 units / pallet

	Imperial	Metric
Dimension (L x D x H x H)	23 5/8 x 12 x 7/8 x 1 15/16	600 x 305 x 22 x 50
Cubing	165.35 lin. ft	50.4 lin. m
Approx. Weight	2 017 lbs	915 kg
Number of rows	2	
Linear coverage per row	82.68 lin. ft	25.2 lin. m



NOTES

See page 6 for icons description.

Palletized upright.

NATURAL STONE COLLECTION

Natural stones are products of nature. They are sold as is and are not covered by Techo-Bloc's Warranty. Installation is deemed acceptance of products.

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.






VENETIAN

DESCRIPTION: Step Overlay System TEXTURE: Slate

RISER			
Specifications per pallet		Imperial	Metric
 48 units / pallet	Product dimension (L × D × H)	16 × 7 × 1 ¾	406 × 178 × 45
	Cubing	48 units	48 units
	Linear coverage per pallet	64 lin. ft	19.52 lin. m
	Approx. Weight	801 lbs	363 kg
	Units	1.33 lin. ft	0.41 lin. m
	Number of rows	4	
Lin. coverage per row		16 lin. ft	4.88 lin. m

CAP			
Specifications per pallet		Imperial	Metric
 48 units / pallet	Product dimension (L × D × H)	16 × 14 × 1 ¾	406 × 356 × 45
	Cubing	48 units	48 units
	Linear coverage per pallet	64 lin. ft	19.52 lin. m
	Approx. Weight	1 530 lbs	694 kg
	Units	1.33 lin. ft	0.41 lin. m
	Number of rows	8	
Lin. coverage per row		8 lin. ft	2.44 lin. m



NOTES

See page 6 for icons description.

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

See page 248 for product compatibility.


Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.



VENETIAN

DESCRIPTION: Step Overlay System **TEXTURE:** Smooth

Pallet Overview - Riser



Pallet Overview - Cap



Smooth Chestnut Brown
Smooth Champlain Grey
Smooth Beige Cream
Smooth Greyed Nickel
Smooth Shale Grey

RISER

Specifications per pallet



48 units / pallet

	Imperial	Metric
Product dimension (L x D x H)	15 5/8 x 7 x 1 3/4	397 x 178 x 45
Cubing	48 units	48 units
Linear coverage per pallet	62.52 lin. ft	19.06 lin. m
Approx. Weight	811 lbs	368 kg
Units	1.30 lin. ft	0.40 lin. m
Number of rows	4	
Lin. coverage per row	15.63 lin. ft	4.76 lin. m

CAP

Specifications per pallet



48 units / pallet

	Imperial	Metric
Product dimension (L x D x H)	15 5/8 x 14 x 1 3/4	397 x 356 x 45
Cubing	48 units	48 units
Linear coverage per pallet	62.52 lin. ft	19.06 lin. m
Approx. Weight	1 500 lbs	680 kg
Units	1.30 lin. ft	0.40 lin. m
Number of rows	8	
Lin. coverage per row	7.81 lin. ft	2.38 lin. m

NOTES

See page 6 for icons description.

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

See page 248 for product compatibility.



Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.




D ❄️

ARCHITECTURAL

DESCRIPTION: Cap Double-Sided TEXTURE: Split Face

Specifications per pallet		Imperial	Metric
A 	Dimension Front (L × D × H) A	8 7⁄8 × 12 1⁄2 × 2 15⁄16	225 × 317 × 75
	Dimension Back (L × D × H) A	6 1⁄2 × 12 1⁄2 × 2 15⁄16	165 × 317 × 75
24 units / pallet	Dimension Front (L × D × H) B	11 13⁄16 × 12 1⁄2 × 2 15⁄16	300 × 317 × 75
	Dimension Back (L × D × H) B	9 7⁄16 × 12 1⁄2 × 2 15⁄16	240 × 317 × 75
B 	Dimension Front (L × D × H) C	14 3⁄4 × 12 1⁄2 × 2 15⁄16	375 × 317 × 75
	Dimension Back (L × D × H) C	12 9⁄16 × 12 1⁄2 × 2 15⁄16	315 × 317 × 75
C 	Dimension Front (L × D × H) C*	14 3⁄4 × 12 1⁄2 × 2 15⁄16	375 × 317 × 75
	Dimension Back (L × D × H) C*	13 9⁄16 × 12 1⁄2 × 2 15⁄16	345 × 317 × 75
8 units / pallet	Cubing	66 lin. ft	20.12 lin. m
	Approx. Weight	2 390 lbs	1 084 kg
C* 	Number of rows	8	
	Lin. coverage per row	8.25 lin. ft	2.51 lin. m
16 units / pallet			

Pallet Overview



Chestnut Brown
Caffè Crema
Sandlewood
Champlain Grey
Greyed Nickel
Shale Grey
Onyx Black

Split Face
Split Face
Split Face
Split Face
Split Face
Split Face
Split Face



NOTES


See page 6 for icons description.
See page 246 for product compatibility.
The **C*** unit can be used as left and right corner units. It can also be used as a regular unit.

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.

INSTALLATION GUIDE

CAP RADIUS - ARCHITECTURAL




It is the user's responsibility to verify for the quantity of materials required.




BALI TRAVERTINA RAW

DESCRIPTION: Bullnose Pool coping TEXTURE: Klean-Bloc Brushed Travertine

Specifications per pallet	Imperial	Metric
 28 units / pallet	Dimension Front (L × D × H)	16 × 12 × 2 1/4
	Dimension Back (L × D × H)	16 × 12 × 2 3/4
	Cubing	28 units
	Linear coverage per pallet	37.33 lin. ft
	Approx. Weight	1 069 lbs
	Number of rows	1
	Linear coverage per row	37.33 lin. ft
		11.38 lin. m



Pallet Overview	
	A
	
	
	
	
	
	
	

Rock Garden Brown	Klean-Bloc	
	Brushed Travertine	
Ivory	Klean-Bloc	
	Brushed Travertine	
Riviera	Klean-Bloc	
	Brushed Travertine	

NOTES

See page 6 for icons description.

Palletized upright.

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

See 247 for more technical information.

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.



D ❄️

BRANDON

DESCRIPTION: Cap TEXTURE: Slate

Pallet Overview

Specifications per pallet



18 units / pallet


	Imperial	Metric
Product dimension (L × W × H)	16 × 14 × 3 5⁄16	406 × 356 × 90
Cubing	24 lin. ft	7.32 lin. m
Approx. Weight	1 213 lbs	550 kg
Linear coverage per row	24 lin. ft	7.32 lin. m
	1 lin. ft =.75 units	1 lin. m =2.46 units



Slate
Chestnut Brown



Slate
Champlain Grey



Slate
Caffè Crema



Slate
Shale Grey



Slate
Onyx Black

NOTES

See page 6 for icons description.

COMPATIBLE WALLS


See page 246 for product compatibility.


Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.




LIMESTONE Natural Stone collection

DESCRIPTION: Cap TEXTURE: Natural stone

Specifications per pallet	Imperial	Metric
 20 units / pallet	Product dimension (L × D × H)	47 ¼ × 13 ¾ × 1 15⁄16
	Cubing	79 lin. ft
	Approx. Weight	2 601 lbs
	Number of rows	10
	Coverage per row	7.9 lin. ft
		1 200 × 350 × 50
		24 lin. m
		1 180 kg

Pallet Overview


Onyx Black
Natural stone



NOTES

See page 6 for icons description.

NATURAL STONE COLLECTION

Natural stones are products of nature. They are sold as is and are not covered by Techo-Bloc's Warranty. Installation is deemed acceptance of products.

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.




SANDSTONE & SANDSTONE BULLNOSE

DESCRIPTION: Cap TEXTURE: Natural stone


Pallet Overview

Sandstone & Sandstone Bullnose 14 × 48




Pallet Overview

Sandstone Bullnose 16 × 48




Pallet Overview

Sandstone Rockface



SANDSTONE AND SANDSTONE BULLNOSE 14 × 48

Specifications per pallet




20 units / pallet

	Imperial	Metric
Product dimension (L × D × H)	47 ¼ × 13 ¾ × 1 15/16	1 200 × 350 × 50
Cubing	79 lin. ft	24 lin. m
Approx. Weight	2 601 lbs	1 180 kg
Number of rows	10	
Coverage per row	7.9 lin. ft	2.4 lin. m

SANDSTONE BULLNOSE 16 × 48

Specifications per pallet




18 units / pallet

	Imperial	Metric
Product dimension (L × D × H)	47 ¼ × 15 ¾ × 1 15/16	1 200 × 400 × 50
Cubing	70.87 lin. ft	21.60 lin. m
Approx. Weight	2 597 lbs	1 178 kg
Number of rows	1	
Coverage per row	70.87 lin. ft	21.60 lin. m

SANDSTONE ROCKFACE


Specifications per pallet



18 units / pallet

	Imperial	Metric
Product dimension (L × D × H)	47 ¼ × 13 ¾ × 1 15/16	1 200 × 350 × 50
Cubing	70.87 lin. ft	21.60 lin. m
Approx. Weight	2 271 lbs	1 030 kg
Number of rows	9	
Coverage per row	7.87 lin. ft	2.40 lin. m


SANDSTONE / SANDSTONE BULLNOSE*



SANDSTONE ROCKFACE



Natural stone
Beige



Natural stone
Grey

NOTES

See page 6 for icons description.

NATURAL STONE COLLECTION

Natural stones are products of nature. They are sold as is and are not covered by Techo-Bloc's Warranty. Installation is deemed acceptance of products.

*Sandstone Bullnose 16 × 48 only available in Grey

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.





D ❄️

BULLNOSE

DESCRIPTION: Cap and pool coping TEXTURE: Smooth

Specifications per pallet	Imperial	Metric
 180 units / pallet	Product dimension (L × D × H)	5 7⁄8 × 12 × 2 3⁄8
	Cubing	180 units
	Linear coverage per pallet	88.60 lin. ft
	Units	2 units/lin. ft
	Approx. Weight	2 435 lbs
	Number of rows	4
	Linear coverage per row	22.15 lin. ft
	1 lin. ft = 2.03 units	1 lin. m = 6.67 units



NOTES

See page 6 for icons description.

COMPATIBLE WALLS
See page 246 for product compatibility.

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.
See 247 for more technical information.

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.




D ❄️


BULLNOSE GRANDE

DESCRIPTION : Cap and pool coping TEXTURE : Polished

Pallet Overview



Specifications per pallet		Imperial	Metric
 12 units / pallet	Product dimension (L x D x H)	29 1/2 x 13 13/16 x 2 3/16	750 x 351 x 55
	Cubing	12 units	12 units
	Linear coverage per pallet	29.53 lin. ft	9 lin. m
	Approx. Weight	940 lbs	426 kg
	Number of rows	6	
	Linear coverage per row	4.92 lin. ft	1.50 lin. m



Polished
Beige Cream

Polished
Greyed Nickel

NOTES

See page 6 for icons description.

COMPATIBLE WALLS
See page 246 for product compatibility.

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

See 247 for more technical information.

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.




GRAPHIX

DESCRIPTION: Reversible Cap TEXTURE: Split Face and Smooth

Specifications per pallet		Imperial	Metric
28 units / pallet	Product dimension (L × D × H)	20 × 14 × 2 15⁄16	508 × 355 × 75
	Cubing	28 units	28 units
		46.67 lin. ft	14.22 lin. m
	Units	0.60 unit/lin. ft	1.97 unit/lin. m
	Approx. Weight	1 950 lb	885 kg
	Number of rows	7	
	Lin. coverage per row	6.67 lin. ft	2.03 lin. m
		1 lin. ft = 0.60 unit	1.96 lin. m/unit

Pallet Overview



Beige Cream

Smooth Side




Greyed Nickel

Smooth Side




Onyx Black

Smooth Side




Beige Cream

Split Face Side




Greyed Nickel

Split Face Side



Onyx Black

Split Face Side



NOTES

See page 6 for icons description.

COMPATIBLE WALLS

See page 246 for product compatibility..

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.


Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.




PIEDIMONTE

DESCRIPTION: Cap double-sided **TEXTURE:** Klean-Bloc Thermal

Pallet Overview - 14" × 30"



Pallet Side View - 28" × 28"



Klean-Bloc Thermal Klean-Bloc Thermal Klean-Bloc Thermal

Rock Garden Brown Riviera Onyx Black

14" × 30" WALL & STEP CAP

Specifications per pallet



24 units / pallet

Product dimension (L × D × H)

Cubing

Approx. Weight

Number of rows

Coverage per row

Imperial

Metric

30 × 14 × 2 ¼

60 lin. ft

1 840 lbs

8

7.5 lin. ft

762 × 356 × 57


18.29 lin. m

835 kg

2.29 lin. m

28" × 28" PILLAR CAP

Specifications per pallet



6 units / pallet

Product dimension (L × D × H)

Cubing

Approx. Weight

Number of rows

Imperial

Metric

28 × 28 × 2 ¾

6 units

1 434 lbs

6

711 × 711 × 73

6 units

650 kg

NOTES

See page 6 for icons description.

COMPATIBLE WALLS

See page 246 for product compatibility.

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

To achieve a natural appearance, stone dimension can vary up to ¼". Metric measures are approximate.


*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.




PORTOFINO

DESCRIPTION: Cap double-sided TEXTURE: Fossil stone

Specifications per pallet		Imperial	Metric
A  14 units / pallet	Dimension Front (L x D x H) A	11 ¾ x 14 ½ x 2 ¼	298 x 368 x 57
	Dimension Back (L x D x H) A	9 ⅝ x 14 ½ x 2 ¼	238 x 368 x 57
	Dimension Front (L x D x H) B	15 ⅞ x 14 ½ x 2 ¼	403 x 368 x 57
B  14 units / pallet	Dimension Back (L x D x H) B	13 ¾ x 14 ½ x 2 ¼	349 x 368 x 57
	Dimension Front (L x D x H) C	18 13⁄16 x 14 ½ x 2 ¼	478 x 368 x 57
	Dimension Back (L x D x H) C	16 ½ x 14 ½ x 2 ¼	419 x 368 x 57
C  7 units / pallet	Dimension Front (L x D x H) D	19 x 14 ½ x 2 ¼	483 x 368 x 57
	Dimension Back (L x D x H) D	19 x 14 ½ x 2 ¼	483 x 368 x 57
	Cubing	50.22 lin. ft	15.30 lin. m
D  7 units / pallet	Approx. Weight	1 712 lbs	777 kg
	Number of rows	7	
	Lin. coverage per row	7.17 lin. ft	2.19 lin. m

Pallet Overview




Rock Garden Brown

Fossil stone




Riviera

Fossil stone




Azzurro

Fossil stone



Onyx Black

Fossil stone



NOTES

See page 6 for icons description.

COMPATIBLE WALLS

See page 246 for product compatibility.

You can use the  cap as a left or right corner. It can also be used as a regular unit.

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.


To achieve a natural appearance, stone dimension can vary up to ¼". Metric measures are approximate.

*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.

INSTALLATION GUIDE

CAP RADIUS - PORTOFINO



It is the user's responsibility to verify for the quantity of materials required.




RAFFINATO 14" × 28"

DESCRIPTION: Cap double-sided TEXTURE: Smooth


90 mm			
Specifications per pallet		Imperial	Metric
 24 units / pallet	Product dimension (L × D × H)	28 × 14 × 3 9/16"	711 × 356 × 90
	Cubing	24 units	24 units
	Approx. Weight	2 783 lbs	1 262 kg
	Number of rows	8	
	Linear coverage per pallet	56 lin. ft	17.07 lin. m
		Linear coverage per row	7 lin. ft 2.13 lin. m

60 mm			
Specifications per pallet		Imperial	Metric
 24 units / pallet	Product dimension (L × D × H)	28 × 14 × 2 3/8"	711 × 356 × 60
	Cubing	24 units	24 units
	Approx. Weight	1 843 lbs	836 kg
	Number of rows	8	
	Linear coverage per pallet	56 lin. ft	17.07 lin. m
		Linear coverage per row	7 lin. ft 2.13 lin. m

By placing two units side by side, you will obtain a 28" pillar cap.



Pallet Overview - 14" × 28"



- Chestnut Brown
- Beige Cream
- Champlain Grey
- Greyed Nickel
- Shale Grey
- Onyx Black

Smooth Smooth Smooth Smooth Smooth Smooth



NOTES

See page 6 for icons description.

COMPATIBLE WALLS

See page 246 for product compatibility.


Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.




RAFFINATO 14" × 32"

DESCRIPTION: Cap double-sided **TEXTURE:** HD² Smooth

Pallet Overview - 14" × 32"



Specifications per pallet



24 units / pallet

	Imperial	Metric
Product dimension (L × D × H)	32 × 14 × 2 3/8	812 × 356 × 60
Cubing	63.94 lin.ft	19.49 lin.m.
Approx. Weight	2 150 lbs	975 kg
Number of rows	8	
Linear coverage per row	7.99 lin.ft	2.44 lin.m.



HD² Smooth
Chestnut Brown



HD² Smooth
Caffè Crema



HD² Smooth
Beige Cream



HD² Smooth
Champlain Grey



HD² Smooth
Greyed Nickel



HD² Smooth
Silver Granite



HD² Smooth
Shale Grey



HD² Smooth
Onyx Black

NOTES

See page 6 for icons description.

COMPATIBLE WALLS

See page 246 for product compatibility.

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.



TERRAZZO & TERRAZZO BULLNOSE


DESCRIPTION: Cap TEXTURE: Polished

TERRAZZO			
Specifications per pallet		Imperial	Metric
 24 units / pallet	Product dimension (L × D × H)	32 × 14 × 2 3⁄16	813 × 356 × 60
	Cubing	64 lin. ft	19.51 lin. m.
	Approx. Weight	2 228 lbs	1 011 kg
	Number of rows	8	
	Lin. coverage per row	8 lin.ft	2.44 lin.m.

TERRAZZO BULLNOSE			
Specifications per pallet		Imperial	Metric
 24 units / pallet	Product dimension (L × D × H)	32 × 13 13⁄16 × 2 3⁄16	813 × 351 × 60
	Cubing	64 lin. ft	19.51 lin. m.
	Approx. Weight	2 168 lbs	983 kg
	Number of rows	8	
	Lin. coverage per row	8 lin.ft	2.44 lin.m.

Pallet Overview - Terrazzo		

Pallet Overview - Terrazzo Bullnose		

		TERRAZZO	TERRAZZO BULLNOSE
Stardust Beige	Polished		
Mineral White	Polished		
Moonrock Grey	Polished		
Meteor Black	Polished		

NOTES

See page 6 for icons description.

Every unit is calibrated to ensure height is within a 1 mm tolerance.

The Terrazzo Collection comes with a factory-applied, water-based "natural look" protectant that enhances the surface and aids in maintenance. However, to maintain its de-icing salt resistant properties, it is essential to re-apply a concrete or natural stone water-based protectant or sealer periodically.

We recommend applying the protectant as soon as you observe water absorption. If water is still repelled, re-application is not yet necessary. Always test the protectant or sealer on a small, hidden area before full application.


Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.



TRAVERTINA RAW

DESCRIPTION: Cap double-sided **TEXTURE:** Klean-Bloc Brushed Travertine

Pallet Overview - 14" × 28"



14 × 28"		
Specifications per pallet		
 24 units / pallet	Product dimension (L × D × H)	Imperial 28 × 14 × 2 ¼ Metric 711 × 356 × 57
	Cubing	24 units 56 lin. ft 17.07 m. lin
	Approx. Weight	1 684 lbs 764 kg
	Number of rows	8
	Linear coverage per row	7 lin. ft/row 2.13 lin. m/row



Klean-Bloc
Brushed Travertine
Rock Garden Brown




Klean-Bloc
Brushed Travertine
Ivory



Klean-Bloc
Brushed Travertine
Riviera

By placing two units side by side, you will obtain a 28" pillar cap.



NOTES

See page 6 for icons description.

COMPATIBLE WALLS

See page 246 for product compatibility.

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.





YORK Pillar Caps

DESCRIPTION: Cap double-sided TEXTURE: Klean-Bloc Brushed Limestone surface with chiseled edges

28" × 28"			
Specifications per pallet		Imperial	Metric
 6 units / pallet	Product dimension (L × D × H)	28 ¾ × 28 ¾ × 3 ½	730 × 730 × 89
	Cubing	6 units	6 units
	Approx. Weight	1 440 lbs	653 kg
	Number of rows	6	

32" × 32"			
Specifications per pallet		Imperial	Metric
 6 units / pallet	Product dimension (L × D × H)	32 × 32 × 3 ½	813 × 813 × 89
	Cubing	6 units	6 units
	Approx. Weight	1 727 lbs	783 kg
	Number of rows	6	

Pallet Side View - 28" and 32"



NOTES

See page 6 for icons description.

COMPATIBLE PILLARS - YORK 28"
See page 246 for product compatibility.

COMPATIBLE PILLAR - YORK 32"
See page 246 for product compatibility.

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

To achieve a natural appearance, stone dimension can vary up to ¼".

*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.


Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.



Pallet Overview -
14" x 16", 14" x 32" & 14" x 48"

	C	
R		A

Pallet Overview - 14" x 48"

[illegible]


Klean-Bloc
Brushed Limestone




Klean-Bloc
Brushed Limestone



Klean-Bloc
Brushed Limestone



Klean-Bloc
Brushed Limestone



Klean-Bloc
Brushed Limestone

14" x 16" 14" x 32" 14" x 48"			
Specifications per pallet		Imperial	Metric
A	 6 units / pallet	Product dimension (L x D x H) A 16 x 14 x 2 ¼	406 x 356 x 57
		Product dimension (L x D x H) B 32 x 14 x 2 ¼	813 x 356 x 57
B	 6 units / pallet	Product dimension (L x D x H) C 48 x 14 x 2 ¼	1 219 x 356 x 57
		Cubing	48 lin. ft 14.63 lin. m
		Approx. Weight	1 597 lbs 724 kg
C	 6 units / pallet	Number of rows	1
		Linear coverage per pallet	48 lin. ft 14.63 lin. m

14"×48"			
Specifications per pallet		Imperial	Metric
 12 units / pallet	Product dimension (L × D × H)	48 × 14 × 2 ¼	1 219 × 356 × 57
	Cubing	48 lin. ft	14.63 lin. m
	Approx. Weight	1 582 lbs	718 kg
	Number of rows	1	
	Linear coverage per unit	4 lin. ft	1.22 lin. m

NOTES

Palletized upright.

To achieve a natural appearance, stone dimension can vary up to 1/4".

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.





YORK 24" × 36"

DESCRIPTION: Counter top **TEXTURE:** Klean-Bloc Brushed Limestone surface with chiseled edges on the four sides

24" × 36"			
Specifications per pallet		Imperial	Metric
 16 units / pallet	Product dimension (L × D × H)	36 × 24 × 2 ¼	914 × 610 × 57
	Cubing	16 units	16 units
	Approx. Weight	2 595 lbs	1 177 kg
	Number of rows	1	

Pallet Overview



NOTES

See page 6 for icons description.

Palletized upright.

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

To achieve a natural appearance, stone dimension can vary up to ¼".

Metric measures are approximate.

*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.