

# STEPS & CAPS

STEPS, CAPS (WALLS, COUNTERS AND PILLARS),  
POOL COPPING & OVERLAY SYSTEMS



# COMPATIBILITY CHART

## Walls & Pillars

## Caps

|                                       | Architectural cap | Brandon cap | Bullnose | Bullnose Grande | Graphix cap | Limestone cap | Pacific cap | Piedimonte | Piedimonte 28" x 28" | Portofino | Raffinato 60 mm | Raffinato 90 mm | Sandstone cap | Sandstone Bullnose cap | Travertina Raw 14" x 28" | York | York 28" x 28" | York 32" x 32" |
|---------------------------------------|-------------------|-------------|----------|-----------------|-------------|---------------|-------------|------------|----------------------|-----------|-----------------|-----------------|---------------|------------------------|--------------------------|------|----------------|----------------|
| Borealis (does not require a cap)     |                   |             |          |                 |             |               |             |            |                      |           |                 |                 |               |                        |                          |      |                |                |
| Brandon 90 & 180 mm                   |                   | x           | x        | x               |             | x             | x           | x          |                      | x         | x               | x               | x             | x                      | x                        | x    |                |                |
| Brandon 90 & 180 mm pillar            |                   |             |          |                 |             | x             |             |            | x                    |           | x               | x               | x             |                        | x                        |      | x              |                |
| Fascia Wall Collection - single-sided | x                 | x           | x        | x               | x           | x             | x           | x          |                      | x         | x               | x               | x             | x                      | x                        | x    |                |                |
| Fascia Wall Collection - double-sided |                   |             |          |                 |             |               |             |            |                      | x         |                 |                 |               |                        |                          |      |                |                |
| G-Force                               |                   |             |          |                 | x           | x             |             | x          |                      |           | x               | x               | x             |                        | x                        |      |                |                |
| Graphix                               |                   |             |          |                 | x           | x             |             | x          |                      |           | x               | x               | x             |                        | x                        |      |                |                |
| Mini-Creta Collection                 | x                 | x           | x        | x               |             | x             | x           | x          |                      | x         | x               | x               | x             | x                      | x                        | x    |                |                |
| Mini-Creta Pillar 24" Collection      |                   |             |          |                 |             | x             |             |            | x                    |           | x               | x               | x             |                        | x                        |      | x              |                |
| Prescott Collection                   |                   |             |          |                 |             | x             |             | x          |                      | x         | x               | x               | x             |                        | x                        | x    |                |                |
| Prescott Pillar Collection            |                   |             |          |                 |             | x             |             |            | x                    |           | x               | x               | x             |                        | x                        |      | x              |                |
| Raffinato Collection                  |                   |             |          | x               | x           | x             |             | x          |                      |           | x               | x               | x             | x                      | x                        |      |                |                |
| Raffinato Pillar Collection           |                   |             |          |                 |             | x             |             |            | x                    |           | x               | x               | x             |                        | x                        |      |                |                |
| Röcka (does not require a cap)        |                   |             |          |                 |             |               |             |            |                      |           |                 |                 |               |                        |                          |      |                |                |
| Semma                                 | x                 | x           | x        |                 | x           | x             | x           | x          |                      | x         | x               | x               | x             |                        | x                        | x    |                |                |
| Semma Pillar                          |                   |             |          |                 |             |               |             |            |                      |           | x               |                 | x             |                        | x                        |      |                | x              |
| Skyscraper                            |                   |             |          |                 |             |               |             |            |                      |           | x               | x               | x             |                        |                          |      |                |                |
| Travertina Raw                        | x                 | x           | x        | x               | x           | x             | x           | x          |                      | x         | x               | x               | x             | x                      | x                        | x    |                |                |
| Travertina Raw pillar                 |                   |             |          |                 |             |               |             |            |                      |           | x               | x               | x             |                        | x                        |      | x              |                |

NOTE: The combinations shown in this chart are not complete. Other possible combinations exist.


## Applications

## Caps

|                                | Architectural cap | Bali Travertina Raw | Brandon cap | Bullnose | Bullnose Grande | Graphix cap | Limestone cap | Pacific cap | Piedimonte 14"x30" | Piedimonte 28"x28" | Portofino | Raffinato 60 mm | Raffinato 90 mm | Sandstone cap | Sandstone Bullnose cap | Travertina Raw 14"x28" | York wall caps 16", 32", 48" | York 14"x48" | York 24"x36" | York 28"x28" | York 32"x32" | Blu 45 mm | Venetian |
|--------------------------------|-------------------|---------------------|-------------|----------|-----------------|-------------|---------------|-------------|--------------------|--------------------|-----------|-----------------|-----------------|---------------|------------------------|------------------------|------------------------------|--------------|--------------|--------------|--------------|-----------|----------|
| Step                           | x                 |                     | x           | x        | x               | x           | x             |             | x                  |                    | x         | x               | x               | x             | x                      | x                      | x                            | x            |              |              |              |           |          |
| Concrete & step overlay system |                   |                     |             |          |                 |             |               | x           |                    |                    |           |                 |                 |               |                        |                        |                              |              |              |              |              | x         | x        |
| Pool coping                    |                   | x                   |             | x        | x               |             |               | x           | x                  |                    | x         | x               | x               | x             | x                      | x                      | x                            |              |              |              |              |           |          |
| Wall single-sided              | x                 |                     | x           | x        | x               | x           | x             | x           | x                  |                    | x         | x               | x               | x             | x                      | x                      | x                            | x            |              |              |              |           |          |
| Wall double-sided              | x                 |                     |             |          |                 | x           | x             |             | x                  |                    | x         | x               | x               | x             |                        | x                      | x                            | x            |              |              |              |           |          |
| Counter top                    |                   |                     |             |          |                 |             |               |             | x                  | x                  |           |                 |                 |               |                        |                        | x                            |              | x            | x            | x            |           |          |
| Pillar                         |                   |                     |             |          |                 |             |               |             |                    | x                  |           | x               |                 |               |                        | x                      |                              |              | x            | x            | x            |           |          |

# INSTALLATION GUIDE


## POOL COPING



- A.** TECHO-BLOC POOL COPING AND PAVER SECURED TO CONCRETE SLAB WITH FLEXLOCK ADHESIVE OR MORTAR
- B.** CONCRETE DECK 39" (1 m) WIDE BY 4" (100 mm) THICK MIN.
- C.** WELDED WIRE MESH, 6 X 6 - W1.4/W1.4 (152 X 152 MW9.1 X MW9.1)
- D.** POOL PLUMBING PIPING
- E.** CLEAN STONE  $\frac{3}{4}$ " (20 mm), 2" (50 mm) THICK MIN.
- F.** CONCRETE PILLAR, 6" (150 mm) DIAM.
- G.** SAND BACKFILL
- H.** STRUT
- I.** POOL PANEL
- J.** POOL LINER
- K.** PERFORATED DRAIN, 4" (100 mm) DIAM. WRAPPED WITH A GEOTEXTILE
- L.** BEDDING COURSE, 1" (25 mm)
- M.** COMPACTED GRANULAR BASE 0- $\frac{3}{4}$ " (0-20 mm)
- N.** STEEL ROD  $\frac{3}{8}$ " (10 mm) ANCHORED TO SUBGRADE
- O.** CONCRETE FOOTING, 4" (100 mm) THICK MIN.

 **POOL COPING INSTALLATION**  
Typical cross section

## PACIFIC POOL COPING




- A.** TECHO-BLOC PACIFIC SLAB SECURED TO CONCRETE SLAB WITH FLEXLOCK ADHESIVE OR MORTAR
- B.** TECHO-BLOC PACIFIC CAP SECURED TO CONCRETE SLAB WITH FLEXLOCK ADHESIVE OR MORTAR
- C.** CONCRETE DECK 39" (1 m) WIDE BY 4" (100 mm) THICK MIN.
- D.** WELDED WIRE MESH, 6X6-W1.4/W1.4 (152 X 152 MW9.1 X MW9.1)
- E.** POOL PLUMBING PIPING
- F.** CLEAN STONE  $\frac{3}{4}$ " (20 mm), 2" (50 mm) THICK MIN.
- G.** CONCRETE PILLAR, 6" (150 mm) DIAM.
- H.** SAND BACKFILL
- I.** STRUT
- J.** POOL PANEL
- K.** POOL LINER
- L.** PERFORATED DRAIN, 4" (100 mm) DIAM.
- M.** STEEL ROD  $\frac{3}{8}$ " (10 mm) ANCHORED TO SUBGRADE
- N.** CONCRETE FOOTING, 4" (100 mm) THICK MIN.

# INSTALLATION GUIDE

## OVERLAY OF EXISTING CONCRETE STEPS VENETIAN CAP, RISER AND SLAB BLU 45 mm

### OPTION 1: 7" (178 mm) HIGH RISER




- A.** Venetian Cap
- B.** Venetian Riser (cut if the riser height is less than 7")
- C.** Blu 45 mm Slab (3 sizes)
- D.** Flexlock Adhesive
- E.** Techo-Bloc Pavers or Slabs
- F.** Setting bed
- G.** Compacted granular base 0-3/4" (0-20 mm)
- H.** Rigid insulation
- I.** Steel angle anchored to concrete
- J.** Concrete stairway

### STEP OVERLAY SYSTEM INSTALLATION

Typical cross section

### OPTION 2: 5 7/8" (150 mm) TO 7 7/8" (200 mm) HIGH RISER



- A.** Venetian Cap
- B.** Sawn Venetian Riser (depending on the height of the riser)
- C.** Blu 45 mm Slab (3 sizes)
- D.** Flexlock Adhesive
- E.** Techo-Bloc Pavers or Slabs
- F.** Setting bed
- G.** Compacted granular base 0-3/4" (0-20 mm)
- H.** Rigid insulation
- I.** Steel angle anchored to concrete
- J.** Concrete stairway

### STEP OVERLAY SYSTEM INSTALLATION

Typical cross section






# BOREALIS

**DESCRIPTION:** Step **TEXTURE:** Wood

## PALLET OVERVIEW



| Specifications per pallet | Imperial              | Metric          |
|---------------------------|-----------------------|-----------------|
| Cubing                    | <b>32 lin. ft/pal</b> | 9.76 lin. m/pal |
| Approx. Weight            | 3 073 lbs             | 1 394 kg        |
| Number of rows            | 4                     |                 |
| Coverage per row          | 8 lin. ft             | 2.44 lin. m     |
| Linear coverage per units | 4 lin. ft             | 1.22 lin. m     |




| Unit dimensions | in     | mm    | Units/pallet |
|-----------------|--------|-------|--------------|
| Height          | 6      | 152   | 8 units      |
| Depth 1         | 15 3/4 | 400   |              |
| Depth 2         | 16     | 406   |              |
| Length          | 48     | 1 219 |              |



## NOTES


\*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

To achieve a natural appearance, product dimensions can vary  $\pm 3/16"$  (5 mm) for height and  $\pm 1/2"$  (13 mm) for length and width.



Smoked Pine

Hazelnut Brandy




PLEASE REFER TO P.4 FOR THE CORRECT USE AND LIMITATIONS OF PROVIDED TECHNICAL INFORMATION.



# MAYA

**DESCRIPTION:** Step **TEXTURE:** Natural stone (Slate)

## PALLET OVERVIEW



## NOTES

\*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

To achieve a natural appearance, product dimensions can vary  $\pm \frac{3}{16}$ " (5 mm) for height and  $\pm \frac{1}{2}$ " (13 mm) for length and width.



Manufactured in four different shapes that may result in an uneven distribution in the packaging. As a result, it is not guaranteed that a pallet will contain all the 4 units in different shapes.

| Specifications per pallet         | Imperial       | Metric       |
|-----------------------------------|----------------|--------------|
| Cubing                            | <b>4 units</b> | 4 units      |
| Approx. Weight                    | 2 550 lbs      | 1 157 kg     |
| Number of rows                    | 4              |              |
| Coverage (Approx.)                | 16 lin. ft     | 4.88 lin. m. |
| Linear coverage per row (Approx.) | 4 lin. ft      | 1.22 lin. m. |

| Unit dimensions | in | mm    | Units/pallet |
|-----------------|----|-------|--------------|
| Height          | 6  | 152   | 4 units      |
| Depth           | 32 | 813   |              |
| Length          | 48 | 1 219 |              |



## MAYA STEP PATTERNS (Examples)



Chocolate Brown    Rock Garden Brown    Riviera





PLEASE REFER TO P.4 FOR THE CORRECT USE AND LIMITATIONS OF PROVIDED TECHNICAL INFORMATION.



# RAFFINATO


**DESCRIPTION:** Step **TEXTURE:** Smooth

## PALLET OVERVIEW



| Specifications per pallet  | Imperial       | Metric     |
|----------------------------|----------------|------------|
| Cubing                     | <b>9 units</b> | 9 units    |
| Approx. Weight             | 3 236 lbs      | 1 468 kg   |
| Number of rows             | 3              |            |
| Linear coverage per row    | 10.5 lin. ft   | 3.2 lin. m |
| Linear coverage per pallet | 31.5 lin. ft   | 9.6 lin. m |

| Unit dimensions | in     | mm    | Units/pallet |
|-----------------|--------|-------|--------------|
| Height          | 7 1/16 | 180   | 9 units      |
| Depth           | 14 1/2 | 368   |              |
| Length          | 42     | 1 067 |              |



Beige Cream

Greyed Nickel

Shale Grey

Onyx Black

Caffè Crema




PLEASE REFER TO P.4 FOR THE CORRECT USE AND LIMITATIONS OF PROVIDED TECHNICAL INFORMATION.




# RÖCKA

**DESCRIPTION:** Steps **TEXTURE:** Natural stone (Fossil stone)

## PALLET OVERVIEW - 48"



## PALLET OVERVIEW - 60"



## NOTES

Röcka 48" is a double-sided step. Each side has slight natural texture differences. Please take that into consideration when installing them side by side. We recommend keeping the same texture together.

Please note that there is a slight vertical angle on the front and back faces of the step  $\frac{3}{8}$ ", from the bottom to the top of the step.

To achieve a natural appearance, product dimensions can vary  $\pm\frac{3}{16}$ " (5 mm) for height and  $\pm\frac{1}{2}$ " (13 mm) for length and width.

\*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

Chocolate Brown    Rock Garden Brown    Riviera



| Specifications per pallet |                            | Imperial       | Metric          |
|---------------------------|----------------------------|----------------|-----------------|
| 48" DOUBLE-SIDED          | Cubing                     | <b>8 units</b> | 8 units         |
|                           | Linear coverage per pallet | 32 lin. ft     | 9.76 lin. m     |
|                           | Approx. Weight             | 2 770 lbs      | 1 256 kg        |
|                           | Number of rows             | 4              |                 |
|                           | Linear coverage per row    | 8 lin. ft/row  | 2.44 lin. m/row |



A

| Unit dimensions | in               | mm    | Units/pallet |
|-----------------|------------------|-------|--------------|
| Height          | 6                | 152   | 8 units      |
| Depth 1         | 14 $\frac{7}{8}$ | 378   |              |
| Depth 2         | 14 $\frac{1}{8}$ | 359   |              |
| Length          | 48               | 1 219 |              |




| Specifications per pallet |                            | Imperial       | Metric          |
|---------------------------|----------------------------|----------------|-----------------|
| 60"                       | Cubing                     | <b>6 units</b> | 6 units         |
|                           | Linear coverage per pallet | 30 lin. ft/pal | 9.14 lin. m/pal |
|                           | Approx. Weight             | 2 640 lbs      | 1 197 kg        |
|                           | Number of rows             | 2              |                 |
|                           | Linear coverage per row    | 15 lin. ft/row | 4.57 lin. m/row |



A

| Unit dimensions | in               | mm    | Units/pallet |
|-----------------|------------------|-------|--------------|
| Height          | 6                | 152   | 6 units      |
| Depth 1         | 15 $\frac{1}{4}$ | 387   |              |
| Depth 2         | 14 $\frac{5}{8}$ | 371   |              |
| Length          | 60               | 1 524 |              |




## RÖCKA

### WALL & EDGE

When building a staircase, the Röcka wall can be used to complete the sides and act as part of a structural system. See the product specifications on page 245.

# INSTALLATION GUIDE

## STEPS








## SANDSTONE NATURAL STONE COLLECTION

**DESCRIPTION:** Steps **TEXTURE:** Natural stone

### PALLET OVERVIEW



| Specifications per pallet  | Imperial         | Metric          |
|----------------------------|------------------|-----------------|
| Linear coverage per pallet | 15.75 lin. ft    | 4.80 lin. m     |
| Approx. Weight             | 1 742 lbs        | 790 kg          |
| Number of rows             | 2                |                 |
| Linear coverage per row    | 7.87 lin. ft/row | 2.40 lin. m/row |




A

| Unit dimensions | in     | mm    | Units/pallet |
|-----------------|--------|-------|--------------|
| Height          | 5 7/8  | 150   | 4 units      |
| Depth           | 15 3/4 | 400   |              |
| Length          | 47 1/4 | 1 200 |              |



### NATURAL STONE COLLECTION

Natural stones are products of nature. They are sold as is and are not covered by Techo-Bloc's Warranty. Installation is deemed acceptance of products.



Grey

Beige




PLEASE REFER TO P.4 FOR THE CORRECT USE AND LIMITATIONS OF PROVIDED TECHNICAL INFORMATION.



# YORK 60"


**DESCRIPTION:** Step **TEXTURE:** Limestone surface with chiseled edges

## PALLET OVERVIEW



| Specifications per pallet  | Imperial       | Metric          |
|----------------------------|----------------|-----------------|
| Cubing                     | <b>6 units</b> | 6 units         |
| Linear coverage per pallet | 30 lin. ft/pal | 9.14 lin. m/pal |
| Approx. Weight             | 2 649 lbs      | 1 202 kg        |
| Number of rows             | 2              |                 |
| Linear coverage per row    | 15 lin. ft/row | 4.57 lin. m/row |

| Unit dimensions | in | mm    | Units/pallet |
|-----------------|----|-------|--------------|
| Height          | 6  | 152   | 6 units      |
| Depth           | 15 | 381   |              |
| Length          | 60 | 1 524 |              |




## NOTES

York is a single sided step chiseled on 3 sides.

\*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

To achieve a natural appearance, product dimensions can vary  $\pm 3/16"$  (5 mm) for height and  $\pm 1/2"$  (13 mm) for length and width.



Chocolate Brown    Rock Garden Brown    Riviera






## BLU 45 mm

**DESCRIPTION:** Concrete Overlay System **TEXTURE:** Slate

### PALLET OVERVIEW



### NOTES

Blu 45 mm should only be used to overlay existing concrete patios.

### NOTES

**Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.**

See page 240 for more technical information.

For joint filling surface coverage, see page 28.


| Specifications per pallet | Imperial                     | Metric                   |
|---------------------------|------------------------------|--------------------------|
| Cubing                    | <b>127.44 ft<sup>2</sup></b> | 11.84 m <sup>2</sup>     |
| Approx. Weight            | 2 631 lbs                    | 1 193 kg                 |
| Number of rows            | 12                           |                          |
| Coverage per row          | 10.62 ft <sup>2</sup> /row   | 0.99 m <sup>2</sup> /row |

| Unit dimensions | in  | mm  | Units/pallet |
|-----------------|-----|-----|--------------|
| Height          | 1 ¾ | 45  | 48 units     |
| Depth           | 13  | 330 |              |
| Length          | 6 ½ | 165 |              |


|        |     |     |          |
|--------|-----|-----|----------|
| Height | 1 ¾ | 45  | 48 units |
| Depth  | 13  | 330 |          |
| Length | 13  | 330 |          |

|        |      |     |          |
|--------|------|-----|----------|
| Height | 1 ¾  | 45  | 24 units |
| Depth  | 13   | 330 |          |
| Length | 19 ½ | 495 |          |


01 | Linear pattern



02 | Linear pattern



03 | Modular pattern



Patterns are for design inspiration only. The installer is responsible to calculate & purchase the correct amount of material.

Chestnut Brown




Sandlewood



Champlain Grey



Shale Grey








## BLU 45 mm

**DESCRIPTION:** Concrete Overlay System **TEXTURE:** Smooth

### PALLET OVERVIEW



### NOTES

Blu 45 mm should only be used to overlay existing concrete patios.

### NOTES

**Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.**

See 240 for more technical information.

For joint filling surface coverage, see page 28.


| Specifications per pallet | Imperial                     | Metric               |
|---------------------------|------------------------------|----------------------|
| Cubing                    | <b>127.44 ft<sup>2</sup></b> | 11.84 m <sup>2</sup> |
| Approx. Weight            | 2 631 lbs                    | 1 193 kg             |
| Number of rows            | 12                           |                      |
| Linear coverage per row   | 10.62 ft <sup>2</sup>        | 0.99 m <sup>2</sup>  |

| Unit dimensions | in  | mm  | Units/pallet |
|-----------------|-----|-----|--------------|
| Height          | 1 ¾ | 45  | 48 units     |
| Depth           | 13  | 330 |              |
| Length          | 6 ½ | 165 |              |



| Unit dimensions | in  | mm  | Units/pallet |
|-----------------|-----|-----|--------------|
| Height          | 1 ¾ | 45  | 48 units     |
| Depth           | 13  | 330 |              |
| Length          | 13  | 330 |              |

B




| Unit dimensions | in   | mm  | Units/pallet |
|-----------------|------|-----|--------------|
| Height          | 1 ¾  | 45  | 24 units     |
| Depth           | 13   | 330 |              |
| Length          | 19 ½ | 495 |              |


C




### 01 | Linear pattern



### 02 | Linear pattern



### 03 | Modular pattern



Patterns are for design inspiration only. The installer is responsible to calculate & purchase the correct amount of material.

Chestnut Brown



Champlain Grey



Beige Cream




Greyed Nickel



Shale Grey



Onyx Black






# PACIFIC

**DESCRIPTION:** Concrete Overlay System **TEXTURE:** Smooth

## PALLET OVERVIEW



## NOTES

Pacific should only be used to overlay existing concrete patios.

## NOTES

**Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.**


See page 239 for more technical information.

For joint filling surface coverage, see page 28.


| Specifications per pallet | Imperial                     | Metric                   |
|---------------------------|------------------------------|--------------------------|
| Cubing                    | <b>173.60 ft<sup>2</sup></b> | 16.13 m <sup>2</sup>     |
| Approx. Weight            | 2 415 lbs                    | 1 095 kg                 |
| Number of rows            | 15                           |                          |
| Coverage per row          | 11.57 ft <sup>2</sup> /row   | 1.08 m <sup>2</sup> /row |

|                                                                                     |          | Unit dimensions |                  | in  | mm | Units/pallet |
|-------------------------------------------------------------------------------------|----------|-----------------|------------------|-----|----|--------------|
|    | <b>A</b> | Height          | 1 $\frac{3}{16}$ | 30  |    | 120 units    |
|                                                                                     |          | Depth           | 6 $\frac{5}{16}$ | 160 |    |              |
|    |          | Length          | 9 $\frac{7}{16}$ | 240 |    |              |
|    | <b>B</b> | Height          | 1 $\frac{3}{16}$ | 30  |    | 120 units    |
|                                                                                     |          | Depth           | 9 $\frac{7}{16}$ | 240 |    |              |
|                                                                                     |          | Length          | 9 $\frac{7}{16}$ | 240 |    |              |
|  | <b>C</b> | Height          | 1 $\frac{3}{16}$ | 30  |    | 60 units     |
|                                                                                     |          | Depth           | 9 $\frac{7}{16}$ | 240 |    |              |
|                                                                                     |          | Length          | 12 $\frac{5}{8}$ | 320 |    |              |


01 | Modular pattern



02 | Modular pattern



03 | Linear pattern



Patterns are for design inspiration only. The installer is responsible to calculate & purchase the correct amount of material.

Chestnut Brown



Champlain Grey



Shale Grey






# PACIFIC

**DESCRIPTION:** Cap **TEXTURE:** Smooth

## PALLET OVERVIEW



Residential

## NOTES

Pacific should only be used to overlay existing concrete patios.

## NOTES

**Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.**

See page 239 for more technical information.

For joint filling surface coverage, see page 28.


| Specifications per pallet | Imperial               | Metric        |
|---------------------------|------------------------|---------------|
| Cubing                    | <b>137.80 lin. ft.</b> | 42.00 lin. m. |
| Approx. Weight            | 1 828 lbs              | 829 kg        |
| Number of rows            | 5                      |               |
| Coverage per row          | 27.56 lin. ft          | 8.40 lin. m   |

| Unit dimensions | in                 | mm  | Units/pallet |
|-----------------|--------------------|-----|--------------|
| Height          | 1 $\frac{3}{16}$   | 30  | 420 units    |
| Depth           | 11 $\frac{13}{16}$ | 300 |              |
| Length          | 3 $\frac{15}{16}$  | 100 |              |



A



Chestnut Brown

Champlain Grey

Shale Grey







# VENETIAN

**DESCRIPTION:** Step Overlay System **TEXTURE:** Slate

## PALLET OVERVIEW - RISER



## PALLET OVERVIEW - CAP



## NOTES

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

See 240 for more technical information.

| Specifications per pallet |                            | Imperial        | Metric       |
|---------------------------|----------------------------|-----------------|--------------|
| RISER                     | Cubing                     | <b>48 units</b> | 48 units     |
|                           | Linear coverage per pallet | 64 lin. ft      | 19.52 lin. m |
|                           | Approx. Weight             | 801 lbs         | 363 kg       |
|                           | Units                      | 1.33 lin. ft    | 0.41 lin. m  |
|                           | Number of rows             | 4               |              |
|                           | Linear coverage per row    | 16 lin. ft      | 4.88 lin. m  |

|                                                                                                                                                                                                                                                       |                 |     |     |    |              |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----|-----|----|--------------|
|    | Unit dimensions |     | in  | mm | Units/pallet |
|                                                                                                                                                                                                                                                       | Height          | 1 ¾ | 45  |    | 48 units     |
|                                                                                                                                                                                                                                                       | Depth           | 7   | 178 |    |              |
|                                                                                                                                                                                                                                                       | Length          | 16  | 406 |    |              |

| Specifications per pallet |                            | Imperial        | Metric       |
|---------------------------|----------------------------|-----------------|--------------|
| CAP                       | Cubing                     | <b>48 units</b> | 48 units     |
|                           | Linear coverage per pallet | 64 lin. ft      | 19.52 lin. m |
|                           | Approx. Weight             | 1 530 lbs       | 694 kg       |
|                           | Units                      | 1.33 lin. ft    | 0.41 lin. m  |
|                           | Number of rows             | 8               |              |
|                           | Linear coverage per row    | 8 lin. ft       | 2.44 lin. m  |

|                                                                                                                                                                                                                                                             |                 |     |     |    |              |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----|-----|----|--------------|
|    | Unit dimensions |     | in  | mm | Units/pallet |
|                                                                                                                                                                                                                                                             | Height          | 1 ¾ | 45  |    | 48 units     |
|                                                                                                                                                                                                                                                             | Depth           | 14  | 356 |    |              |
|                                                                                                                                                                                                                                                             | Length          | 16  | 406 |    |              |

Chestnut Brown




Sandlewood



Champlain Grey



Shale Grey







# VENETIAN

**DESCRIPTION:** Step Overlay System **TEXTURE:** Smooth

## PALLET OVERVIEW - RISER



## PALLET OVERVIEW - CAP



## NOTES

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

See 240 for more technical information.

| Specifications per pallet |                            | Imperial        | Metric       |
|---------------------------|----------------------------|-----------------|--------------|
| RISER                     | Cubing                     | <b>48 units</b> | 48 units     |
|                           | Linear coverage per pallet | 62.52 lin. ft   | 19.06 lin. m |
|                           | Approx. Weight             | 811 lbs         | 368 kg       |
|                           | Units                      | 1.30 lin. ft    | 0.40 lin. m  |
|                           | Number of rows             | 4               |              |
| Linear coverage per row   |                            | 15.63 lin. ft   | 4.76 lin. m  |

|                                                                                   |   |                 |  |      |     |              |
|-----------------------------------------------------------------------------------|---|-----------------|--|------|-----|--------------|
|  | A | Unit dimensions |  | in   | mm  | Units/pallet |
|                                                                                   |   | Height          |  | 1 ¾  | 45  | 48 units     |
|                                                                                   |   | Depth           |  | 7    | 178 |              |
|                                                                                   |   | Length          |  | 15 ⅝ | 397 |              |

| Specifications per pallet |                            | Imperial        | Metric       |
|---------------------------|----------------------------|-----------------|--------------|
| CAP                       | Cubing                     | <b>48 units</b> | 48 units     |
|                           | Linear coverage per pallet | 62.52 lin. ft   | 19.06 lin. m |
|                           | Approx. Weight             | 1 500 lbs       | 680 kg       |
|                           | Units                      | 1.30 lin. ft    | 0.40 lin. m  |
|                           | Number of rows             | 8               |              |
| Linear coverage per row   |                            | 7.81 lin. ft    | 2.38 lin. m  |

|                                                                                     |   |                 |  |      |     |              |
|-------------------------------------------------------------------------------------|---|-----------------|--|------|-----|--------------|
|  | A | Unit dimensions |  | in   | mm  | Units/pallet |
|                                                                                     |   | Height          |  | 1 ¾  | 45  | 48 units     |
|                                                                                     |   | Depth           |  | 14   | 356 |              |
|                                                                                     |   | Length          |  | 15 ⅝ | 397 |              |

Chestnut Brown



Champlain Grey




Beige Cream



Greyed Nickel



Shale Grey









# ARCHITECTURAL

**DESCRIPTION:** Cap Double-Sided **TEXTURE:** Split Face

## PALLET OVERVIEW



## COMPATIBLE WALLS

See page 238 for product compatibility.

## NOTES

The **C\*** unit can be used as left and right corner units. It can also be used as a regular unit.

**Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.**

| Specifications per pallet | Imperial          | Metric       |
|---------------------------|-------------------|--------------|
| Cubing                    | <b>66 lin. ft</b> | 20.12 lin. m |
| Approx. Weight            | 2 390 lbs         | 1 084 kg     |
| Number of rows            | 8                 |              |
| Linear coverage per row   | 8.25 lin. ft      | 2.51 lin. m  |

| Unit dimensions | in      |        | mm       |          | Units/pallet |
|-----------------|---------|--------|----------|----------|--------------|
|                 | Height  | Depth  | Length 1 | Length 2 |              |
| <b>A</b>        | 2 15/16 | 12 1/2 | 8 7/8    | 6 1/2    | 24 units     |
| <b>B</b>        | 2 15/16 | 12 1/2 | 11 13/16 | 9 7/16   | 24 units     |
| <b>C</b>        | 2 15/16 | 12 1/2 | 14 3/4   | 12 3/8   | 8 units      |
| <b>C*</b>       | 2 15/16 | 12 1/2 | 14 3/4   | 13 9/16  | 16 units     |

Chocolate Brown


Chestnut Brown

Sandlewood

Champlain Grey


Shale Grey

Onyx Black



# INSTALLATION GUIDE

## CAP RADIUS - ARCHITECTURAL




It is the user's responsibility to verify for the quantity of materials required.



## BALI TRAVERTINA RAW

**DESCRIPTION:** Bullnose Pool coping **TEXTURE:** Klean-Bloc Brushed Travertine

### PALLET OVERVIEW



**Klean-Bloc technology**  
See page 14.

### NOTES

Palletized upright.




**Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.**

\*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

See 239 for more technical information.

| Specifications per pallet  | Imperial        | Metric       |
|----------------------------|-----------------|--------------|
| Cubing                     | <b>28 units</b> | 28 units     |
| Linear coverage per pallet | 37.33 lin. ft   | 11.38 lin. m |
| Approx. Weight             | 1 069 lbs       | 485 kg       |
| Number of rows             | 1               |              |
| Linear coverage per row    | 37.33 lin. ft   | 11.38 lin. m |

| Unit dimensions | in    | mm  | Units/pallet |
|-----------------|-------|-----|--------------|
| Height 1        | 2 1/4 | 57  | 28 units     |
| Height 2        | 2 3/4 | 70  |              |
| Depth           | 12    | 305 |              |
| Length          | 16    | 406 |              |



Rock Garden Brown



Ivory



Riviera







# BRANDON

DESCRIPTION: Cap TEXTURE: Slate

## PALLET OVERVIEW




## COMPATIBLE WALLS

See page 238 for product compatibility.

| Specifications per pallet | Imperial             | Metric               |
|---------------------------|----------------------|----------------------|
| Cubing                    | 24 lin. ft           | 7.32 lin. m          |
| Approx. Weight            | 1 213 lbs            | 550 kg               |
| Linear coverage per row   | 24 lin. ft           | 7.32 lin. m          |
|                           | 1 lin. ft =.75 units | 1 lin. m =2.46 units |



| Unit dimensions | in                             | mm  | Units/pallet |
|-----------------|--------------------------------|-----|--------------|
| Height          | 3 <sup>9</sup> / <sub>16</sub> | 90  | 18 units     |
| Depth           | 14                             | 356 |              |
| Length          | 16                             | 406 |              |






## LIMESTONE NATURAL STONE COLLECTION

**DESCRIPTION:** Cap **TEXTURE:** Natural stone

### PALLET OVERVIEW




### NATURAL STONE COLLECTION

Natural stones are products of nature. They are sold as is and are not covered by Techo-Bloc's Warranty. Installation is deemed acceptance of products.

| Specifications per pallet | Imperial          | Metric     |
|---------------------------|-------------------|------------|
| Cubing                    | <b>79 lin. ft</b> | 24 lin. m  |
| Approx. Weight            | 2 601 lbs         | 1 180 kg   |
| Number of rows            | 10                |            |
| Coverage per row          | 7.9 lin. ft       | 2.4 lin. m |




A



| Unit dimensions | in                              | mm    | Units/pallet |
|-----------------|---------------------------------|-------|--------------|
| Height          | 1 <sup>15</sup> / <sub>16</sub> | 50    | 20 units     |
| Depth           | 13 <sup>3</sup> / <sub>4</sub>  | 350   |              |
| Length          | 47 <sup>1</sup> / <sub>4</sub>  | 1 200 |              |

Onyx Black








## SANDSTONE & SANDSTONE BULLNOSE NATURAL STONE COLLECTION


**DESCRIPTION:** Cap **TEXTURE:** Natural stone

### PALLET OVERVIEW


#### SANDSTONE & SANDSTONE BULLNOSE 14X48



#### SANDSTONE BULLNOSE 16X48



#### SANDSTONE ROCKFACE



### NATURAL STONE COLLECTION

Natural stones are products of nature. They are sold as is and are not covered by Techo-Bloc's Warranty. Installation is deemed acceptance of products.

\*Sandstone Bullnose 48x16 only available in Grey

#### Sandstone / Sandstone Bullnose\*

Beige


Grey




#### Sandstone Rockface

Beige

Grey




| Specifications per pallet              |                  | Imperial          | Metric     |
|----------------------------------------|------------------|-------------------|------------|
| Sandstone and Sandstone Bullnose 14x48 | Cubing           | <b>79 lin. ft</b> | 24 lin. m  |
|                                        | Approx. Weight   | 2 601 lbs         | 1 180 kg   |
|                                        | Number of rows   | 10                |            |
|                                        | Coverage per row | 7.9 lin. ft       | 2.4 lin. m |




| Unit dimensions | in      | mm    | Units/pallet |
|-----------------|---------|-------|--------------|
| Height          | 1 15/16 | 50    | 20 units     |
| Depth           | 13 3/4  | 350   |              |
| Length          | 47 1/4  | 1 200 |              |

| Specifications per pallet |                  | Imperial             | Metric       |
|---------------------------|------------------|----------------------|--------------|
| Sandstone Bullnose 16x48  | Cubing           | <b>70.87 lin. ft</b> | 21.60 lin. m |
|                           | Approx. Weight   | 2 597 lbs            | 1 178 kg     |
|                           | Number of rows   | 1                    |              |
|                           | Coverage per row | 70.87 lin. ft        | 21.60 lin. m |



| Unit dimensions | in      | mm    | Units/pallet |
|-----------------|---------|-------|--------------|
| Height          | 1 15/16 | 50    | 18 units     |
| Depth           | 15 3/4  | 400   |              |
| Length          | 47 1/4  | 1 200 |              |

| Specifications per pallet |                  | Imperial             | Metric       |
|---------------------------|------------------|----------------------|--------------|
| Sandstone Rockface        | Cubing           | <b>70.87 lin. ft</b> | 21.60 lin. m |
|                           | Approx. Weight   | 2 271 lbs            | 1 030 kg     |
|                           | Number of rows   | 9                    |              |
|                           | Coverage per row | 7.87 lin. ft         | 2.40 lin. m  |





| Unit dimensions | in      | mm    | Units/pallet |
|-----------------|---------|-------|--------------|
| Height          | 1 15/16 | 50    | 18 units     |
| Depth           | 13 3/4  | 350   |              |
| Length          | 47 1/4  | 1 200 |              |



## BULLNOSE

**DESCRIPTION:** Cap and pool coping **TEXTURE:** Smooth

### PALLET OVERVIEW



### COMPATIBLE WALLS

See page 238 for product compatibility.

### NOTES

**Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.**

See 239 for more technical information.

| Specifications per pallet  | Imperial              | Metric               |
|----------------------------|-----------------------|----------------------|
| Cubing                     | <b>180 units</b>      | 180 units            |
| Linear coverage per pallet | 88.60 lin. ft         | 27 lin. m            |
| Units                      | 2 units/lin. ft       | 6.56 units/lin. m    |
| Approx. Weight             | 2 435 lbs             | 1 104 kg             |
| Number of rows             | 4                     |                      |
| Linear coverage per row    | 22.15 lin. ft         | 6.75 lin. m          |
|                            | 1 lin. ft =2.03 units | 1 lin. m =6.67 units |



| Unit dimensions | in    | mm  | Units/pallet |
|-----------------|-------|-----|--------------|
| Height          | 2 3/8 | 60  | 180 units    |
| Depth           | 12    | 305 |              |
| Length          | 5 7/8 | 150 |              |



Chocolate Brown



Chestnut Brown



Champlain Grey



Shale Grey



Onyx Black







# BULLNOSE GRANDE

**DESCRIPTION:** Cap and pool coping **TEXTURE:** Polished

## PALLET OVERVIEW



## COMPATIBLE WALLS

See page 238 for product compatibility.

## NOTES

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

See 239 for more technical information.

| Specifications per pallet  | Imperial        | Metric      |
|----------------------------|-----------------|-------------|
| Cubing                     | <b>12 units</b> | 12 units    |
| Linear coverage per pallet | 29.53 lin. ft   | 9 lin. m    |
| Approx. Weight             | 940 lbs         | 426 kg      |
| Number of rows             | 6               |             |
| Linear coverage per row    | 4.92 lin. ft    | 1.50 lin. m |




A

| Unit dimensions | in                              | mm  | Units/pallet |
|-----------------|---------------------------------|-----|--------------|
| Height          | 2 <sup>3</sup> / <sub>16</sub>  | 56  | 12 units     |
| Depth           | 14 <sup>1</sup> / <sub>16</sub> | 357 |              |
| Length          | 29 <sup>1</sup> / <sub>2</sub>  | 750 |              |



Beige Cream

Greyed Nickel







# GRAPHIX

**DESCRIPTION:** Reversible Cap **TEXTURE:** Split Face and Smooth

## PALLET OVERVIEW



## COMPATIBLE WALLS

See page 238 for product compatibility.

## NOTES

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

| Specifications per pallet | Imperial              | Metric           |
|---------------------------|-----------------------|------------------|
| Cubing                    | <b>28 units</b>       | 28 units         |
|                           | 46.67 lin. ft         | 14.22 lin. m     |
| Units                     | 0.60 unit/lin. ft     | 1.97 unit/lin. m |
| Approx. Weight            | 1 950 lb              | 885 kg           |
| Number of rows            | 7                     |                  |
| Linear coverage per row   | 6.67 lin. ft          | 2.03 lin. m      |
|                           | 1 lin. ft = 0.60 unit | 1.96 lin. m/unit |




A

Unit dimensions in mm Units/pallet

|        |         |     |          |
|--------|---------|-----|----------|
| Height | 2 15/16 | 75  | 28 units |
| Depth  | 14      | 355 |          |
| Length | 20      | 508 |          |



split face side




smooth side


Beige Cream  
Smooth Side



Greyed Nickel  
Smooth Side




Onyx Black  
Smooth Side




Beige Cream  
Split Face Side



Greyed Nickel  
Split Face Side



Onyx Black  
Split Face Side







# PIEDIMONTE

**DESCRIPTION:** Cap double-sided **TEXTURE:** Klean-Bloc Thermal

## PALLET OVERVIEW - 14"×30"



## PALLET SIDE VIEW - 28"×28"



## COMPATIBLE WALLS

See page 238 for product compatibility.

**Klean-Bloc technology**  
See page 14.

## NOTES

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

To achieve a natural appearance, stone dimension can vary up to 1/4". Metric measures are approximate.


\*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

| Specifications per pallet |                         | Imperial          | Metric       |
|---------------------------|-------------------------|-------------------|--------------|
| 14"×30" WALL & STEP CAP   | Cubing                  | <b>60 lin. ft</b> | 18.29 lin. m |
|                           | Approx. Weight          | 1 840 lbs         | 835 kg       |
|                           | Number of rows          | 8                 |              |
|                           | Linear coverage per row | 7.5 lin. ft       | 2.29 lin. m  |

| Unit dimensions                                                                   |        | in    | mm  | Units/pallet |
|-----------------------------------------------------------------------------------|--------|-------|-----|--------------|
|  | Height | 2 1/4 | 57  | 24 units     |
|                                                                                   | Depth  | 14    | 356 |              |
|                                                                                   | Length | 30    | 762 |              |

| Specifications per pallet |                | Imperial       | Metric  |
|---------------------------|----------------|----------------|---------|
| 28"×28" PILLAR CAP        | Cubing         | <b>6 units</b> | 6 units |
|                           | Approx. Weight | 1 434 lbs      | 650 kg  |
|                           | Number of rows | 6              |         |

| Unit dimensions                                                                     |        | in    | mm  | Units/pallet |
|-------------------------------------------------------------------------------------|--------|-------|-----|--------------|
|  | Height | 2 7/8 | 73  | 6 units      |
|                                                                                     | Depth  | 28    | 711 |              |
|                                                                                     | Length | 28    | 711 |              |








## PORTOFINO

**DESCRIPTION:** Cap double-sided **TEXTURE:** Natural stone (Fossil stone)

### PALLET OVERVIEW



### COMPATIBLE WALLS

See page 238 for product compatibility.

### NOTES

You can use the **D** cap as a left or right corner. It can also be used as a regular unit.

**Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.**

**To achieve a natural appearance, stone dimension can vary up to 1/4". Metric measures are approximate.**

\*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

| Specifications per pallet | Imperial             | Metric       |
|---------------------------|----------------------|--------------|
| Cubing                    | <b>50.22 lin. ft</b> | 15.30 lin. m |
| Approx. Weight            | 1 712 lbs            | 777 kg       |
| Number of rows            | 7                    |              |
| Linear coverage per row   | 7.17 lin. ft         | 2.19 lin. m  |

| Unit dimensions | in     | mm  | Units/pallet |
|-----------------|--------|-----|--------------|
| Height          | 2 1/4  | 57  | 14 units     |
| Depth           | 14 1/2 | 368 |              |
| Length 1        | 11 3/4 | 298 |              |
| Length 2        | 9 3/8  | 238 |              |

|          |          |        |     |          |
|----------|----------|--------|-----|----------|
| <b>B</b> | Height   | 2 1/4  | 57  | 14 units |
|          | Depth    | 14 1/2 | 368 |          |
|          | Length 1 | 15 7/8 | 403 |          |
|          | Length 2 | 13 3/4 | 349 |          |

|          |          |          |     |         |
|----------|----------|----------|-----|---------|
| <b>C</b> | Height   | 2 1/4    | 57  | 7 units |
|          | Depth    | 14 1/2   | 368 |         |
|          | Length 1 | 18 13/16 | 478 |         |
|          | Length 2 | 16 1/2   | 419 |         |

|          |          |        |     |         |
|----------|----------|--------|-----|---------|
| <b>D</b> | Height   | 2 1/4  | 57  | 7 units |
|          | Depth    | 14 1/2 | 368 |         |
|          | Length 1 | 19     | 483 |         |
|          | Length 2 | 19     | 483 |         |


Chocolate Brown    Rock Garden Brown    Riviera    Azzurro    Onyx Black





# INSTALLATION GUIDE

## CAP RADIUS - PORTOFINO





It is the user's responsibility to verify for the quantity of materials required.



## RAFFINATO 14"×28"

**DESCRIPTION:** Cap double-sided **TEXTURE:** Smooth

### PALLET OVERVIEW - 14"×28"




### COMPATIBLE WALLS

See page 238 for product compatibility.

### NOTES

By placing two units side by side, you will obtain a 28" pillar cap.




### COMPATIBLE PILLARS

Pillar 24 (Mini-Creta 3" & 6"), Pillar 24" (Mini-Creta 6" Architectural), Manchester, Prescott 2,25 & 4,5, Raffinato 90 mm & 180 mm smooth.

| Specifications per pallet |                            | Imperial        | Metric       |
|---------------------------|----------------------------|-----------------|--------------|
| 90 mm                     | Cubing                     | <b>24 units</b> | 24 units     |
|                           | Approx. Weight             | 2 783 lbs       | 1 262 kg     |
|                           | Number of rows             | 8               |              |
|                           | Linear coverage per pallet | 56 lin. ft      | 17.07 lin. m |
|                           | Linear coverage per row    | 7 lin. ft       | 2.13 lin. m  |



| Unit dimensions | in     | mm  | Units/pallet |
|-----------------|--------|-----|--------------|
| Height          | 3 5/16 | 90  | 24 units     |
| Depth           | 14     | 356 |              |
| Length          | 28     | 711 |              |



| Specifications per pallet |                            | Imperial        | Metric       |
|---------------------------|----------------------------|-----------------|--------------|
| 60 mm                     | Cubing                     | <b>24 units</b> | 24 units     |
|                           | Approx. Weight             | 1 843 lbs       | 836 kg       |
|                           | Number of rows             | 8               |              |
|                           | Linear coverage per pallet | 56 lin. ft      | 17.07 lin. m |
|                           | Linear coverage per row    | 7 lin. ft       | 2.13 lin. m  |



| Unit dimensions | in    | mm  | Units/pallet |
|-----------------|-------|-----|--------------|
| Height          | 2 3/8 | 60  | 24 units     |
| Depth           | 14    | 356 |              |
| Length          | 28    | 711 |              |



Chestnut Brown

Beige Cream

Champlain Grey

Greyed Nickel

Shale Grey

Onyx Black

Smooth






## RAFFINATO 14"× 32"

**DESCRIPTION:** Cap double-sided **TEXTURE:** HD<sup>2</sup> Smooth


### PALLET OVERVIEW - 14"× 32"



| Specifications per pallet | Imperial            | Metric       |
|---------------------------|---------------------|--------------|
| Cubing                    | <b>63.94 lin.ft</b> | 19.49 lin.m. |
| Approx. Weight            | 2150 lbs            | 975 kg       |
| Number of rows            | 8                   |              |
| Linear coverage per row   | 7.99 lin.ft         | 2.44 lin.m.  |



A



| Unit dimensions | in                            | mm  | Units/pallet |
|-----------------|-------------------------------|-----|--------------|
| Height          | 2 <sup>3</sup> / <sub>8</sub> | 60  | 24 units     |
| Depth           | 14                            | 356 |              |
| Length          | 32                            | 812 |              |



### COMPATIBLE WALLS

See page 238 for product compatibility.

Chestnut Brown

Beige Cream

Champlain Grey


Greyed Nickel

Shale Grey

Onyx Black

Caffè Crema

HD<sup>2</sup> Smooth






# TRAVERTINA RAW

**DESCRIPTION:** Cap double-sided **TEXTURE:** Klean-Bloc Brushed Travertine

## PALLET OVERVIEW 14"X28"



## COMPATIBLE WALLS


See page 238 for product compatibility.



**Klean-Bloc technology**  
See page 14.

## NOTES

By placing two units side by side, you will obtain a 28" pillar cap.



| Specifications per pallet |                | Imperial        | Metric          |
|---------------------------|----------------|-----------------|-----------------|
| 14x28"                    | Cubing         | <b>24 units</b> | 24 units        |
|                           |                | 56 lin. ft      | 17.07 m. lin    |
|                           | Approx. Weight | 1 684 lbs       | 764 kg          |
|                           | Number of rows | 8               |                 |
| Linear coverage per row   |                | 7 lin. ft/row   | 2.13 lin. m/row |



## Unit dimensions

|        | in  | mm  | Units/pallet |
|--------|-----|-----|--------------|
| Height | 2 ¼ | 57  | 24 units     |
| Depth  | 14  | 356 |              |
| Length | 28  | 711 |              |



Rock Garden Brown

Ivory

Riviera






## YORK PILLAR CAPS

**DESCRIPTION:** Cap double-sided **TEXTURE:** Klean-Bloc Brushed Limestone surface with chiseled edges

### PALLET SIDE VIEW - 28" AND 32"



### COMPATIBLE PILLARS - YORK 28"

See page 238 for product compatibility.

### COMPATIBLE PILLAR - YORK 32"

See page 238 for product compatibility.

**Klean-Bloc technology**  
See page 14.

### NOTES

Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.

To achieve a natural appearance, stone dimension can vary up to 1/4".

\*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

| Specifications per pallet |                | Imperial       | Metric  |
|---------------------------|----------------|----------------|---------|
| 28" x 28"                 | Cubing         | <b>6 units</b> | 6 units |
|                           | Approx. Weight | 1 440 lbs      | 653 kg  |
|                           | Number of rows | 6              |         |



| Unit dimensions | in     | mm  | Units/pallet |
|-----------------|--------|-----|--------------|
| Height          | 3 1/2  | 89  | 6 units      |
| Depth           | 28 3/4 | 730 |              |
| Length          | 28 3/4 | 730 |              |

| Specifications per pallet |                | Imperial       | Metric  |
|---------------------------|----------------|----------------|---------|
| 32" x 32"                 | Cubing         | <b>6 units</b> | 6 units |
|                           | Approx. Weight | 1 727 lbs      | 783 kg  |
|                           | Number of rows | 6              |         |



| Unit dimensions | in    | mm  | Units/pallet |
|-----------------|-------|-----|--------------|
| Height          | 3 1/2 | 89  | 6 units      |
| Depth           | 32    | 813 |              |
| Length          | 32    | 813 |              |

Chocolate Brown

Rock Garden Brown

Ivory

Riviera

Onyx Black









## YORK

**DESCRIPTION:** Wall caps double-sided **TEXTURE:** Klean-Bloc Brushed Limestone surface with chiseled edges

### PALLET OVERVIEW - 14"×16", 14"×32" & 14"×48"



### PALLET OVERVIEW - 14"×48"



### COMPATIBLE WALLS

See page 238 for product compatibility.

**Klean-Bloc technology**  
See page 14.

### NOTES

Palletized upright.

**Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.**


**To achieve a natural appearance, stone dimension can vary up to 1/4".**

**Metric measures are approximate.**


\*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

| Specifications per pallet |                            | Imperial          | Metric       |
|---------------------------|----------------------------|-------------------|--------------|
| 14"×16" 14"×32" 14"×48"   | Cubing                     | <b>48 lin. ft</b> | 14.63 lin. m |
|                           | Approx. Weight             | 1 597 lbs         | 724 kg       |
|                           | Number of rows             | 1                 |              |
|                           | Linear coverage per pallet | 48 lin. ft        | 14.63 lin. m |

| Unit dimensions | in    | mm  | Units/pallet |
|-----------------|-------|-----|--------------|
| Height          | 2 1/4 | 57  | 6 units      |
| Depth           | 14    | 356 |              |
| Length          | 16    | 406 |              |




| Unit dimensions | in    | mm  | Units/pallet |
|-----------------|-------|-----|--------------|
| Height          | 2 1/4 | 57  | 6 units      |
| Depth           | 14    | 356 |              |
| Length          | 32    | 813 |              |




\*Double sided unit with finished texture at one end

| Unit dimensions | in    | mm    | Units/pallet |
|-----------------|-------|-------|--------------|
| Height          | 2 1/4 | 57    | 6 units      |
| Depth           | 14    | 356   |              |
| Length          | 48    | 1 219 |              |



| Specifications per pallet |                          | Imperial          | Metric       |
|---------------------------|--------------------------|-------------------|--------------|
| 14"×48"                   | Cubing                   | <b>48 lin. ft</b> | 14.63 lin. m |
|                           | Approx. Weight           | 1 582 lbs         | 718 kg       |
|                           | Number of rows           | 1                 |              |
|                           | Linear coverage per unit | 4 lin. ft         | 1.22 lin. m  |

| Unit dimensions | in    | mm    | Units/pallet |
|-----------------|-------|-------|--------------|
| Height          | 2 1/4 | 57    | 12 units     |
| Depth           | 14    | 356   |              |
| Length          | 48    | 1 219 |              |



Chocolate Brown    Rock Garden Brown    Ivory    Riviera    Onyx Black






## YORK 24"×36"

**DESCRIPTION:** Counter top **TEXTURE:** Klean-Bloc Brushed Limestone surface with chiseled edges on the four sides

### PALLET OVERVIEW



| Specifications per pallet |                | Imperial        | Metric   |
|---------------------------|----------------|-----------------|----------|
| 24"×36"                   | Cubing         | <b>16 units</b> | 16 units |
|                           | Approx. Weight | 2 595 lbs       | 1 177 kg |
|                           | Number of rows | 1               |          |

| Unit dimensions                                                                   |        | in  | mm  | Units/pallet |
|-----------------------------------------------------------------------------------|--------|-----|-----|--------------|
|  | Height | 2 ¼ | 57  | 16 units     |
|                                                                                   | Depth  | 24  | 610 |              |
|                                                                                   | Length | 36  | 914 |              |



**Klean-Bloc technology**  
See page 14.

### NOTES

Palletized upright.

**Techo-Bloc always recommends gluing the caps with concrete adhesive to ensure stability and safety.**

**To achieve a natural appearance, stone dimension can vary up to ¼".**

**Metric measures are approximate.**

\*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

Chocolate Brown




Rock Garden Brown



Ivory



Riviera



Onyx Black

