

EDGES

EDGES & BORDERS



Avignon
Borealis
Brandon
Pietra


P. 133
P. 134
P. 135
P. 136

Raffinato 90 mm
Raffinato 180 mm
Röcka

P. 137
P. 138
P. 139


INSTALLATION GUIDE

INTERLOCKING CONCRETE PAVEMENT




- A. TECHO-BLOC PRECAST CONCRETE PAVER 2 3/8" (60 mm) THICK MIN.
- B. FLEXLOCK POLYMERIC SAND JOINT
- C. SAND SETTING BED (CONCRETE SAND) 1" (25 mm)
- D. GEOTEXTILE 12" (300 mm) WIDE
- E. EXTRA WIDTH EQUAL TO FOUNDATION THICKNESS
- F. LAWN
- G. TECHO-BLOC AVIGNON EDGE
- H. NAIL
- I. COMPACTED GRANULAR BASE 0-3/4" (0-20 mm)
- J. GEOTEXTILE
- K. SUBGRADE

TYPICAL PAVER CROSS SECTION WITH AVIGNON EDGE



- A. TECHO-BLOC PRECAST CONCRETE PAVER 2 3/8" (60 mm) THICK MIN.
- B. FLEXLOCK POLYMERIC SAND JOINT
- C. SAND SETTING BED (CONCRETE SAND) 1" (25 mm)
- D. GEOTEXTILE 12" (300 mm) WIDE
- E. EXTRA WIDTH EQUAL TO FOUNDATION THICKNESS
- F. LAWN
- G. TECHO-BLOC BOREALIS EDGE
- H. PLASTIC EDGE
- I. NAIL
- J. COMPACTED GRANULAR BASE 0-3/4" (0-20 mm)
- K. GEOTEXTILE
- L. SUBGRADE

TYPICAL PAVER CROSS SECTION WITH BOREALIS EDGE




- A. TECHO-BLOC PRECAST CONCRETE PAVER 2 3/8" (60 mm) THICK MIN.
- B. FLEXLOCK POLYMERIC SAND JOINT
- C. SAND SETTING BED (CONCRETE SAND) 1" (25 mm)
- D. GEOTEXTILE 12" (300 mm) WIDE
- E. EXTRA WIDTH EQUAL TO FOUNDATION THICKNESS
- F. LAWN
- G. TECHO-BLOC BRANDON EDGE
- H. PLASTIC EDGE
- I. NAIL
- J. COMPACTED GRANULAR BASE 0-3/4" (0-20 mm)
- K. GEOTEXTILE
- L. SUBGRADE

TYPICAL PAVER CROSS SECTION WITH BRANDON EDGE


INSTALLATION GUIDE

INTERLOCKING CONCRETE PAVEMENT



TYPICAL PAVER CROSS SECTION WITH PIETRA EDGE


- A. TECHO-BLOC PRECAST CONCRETE PAVER 2 3/8" (60 mm) THICK MIN.
- B. FLEXLOCK POLYMERIC SAND JOINT
- C. SAND SETTING BED (CONCRETE SAND) 1" (25 mm)
- D. GEOTEXTILE 12" (300 mm) WIDE
- E. EXTRA WIDTH EQUAL TO FOUNDATION THICKNESS
- F. LAWN
- G. TECHO-BLOC PIETRA EDGE
- H. NAIL
- I. COMPACTED GRANULAR BASE 0-3/4" (0-20 mm)
- J. GEOTEXTILE
- K. SUBGRADE



TYPICAL PAVER CROSS SECTION WITH RAFFINATO 90 MM EDGE

- A. TECHO-BLOC PRECAST CONCRETE PAVER 2 3/8" (60 mm) THICK MIN.
- B. FLEXLOCK POLYMERIC SAND JOINT
- C. SAND SETTING BED (CONCRETE SAND) 1" (25 mm)
- D. GEOTEXTILE 12" (300 mm) WIDE
- E. EXTRA WIDTH EQUAL TO FOUNDATION THICKNESS
- F. LAWN
- G. TECHO-BLOC RAFFINATO 90 mm EDGE
- H. PLASTIC EDGE
- I. NAIL
- J. COMPACTED GRANULAR BASE 0-3/4" (0-20 mm)
- K. GEOTEXTILE
- L. SUBGRADE


INSTALLATION GUIDE



- A. TECHO-BLOC PRECAST CONCRETE PAVER 2 3/8" (60 mm) THICK MIN.
- B. FLEXLOCK POLYMERIC SAND JOINT
- C. SAND SETTING BED (CONCRETE SAND) 1" (25 mm)
- D. GEOTEXTILE 12" (300 mm) WIDE
- E. EXTRA WIDTH EQUAL TO FOUNDATION THICKNESS
- F. LAWN
- G. TECHO-BLOC RAFFINATO 180 mm EDGE
- H. PLASTIC EDGE
- I. NAIL
- J. COMPACTED GRANULAR BASE 0-3/4" (0-20 mm)
- K. GEOTEXTILE
- L. SUBGRADE

TYPICAL PAVER CROSS SECTION WITH RAFFINATO 180 MM EDGE

INTERLOCKING CONCRETE PAVEMENT



- A. TECHO-BLOC PRECAST CONCRETE PAVER 2 3/8" (60 mm) THICK MIN.
- B. FLEXLOCK POLYMERIC SAND JOINT
- C. SAND SETTING BED (CONCRETE SAND) 1" (25 mm)
- D. GEOTEXTILE 12" (300 mm) WIDE
- E. EXTRA WIDTH EQUAL TO FOUNDATION THICKNESS
- F. LAWN
- G. TECHO-BLOC RÖCKA EDGE
- H. PLASTIC EDGE
- I. NAIL
- J. COMPACTED GRANULAR BASE 0-3/4" (0-20 mm)
- K. GEOTEXTILE
- L. SUBGRADE

TYPICAL PAVER CROSS SECTION WITH RÖCKA EDGE