

Raffinato

90 mm & 180 mm, Polished

NEW TEXTURE

PALLET OVERVIEW - 90 mm

A	

PALLET OVERVIEW - 180 mm

A	

APPLICATIONS

Versatile units that can be used to build planters, retaining esingle walls, steps and exterior kitchen components.

COMPATIBLE CAPS

Muro Naturale, Piedimonte, Prima 14" polished and Raffinato Cap.

NOTES

When building a double-sided wall one pallet will cover an average of 22.06 ft².

See page 162 for more technical information.

DESCRIPTION: Wall

TEXTURE: Polished



Specifications per pallet

		Imperial	Metric
90 mm	Cubing	23.08 ft²	2.14 m ²
		78.15 lin ft	23.82 lin m
	Weight	1 948 lbs	884 kg
	Minimum radius	8.5 ft	2.6 m
	Number of rows	3	
	Coverage per row	7.69 ft ² /row	0.71 m ² /row
	Linear coverage per row	26.05 lin ft/row	7.94 lin m/row



A

Unit dimensions

in

mm

Units /pallet

Height

3 9/16

90

60 units

Depth

9 3/4

248

Length 1

15 5/8

397

Length 2

14 1/4

362

Specifications per pallet

		Imperial	Metric
180 mm	Cubing	23.08 ft²	2.14 m ²
		39.07 lin ft	11.91 lin m
	Weight	1 936 lbs	878 kg
	Minimum radius	8.5 ft	2.6 m
	Number of rows	3	
	Coverage per row	7.69 ft ² /row	0.71 m ² /row
	Linear coverage per row	13.02 lin ft/row	3.97 lin m/row



A

Unit dimensions

in

mm

Units /pallet

Height

7 1/16

180

30 units

Depth

9 3/4

248

Length 1

15 5/8

397

Length 2

14 1/4

362

WALLS & PILLARS

POLISHED

onyx black

greyed nickel

beige cream



Raffinato


90 mm & 180 mm,
Smooth

DESCRIPTION: Wall double-sided
TEXTURE: Smooth



PALLET OVERVIEW


90 mm & 180 mm



Specifications per pallet		Imperial	Metric
90 mm	Cubing	24.61 ft²	2.29 m ²
		83.36 lin. ft	25.41 lin. m
	Weight	2 060 lbs	934 kg
	Minimum radius	8.5 ft	2.6 m
	Number of rows	8	
	Coverage per row	3.08 ft ² /row	0.29 m ² /row
	Linear coverage per row	10.42 lin. ft/row	3.18 lin. m/row



A



Unit dimensions		in	mm	Units/pallet
Height		3 9/16	90	64 units
Depth		9 13/16	249	
Length 1		15 5/8	397	
Length 2		14 1/4	362	

APPLICATIONS

Versatile units that can be used to build planters, double and single walls, edge restraints, pillars, fireplaces and exterior kitchen components.

COMPATIBLE CAPS

Muro Naturale, Piedimonte, Prima 14" and Raffinato smooth cap.

NOTES


When building a double-sided wall one pallet will cover an average of 25.23 ft².

See page 162 for more technical information.

Specifications per pallet		Imperial	Metric
180 mm	Cubing	24.61 ft²	2.29 m ²
		41.68 lin. ft	12.70 lin. m
	Weight	2 071 lbs	939 kg
	Minimum radius	8.5 ft	2.6 m
	Number of rows	4	
	Coverage per row	6.15 ft ² /row	0.57 m ² /row
Linear coverage per row		10.42 lin. ft/row	3.18 lin. m/row



A



Unit dimensions		in	mm	Units/pallet
Height		7 1/16	180	32 units
Depth		9 13/16	249	
Length 1		15 5/8	397	
Length 2		14 1/4	362	

onyx black

greyed nickel

beige cream




Raffinato


90 mm & 180 mm, Pillars, corners and edges, Polished

NEW TEXTURE

PALLET OVERVIEW - 90 mm



PALLET OVERVIEW - 180 mm



APPLICATIONS

Versatile units that can be used to build planters, single walls, steps, edge restraints, pillars and exterior kitchen components.

COMPATIBLE CAPS

Piedimonte 28" & Raffinato cap.

NOTES

See page 235 for more technical information.

DESCRIPTION: Pillars, corners and edges


TEXTURE: Polished



Specifications per pallet		Imperial	Metric
90 mm	Cubing	40 units	40 units
	Weight	1 559 lbs	707 kg
	Number of rows	2	
	Pillar height	35 ⁷ / ₁₆ "	900 mm



A



Unit dimensions	in	mm	Units /pallet
Height	3 ⁹ / ₁₆	90	40 units
Depth	9 ³ / ₄	248	
Length	14 ¹ / ₁₆	357	

Specifications per pallet		Imperial	Metric
180 mm	Cubing	20 units	20 units
	Weight	1 557 lbs	706 kg
	Number of rows	2	
	Pillar height	35 ⁷ / ₁₆ "	900 mm



A



Unit dimensions	in	mm	Units /pallet
Height	7 ¹ / ₁₆	180	20 units
Depth	9 ³ / ₄	248	
Length	14 ¹ / ₁₆	357	

POLISHED

onyx black

greyed nickel

beige cream




Raffinato

90 mm & 180 mm, Pillars, corners and edges, smooth


DESCRIPTION: Pillars, Corners and edges
TEXTURE: Smooth




PALLET OVERVIEW - 90 mm



PALLET OVERVIEW - 180 mm




Specifications per pallet		Imperial	Metric
90 mm	Cubing	48 units	48 units
	Weight	1 548 lbs	702 kg
	Number of rows	2	
	Pillar height	42 1/2"	1 080 mm



Unit dimensions	in	mm	Units /pallet
Height	3 9/16	90	48 units
Depth	9 13/16	249	
Length	14 1/8	359	

Specifications per pallet		Imperial	Metric
180 mm	Cubing	24 units	24 units
	Weight	1 529 lbs	694 kg
	Number of rows	2	
	Pillar height	42 1/2"	1 080 mm



Unit dimensions	in	mm	Units /pallet
Height	7 1/16	180	24 units
Depth	9 13/16	249	
Length	14 1/8	359	

APPLICATIONS

Versatile units that can be used to build planters, double and single walls, edge restraints, pillars, fireplaces and exterior kitchen components.

COMPATIBLE CAPS

Piedimonte cap 28" and Raffinato smooth cap.

NOTES

See page 235 for more technical information.

onyx black

greyed nickel

beige cream

