

## SECTION 01: IDENTIFICATION

Product Name..... TurfLock™  
Product Code ..... F000005552

### Manufacturer or Supplier's Details:

Company Name ..... Turf Distributors  
Address ..... 42505 Rio Nedo Rd, Temecula, CA 92590  
Phone..... (951) 384-6540

### Emergency Contact Information:

(CHEMTREC)..... (800) 424-9300  
(CHEMTREC International) ..... (703) 527-3887  
Industrial Health/Spill Emergency..... (706) 277-1300

## SECTION 02: HAZARDS IDENTIFICATION

Acute toxicity (Oral) ..... Category 4  
Acute toxicity (Inhalation) ..... Category 4  
Skin irritation ..... Category 2

Eye irritation ..... Category 2B  
Respiratory sensitisation..... Category 1

Specific target organ toxicity - single exposure ..... Category 3 (Respiratory system)  
Specific target organ toxicity - repeated exposure (Inhalation) ..... Category 2 (Respiratory Tract)

### GHS LABEL ELEMENTS

#### Hazard statements:

- H302 Harmful if swallowed.
- H315 + H320 Causes skin and eye irritation.
- H317 May cause an allergic skin reaction.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

#### Hazard pictograms:



### PRECAUTIONARY STATEMENTS:

#### Prevention:

- P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
- P264 Wash skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear protective gloves/ eye protection/ face protection.
- P284 In case of inadequate ventilation wear respiratory protection.

#### Storage:

- P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

#### Disposal:

- P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards:

- None Known.

#### Response:

- P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P315 Get immediate medical advice/ attention.
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
- P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
- P337 + P313 If eye irritation persists: Get medical advice/ attention.
- P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
- P362 Take off contaminated clothing and wash before reuse.

## SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS

### Hazardous Components

Chemical Name	CAS-No.	Concentration (%)*
Diphenylmethane 4,4'-diisocyanate	101-68-8	>= 1 - < 15
MDI Mixed Isomers	26447-40-5	>= 1 - < 5

\*Actual concentration is withheld as a trade secret

## SECTION 04: FIRST AID MEASURES

### **If inhaled:**

- Move to fresh air in case of accidental inhalation of vapours.
- Oxygen or artificial respiration if needed.
- Call a physician or poison control centre immediately.

### **In case of skin contact:**

- After contact with skin, wash immediately with a polyethylene glycol solution, followed by plenty of water.
- Take off contaminated clothing and shoes immediately.
- Cover wound with sterile dressing.
- If symptoms persist, call a physician.
- Burns must be treated by a physician.

### **In case of eye contact:**

- In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- Keep eye wide open while rinsing.
- Seek medical advice.

### **If swallowed:**

- Do not induce vomiting without medical advice.
- If conscious, drink plenty of water.
- Never give anything by mouth to an unconscious person.

### **Most important symptoms and effects, both acute and delayed:**

- Asthmatic appearance
- Respiratory disorders
- Aspiration may cause pulmonary oedema and pneumonitis.

## SECTION 05: FIREFIGHTING MEASURES

### **Suitable extinguishing media:**

- Foam
- Carbon dioxide (CO<sub>2</sub>)
- Dry chemical
- Water mist
- Alcohol-resistant foam

### **Specific hazards during firefighting:**

- Burning produces irritant fumes.
- Exposure to decomposition products may be a hazard to health.
- Cool closed containers exposed to fire with water spray.
- Do not allow run-off from fire fighting to enter drains or water courses.

### **Specific extinguishing methods:**

- Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Use water spray to cool unopened containers.
- Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **Special protective equipment for firefighters:**

- In the event of fire, wear self-contained breathing apparatus.
- Use personal protective equipment.
- Exposure to decomposition products may be a hazard to health.

## SECTION 06: ACCIDENTAL RELEASE MEASURES

### **Personal precautions, protective equipment, and emergency procedures:**

- Use personal protective equipment.
- Ensure adequate ventilation.
- Material can create slippery conditions.
- Use non-slip safety shoes in areas where spills or leaks can occur.

### **Environmental precautions:**

- Prevent further leakage or spillage if safe to do so.
- Do not let product enter drains.
- Do not allow contact with soil, surface or ground water.
- Do not allow uncontrolled discharge of product into the environment.

### **Methods and materials for containment and cleaning up:**

- Dam up.
- Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
- Sweep up and shovel.
- Pick up and transfer to properly labelled containers.
- Clean contaminated floors and objects thoroughly while observing environmental regulations.

## SECTION 07: HANDLING AND STORAGE

### Advice on protection against fire and explosion:

- The product is not flammable. No special protective measures against fire required.

### Advice on safe handling:

- Wear personal protective equipment.
- Handle with care.
- Take care to avoid waste and spillage when weighing, loading and mixing the product.

### Materials to avoid:

- Do not freeze.
- Keep away from food and drink.
- Keep away from tobacco products.

### Conditions for safe storage:

- No smoking.
- Keep in properly labelled containers.
- Observe label precautions.
- Keep product containers tightly closed in a dry, cool and well-ventilated place.
- Keep in a cool place away from acids.
- Keep in a cool place away from bases.
- Keep in a cool place away from oxidizing agents.
- Keep in a cool place away from water.

## SECTION 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (form of exposure)	Control parameters / Permissible concentration	Basis
Diphenylmethane 4,4'-diisocyanate	101-68-8	TWA	0.005 ppm	ACGIH
		TWA	0.005 ppm / 0.05mg/m3	NIOSH REL
		C	0.2 ppm / 0.2 mg/m3	NIOSH REL
		C	0.02 ppm / 0.2 mg/m3	OSHA Z-1
		C	0.02 ppm / 0.2 mg/m3	OSHA P0

### Components without workplace control parameters

Components	CAS-No.
MDI Mixed Isomers	26447-40-5

### ENGINEERING MEASURES:

- Handle only in a place equipped with local exhaust (or other appropriate exhaust).
- Maintain air concentrations below occupational exposure standards.

### PERSONAL PROTECTIVE EQUIPMENT:

#### Respiratory protection:

- No personal respiratory protective equipment normally required.
- When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Use NIOSH approved respiratory protection.

#### Eye protection:

- Safety glasses with side-shields
- Tightly fitting safety goggles
- Face-shield

#### Protective Measures

- Do not smoke.
- Keep away from food and drink.
- Avoid contact with skin, eyes and clothing.
- Change working clothes after each workshift.
- Remove and wash contaminated clothing and gloves, including the inside, before re-use.

#### Hand protection material:

- Impervious gloves

#### Protective measures:

- Avoid contact with skin.
- When using do not eat, drink or smoke.
- Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
- The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Skin and body protection:

- Chemical resistant apron
- Footwear protecting against chemicals
- Skin should be washed after contact.
- Change working clothes after each workshift.

## SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Appearance..... Viscous, Liquid  
Color..... Green  
Odor..... Neutral  
pH..... No data available  
Melting point/range..... No data available  
Boiling point/range..... No data available  
Flash point..... 399.2° F

Upper explosion limit..... No data available  
Lower explosion limit..... No data available  
Vapour pressure..... No data available  
Relative density..... No data available  
Density..... No data available  
Water Solubility..... No data available  
Solubility in other solvents..... Not determined  
Partition coefficient: noctanol/water..... No data available

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity:

- Stable

### Possibility of hazardous reactions:

- Stable under recommended storage conditions

### Conditions to avoid:

- Neutral

### Incompatible materials:

- Oxidizing agents
- Strong acids and strong bases

### Hazardous decomposition products:

- Carbon dioxide (CO<sub>2</sub>)
- Carbon monoxide (CO)
- Oxides of ni-trogen (NO<sub>x</sub>)
- Dense black smoke

## SECTION 11: TOXICOLOGICAL INFORMATION

### ACUTE TOXICITY

#### PRODUCT:

#### Acute oral toxicity:

- LD50 Oral (Rat): > 5,000 mg/kg

#### Acute inhalation toxicity:

- Remarks: Isocyanates may cause acute irritation and/or sensi-tisation of the respiratory system leading to tightness of the chest, wheeziness and an asthmatic condition.
- Harmful by inhalation.
- Irritating to respiratory system.

#### Acute dermal toxicity:

- LD50 Dermal (Rabbit): > 2,000 mg/kg
- Remarks: Harmful by inhalation and in contact with skin.

### COMPONENTS:

#### (Diphenylmethane 4,4'-diisocyanate)

#### Acute oral toxicity:

- LD50 Oral (Rat): 4,700 mg/kg

### CARCINOGENICITY

#### IARC:

- No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### OSHA:

- No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### NTP:

- No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### SKIN CORROSION/IRRITATION

#### PRODUCT:

- Remarks: Moderate skin irritation Irritating to eyes, respiratory system and skin.

### SERIOUS EYE DAMAGE/EYE IRRITATION

#### PRODUCT:

- Remarks: Moderate eye irritation

### RESPIRATORY OR SKIN SENSATION

#### PRODUCT:

- Remarks: May cause sensitisation of susceptible persons by skin contact or by inhalation of dust

### FURTHER INFORMATION

#### PRODUCT:

- Remarks: Persons allergic to isocyanates, and particularly those suffering from asthma or other respiratory conditions, should not work with isocyanates.

## SECTION 12: ECOLOGICAL INFORMATION

### ECOTOXICITY

#### PRODUCT:

##### Toxicity to fish:

- LC50 (Danio rerio (zebra fish)): > 1,000 mg/l
- Exposure time: 96 h

##### Toxicity to daphnia and other aquatic invertebrates:

- EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
- Exposure time: 24 h

##### Toxicity to algae:

- NOEC (Desmodesmus subspicatus (green algae)): 1,640 mg/l
- Exposure time: 72 h
- Test Type: static test

#### COMPONENTS:

##### (Diphenylmethane 4,4'-diisocyanate:)

##### Toxicity to daphnia and other aquatic invertebrates:

- EC50 (Daphnia magna (Water flea)): 0.35 mg/l
- Exposure time: 24 h

##### Persistence and degradability:

- No data available

##### Bioaccumulative potential:

- No data available

##### Mobility in soil:

- No data available

##### other adverse effects:

- No data available

## SECTION 13: DISPOSAL CONSIDERATIONS

### DISPOSAL METHODS:

#### Waste from residues:

- Do not dispose of waste into sewer.
- Dispose of in accordance with local regulations.
- Can be landfilled or incinerated, when in compliance with local regulations.

#### Contaminated packaging:

- Empty containers should be taken to an approved waste handling site for recycling or disposal.

## SECTION 14: TRANSPORT INFORMATION

### INTERNATIONAL REGULATIONS:

#### UNRTDG:

- Not regulated as a dangerous good

#### IATA-DGR:

- Not regulated as a dangerous good

#### IMDG-Code:

- Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

- Not applicable for product as supplied.

### NATIONAL REGULATIONS:

#### 49 CFR:

- Not regulated as a dangerous good

## SECTION 15: REGULATORY INFORMATION

### SARA 302:

- This material does not contain any components with a section 302 EHS TPQ.

#### IATA-DGR:

- The following components are subject to reporting levels established by SARA Title III, Section 313:
- Diphenylmethane 4,4'-diisocyanate
- 101-68-8


### California Prop 65:

- This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## SECTION 16: OTHER INFORMATION

### FURTHER INFORMATION

#### NFPA:



#### HMIS III:

<b>HEALTH</b>	<b>2</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

- 0 = Not Significant**
- 1 = Slight**
- 2 = Moderate**
- 3 = High**
- 4 = Extreme**
- \* = Chronic**

#### Revision Date: 02/07/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.