

TurfGro Granular Fertilizer – All Analyses

(INFOTRAC): 1-800- 535-5053 Marion Ag. Service, INC. ST. PAUL, OREGON 97137

Version 1.0 | Effective Date: May 18, 2015

SECTION 1: IDENTIFICATION

| 1.1. Product Identifier | |
|------------------------------------|--|
| Product Form: | Mixture |
| Product Name: | TurfGro Granular Fertilizer – All Analyses |
| Other means of identification: | Granular fertilizers including all chemical partially sulfur coated, 100% p o l y m e r or sulfur coated nutrients, with and without micronutrients. |
| 1.2. Intended Use of the Product | |
| Use of the substance/mixture: | Fertilizer for use by Landscape Professionals. |
| 1.3. Name, Address, and Telephon | e of the Responsible Party Company |
| Horizon Distributors, Inc. | |
| 5214 South 30 th Street | |
| Phoenix, Arizona 85040 | |
| 1.4. Emergency Telephone Numbe | r |
| Emergency Number: | 1-800-535-5053 |
| | For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call INFOTRAC Day or Night |

SECTION 2: HAZARDS IDENTIFICATION

| 2.1. | Classification of the Substance or Mixture |
|------|--|
|------|--|

| Classification (GHS-US) | | | |
|-------------------------|------|--|--|
| Skin Irrit. 2 | H315 | | |
| Eye Irrit. 2A | H319 | | |
| Skin Sens. 1 | H317 | | |
| STOT SE 3 | H335 | | |
| Aquatic Acute 3 | H402 | | |
| Aquatic Chronic 3 | H412 | | |

2.2. Label Elements GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US)

: Warning



TurfGro Granular Fertilizer – All Analyses

(INFOTRAC): 1-800- 535-5053 Marion Ag. Service, INC.

ST. PAUL, OREGON 97137

Version 1.0 | Effective Date: May 18, 2015

| Hazard Statements (GHS-US) | H315 - Causes skin irritation |
|-----------------------------------|--|
| nazaru statements (Gris-05) | H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H335 - May cause respiratory irritation H402 - Harmful to aquatic life |
| | H412 - Harmful to aquatic life with long lasting effects |
| Precautionary Statements (GHS-US) | P261 - Avoid breathing dust |
| | P264 - Wash hands thoroughly after handling |
| | P271 - Use only outdoors or in a well-ventilated area |
| | P272 - Contaminated work clothing should not be allowed out of the workplace |
| | P273 - Avoid release to the environment |
| | P280 - Wear eye protection, protective gloves, protective clothing |
| | P302+P352 - IF ON SKIN: Wash with plenty of soap and water |
| | P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER/doctor/physician if you feel unwell |
| | P321 - Specific treatment (see Section 4) |
| | P332+P313 - If skin irritation occurs: Get medical advice/attention P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention |
| | P362 - Take off contaminated clothing and wash before reuse P362+P364 - Take off contaminated clothing and wash it before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up |
| | P501 - Dispose of contents/container according to local, regional, national, and international regulations |

2.3. Other Hazards

Other Hazards: No additional information available 2.4. Unknown Acute Toxicity (GHS-US) No data available



(INFOTRAC): 1-800-535-5053

Marion Ag. Service, INC.

ST. PAUL, OREGON 97137

TurfGro Granular Fertilizer – All Analyses

Version 1.0 | Effective Date: May 18, 2015

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

- Not applicable
- 3.2. Mixture

| Name | Product identifier | % | Classification (GHS-US) | |
|--|---------------------|----------|--|--|
| Urea | (CAS No) 57-13-6 | 0.1 - 98 | Skin Irrit. 2, H315 Eye Irrit. 2B, H320 | |
| Potassium Sulfate, SOP, Sulfate of Potash | (CAS No) 7778-80-5 | 0.1 - 95 | Not classified | |
| Diammonium phosphate | (CAS No) 7783-28-0 | 0.1 - 95 | Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335 Aquatic Acute 3, H402 | |
| Potassium chloride | (CAS No) 7447-40-7 | 0.1 - 95 | Aquatic Acute 3, H402 | |
| Monoammonium phosphate | (CAS No) 7722-76-1 | 0.1 - 95 | Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335 | |
| Ammonium sulfate | (CAS No) 7783-20-2 | 0.1 - 95 | Aquatic Acute 2, H401 | |
| Limestone | (CAS No) 1317-65-3 | 0.1 - 95 | Not classified | |
| Sulfur | (CAS No) 7704-34-9 | 0.1 - 20 | Comb. Dust, H232 Flam. Sol. 2, H228 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Aquatic Acute 3, H402 | |
| Iron oxide (Fe2O3) | (CAS No) 1309-37-1 | 0.1 - 10 | Not classified | |
| Urea, polymer with formaldehyde | (CAS No) 9011-05-6 | 0.1 - 10 | Not classified | |
| Magnesium sulfate | (CAS No) 7487-88-9 | 0.1 - 10 | Skin Sens. 1, H317 | |
| Ferrous sulfate | (CAS No) 7720-78-7 | 0.1 - 10 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 | |
| Manganese oxide (Mn3O4) | (CAS No) 1317-35-7 | 0.1 - 10 | Not classified | |
| Sulfate of Potash-Magnesia | (CAS No) 14977-37-8 | 0.1 - 10 | Not classified | |
| Ammonium Nitrate | (CAS No) 6484-52-2 | 0.1 - 50 | Ox.Sol.3 H272 Eye Irrit. 2A H319 | |
| Digested Sewage Sludge (Class A Biosolids) | (CAS No) NA | 0.1 - 50 | Not classified | |

Full text of H-phrases: see section 16



(INFOTRAC): 1-800-535-5053

Marion Ag. Service, INC.

ST. PAUL, OREGON 97137

Version 1.0 | Effective Date: May 18, 2015

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

TurfGro Granular Fertilizer – All Analyses

First-aid Measures General: If medical advice is needed, have product container or label at hand.

First-aid Measures After Inhalation: If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Wash skin thoroughly with mild soap and water. Obtain medical attention if irritation develops or persists. Wash contaminated clothing before reuse.

First-aid Measures After Eye Contact: Immediately rinse with water for a prolonged period (at least 15 minutes) while holding the eyelids wide open. Obtain medical attention if irritation develops or persists.

First-aid Measures After Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries After Inhalation: Overexposure may be irritating to the respiratory system.

Symptoms/Injuries After Skin Contact: May cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause eye irritation.

Symptoms/Injuries After Ingestion: If a large quantity has been ingested: Abdominal pain. Diarrhea. Nausea. Vomiting.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Not considered flammable but will burn at high temperatures. Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: None known.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Decomposes above 132 °C (270 °F). Under conditions of fire this material may produce: Ammonia. Nitrogen oxides. Biuret. Cyanuric acid.

Explosion Hazard: May form explosive compounds if mixed with: Calcium hypochlorite. Sodium hypochlorite. Nitrates. Nitric acid. Perchloric acid. Product itself is not explosive but if dust is generated, dust clouds suspended in air can be explosive. **Reactivity:** This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

5.3. Advice for Firefighters

Firefighting Instructions: Not flammable.

Protection During Firefighting: Wear full fire-fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). **Other information:** Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Handle in accordance with good industrial hygiene and safety practice. This material becomes slippery when wet.

6.1.1. For Non-emergency Personnel

Protective Equipment: Wear suitable protective clothing, gloves and eye/face protection.



(INFOTRAC): 1-800- 535-5053

Marion Ag. Service, INC.

ST. PAUL, OREGON 97137

Version 1.0 | Effective Date: May 18, 2015

Emergency Procedures: Collect as any solid. Ventilate area. Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

TurfGro Granular Fertilizer – All Analyses

Protective Equipment: Wear suitable protective clothing, gloves and eye/face protection.

Emergency Procedures: If possible, stop flow of product. Contain and collect as any solid. Ventilate area. Evacuate unnecessary personnel.

6.2. Environmental Precautions

Avoid release to the environment.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain and collect as any solid. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.

Methods for Cleaning Up: Recover the product by vacuuming, shoveling or sweeping. Avoid generation of dust during cleanup of spills. If spilled directly onto the ground, remove sufficient soil to ensure material is fully recovered. Material may be used if uncontaminated.

6.4. Reference to Other Sections No additional information available.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: This material becomes slippery when wet.

Precautions for Safe Handling: Handle in accordance with good industrial hygiene and safety procedures. Wear

recommended personal protective equipment. Avoid creating or spreading dust.

Hygiene Measures: Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store tightly closed in a dry, cool and well-ventilated place. Protect from moisture.

Prohibitions on mixed storage: Store away from: Ammonium nitrate. Refer to Section 10 on Incompatible Materials.

Special Rules on Packaging: Corrosive to copper and its alloys.

7.3. Specific End Use(s)

Fertilizer.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

| Limestone (1317-65-3) | | | |
|-----------------------|--------------------------------|---------|--|
| USA NIOSH | NIOSH REL (TWA) (mg/m³) | 5 mg/m³ | |
| USA OSHA | OSHA PEL (TWA) (mg/m³) | 5 mg/m³ | |
| | | | |
| | | | |
| | | | |
| Iron oxide (Fe | Iron oxide (Fe2O3) (1309-37-1) | | |
| USA ACGIH | ACGIH TWA (mg/m³) | 5 mg/m³ | |
| USA NIOSH | NIOSH REL (TWA) (mg/m³) | 5 mg/m³ | |



(INFOTRAC): 1-800- 535-5053

Marion Ag. Service, INC. ST. PAUL,

TurfGro Granular Fertilizer – All Analyses

OREGON 97137

Version 1.0 | Effective Date: May 18, 2015

| USA IDLH | US IDLH (mg/m ³) | | 2500 mg/m ³ |
|---|--|-------------------------------------|--|
| USA OSHA | OSHA PEL (TWA) (mg/m³) | | 5 mg/m³ |
| Appropriate | osure Controls Engineering Controls Stective Equipment | : Gloves. Protect | onal/local regulations are observed. tive clothing. Insufficient ventilation: wear respiratory protection. as and dust: Safety glasses. |
| Eye Protection: SafetySkin and Body Protection: Wear sRespiratory Protection: If exporespiratoryrespiratory | | : If exposure lim respiratory prote | ves. protective clothing. hits are exceeded or irritation is experienced, NIOSH approved ection should be worn. hte ventilation, especially in confined areas. |
| | PHYSICAL AND CHEMICA | | |
| | | | |
| Physical Stat | rmation on Basic Physical and e | : Solic | |
| Appearance | | | |
| Color : White | | | |
| Odor | | : Sligh | nt. Pungent. |
| Odor Thresh | old | - | lata available |
| рН | | : No c | lata available |
| pH solution | | : 10 % | / D |
| - | poration Rate (butylacetate=: | L) : No d | lata available |
| Melting Poin | | - | lata available |
| Freezing Poi | nt | : No c | lata available |
| Boiling Point | t | : No c | lata available |
| Flash Point | | : No c | lata available |
| Auto-ignitio | n Temperature | : No c | lata available |
| - | ion Temperature | | lata available |
| | - | | data available |
| Flammability | | | |
| Flammability Vapor Press | | ·Nor | lata available |



TurfGro Granular Fertilizer - All Analyses

(INFOTRAC): 1-800- 535-5053

Marion Ag. Service, INC.

ST. PAUL, OREGON 97137

Version 1.0 | Effective Date: May 18, 2015

| Relative Density | : No data available |
|--|-----------------------------------|
| Density | : 45 (45 - 65) lb/ft ³ |
| Solubility | : Water: Moderately |
| Partition coefficient: n-octanol/water | : No data available |
| Viscosity | : No data available |

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

- **10.1 Reactivity:** This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).
- 10.2 Chemical Stability: Stable at standard temperature and pressure.
- 10.3 Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- 10.4 Conditions to Avoid: Protect from moisture. Keep away from heat.
- **10.5** Incompatible Materials: May form explosive mixture if in contact with strong acid such as nitric or perchloric acids. Avoid contact with : Strong oxidizers. Strong acids, bases. Nitrates. Hypochlorites. Perchlorates. Chlorides. Corrosive to copper and its alloys.
- **10.6** Hazardous Decomposition Products: Under conditions of fire this material may produce: Nitrogen oxides. Ammonia. Biuret. Carbon oxides (CO, CO2). Formaldehyde.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity: Not classified

| Potassium Sulfate, SOP, Sulfate of Potash (7778-80-5) | | |
|---|----------------------------|--|
| LD50 Oral Rat | 6600 mg/kg | |
| ATE (Oral) | 6,600.00 mg/kg body weight | |
| Diammonium phosphate (7783-28-0) | | |
| LD50 Oral Rat | 6500 mg/kg | |
| LD50 Dermal Rabbit | > 7950 mg/kg | |
| ATE (Oral) | 6,500.00 mg/kg body weight | |
| Potassium chloride (7447-40-7) | | |
| LD50 Oral Rat | 2600 mg/kg | |
| ATE (Oral) | 2,600.00 mg/kg body weight | |
| Monoammonium phosphate (7722-76-1) | | |
| LD50 Oral Rat | 5750 mg/kg | |
| LD50 Dermal Rabbit | > 7940 mg/kg | |
| ATE (Oral) | 5,750.00 mg/kg body weight | |



(INFOTRAC): 1-800-535-5053

Marion Ag. Service, INC. ST. PAUL,

OREGON 97137

Version 1.0 | Effective Date: May 18, 2015

| Ammonium sulfate (7783-20-2) | | |
|---|----------------------------------|--|
| LD50 Oral Rat | > 2000 mg/kg | |
| Sulfur (7704-34-9) | | |
| LD50 Oral Rat | > 3000 mg/kg | |
| LD50 Dermal Rabbit | > 2000 mg/kg | |
| LC50 Inhalation Rat | > 9.23 mg/l/4h | |
| Iron oxide (Fe2O3) (1309-37-1) | | |
| LD50 Oral Rat | > 10000 mg/kg | |
| Urea, polymer with formaldehyde (9011-05-6) | | |
| LC50 Inhalation Rat | > 167 mg/m³ (Exposure time: 4 h) | |
| Ferrous sulfate (7720-78-7) | | |
| LD50 Oral Rat | 237 mg/kg | |
| ATE (Oral) | 237.00 mg/kg body weight | |
| Ammonium nitrate (6484-52-2) | | |
| LD50 Oral Rat | 2217mg/kg | |
| LC50 Inhalation Rat | >88.8mg/l/4h | |

Skin Corrosion/Irritation: Causes skin irritation.

TurfGro Granular Fertilizer - All Analyses

Serious Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified.

Carcinogenicity: Not classified.

| Iron oxide (Fe2O3) (1309-37-1) | |
|--------------------------------|---|
| IRAC group | 3 |

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): May cause respiratory irritation.

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Overexposure may be irritating to the respiratory system.

Symptoms/Injuries After Skin Contact: May cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause eye irritation.

Symptoms/Injuries After Ingestion: If a large quantity has been ingested : Abdominal pain. Diarrhea. Nausea. Vomiting.



(INFOTRAC): 1-800- 535-5053

Marion Ag. Service, INC. ST. PAUL,

OREGON 97137

Version 1.0 | Effective Date: May 18, 2015

SECTION 12: ECOLOGICAL INFORMATION

TurfGro Granular Fertilizer – All Analyses

| 12.1. Toxicity | | |
|---|---|--|
| Potassium Sulfate, SOP, Sulfate of Potash (7778-80-5) | | |
| LC50 Fish 1 | 653 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) | |
| EC50 Daphnia 1 | 890 mg/l (Exposure time: 48 h - Species: Daphnia magna) | |
| LC 50 Fish 2 | 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) | |
| Diammonium phosphate (7783-28-0 | | |
| LC50 Fish 1 | 26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) | |
| LC 50 Fish 2 | 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) | |
| Potassium chloride (7447-40-7) | | |
| LC50 Fish 1 | 1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) | |
| EC50 Daphnia 1 | 825 mg/l (Exposure time: 48 h - Species: Daphnia magna) | |
| LC 50 Fish 2 | 750 - 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) | |
| EC50 Daphnia 2 | 83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) | |
| Ammonium sulfate (7783-20-2) | | |
| LC50 Fish 1 | 5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) | |
| EC50 Daphnia 1 | 14 mg/l (Exposure time: 48 h - Species: Daphnia magna) | |
| LC 50 Fish 2 | 32.2 (32.2 - 41.9) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) | |
| Sulfur (7704-34-9) | | |
| LC50 Fish 1 | 866 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) | |
| LC 50 Fish 2 | 14 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) | |
| Magnesium sulfate (7487-88-9) | | |
| LC50 Fish 1 | 2610 - 3080 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) | |
| EC50 Daphnia 1 | 266.4 - 417.3 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) | |
| | | |
| | | |
| | | |
| Ferrous sulfate (7720-78-7) | | |
| LC50 Fish 1 | 925 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [static]) | |
| EC50 Daphnia 1 | 152 mg/l (Exposure time: 48 h - Species: Daphnia magna) | |
| LC 50 Fish 2 | 0.56 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static]) | |



(INFOTRAC): 1-800- 535-5053

Marion Ag. Service, INC. ST. PAUL,

TurfGro Granular Fertilizer – All Analyses

OREGON 97137

Version 1.0 | Effective Date: May 18, 2015

| EC50 Daphnia 2 | 6.15 - 9.26 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) |
|----------------|--|
| Urea (57-13-6) | |
| LC50 Fish 1 | 16200 - 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata) |
| EC50 Daphnia 1 | 3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) |

12.2. Persistence and Degradability

| TurfGro Granular Fertilizer – All Analyses | | |
|--|--|--|
| Persistence and Degradability | May cause long-term adverse effects in the environment. This product is water soluble and eventually biodegrades into elemental nitrogen. Exess nitrogen and nitrates in a body of water will contribute to eutrophication with visible effects such as toxic algae bloom. | |

12.3. Bioaccumulative Potential

| Diammonium phosphate (7783-28-0) | | | | |
|----------------------------------|-------------------|-------------------------------|--|--|
| BCF fish 1 | (no bioa | (no bioaccumulation expected) | | |
| Monoammonium phos | ohate (7722-76-1) | | | |
| BCF fish 1 (no bioacc | | accumulation expected) | | |
| Ammonium sulfate (77 | 33-20-2) | | | |
| Log Pow | | -5.1 (at 25 °C) | | |
| Urea (57-13-6) | | | | |
| BCF fish 1 | | < 10 | | |
| Log Pow | | -1.59 (at 25 °C) | | |
| Ammonium nitrate (64 | 84-52-2) | | | |
| BCF fish 1 | | (no bioaccumulation expected) | | |
| Log Pow | | -3.1 (at 25 °C) | | |

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

No additional information available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Sewage Disposal Recommendations: This material is hazardous to the aquatic environment. Keep out of sewers and waterways. **Waste Disposal Recommendations:** Place in an appropriate container and dispose of the contaminated material at a licensed site.

Additional Information: Dispose of waste material in accordance with all local, regional, national, and international regulations.



(INFOTRAC): 1-800-535-5053

Marion Ag. Service, INC.

ST. PAUL, OREGON 97137

Version 1.0 | Effective Date: May 18, 2015

SECTION 14: TRANSPORT INFORMATION

TurfGro Granular Fertilizer – All Analyses

14.1 In Accordance with DOT Not regulated for transport14.2 In Accordance with IMDG Not regulated for transport14.3 In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

| 15.1 US Federal Regulations | | | | |
|---|---------------------------------|--|--|--|
| TurfGro Granular Fertilizer – All Analyses | | | | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard | | | |
| Potassium Sulfate, SOP, Sulfate of Potash (7778-80-5) | | | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | | | |
| Diammonium phosphate (7783-28-0) | | | | |
| Listed on the United States TSCA (Toxic Substances Contro | ol Act) inventory | | | |
| Potassium chloride (7447-40-7) | | | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | | | |
| Monoammonium phosphate (7722-76-1) | | | | |
| Listed on the United States TSCA (Toxic Substances Contro | ol Act) inventory | | | |
| Ammonium sulfate (7783-20-2) | | | | |
| Listed on the United States TSCA (Toxic Substances Contro | ol Act) inventory | | | |
| Limestone (1317-65-3) | | | | |
| Listed on the United States TSCA (Toxic Substances Contro | ol Act) inventory | | | |
| Sulfur (7704-34-9) | | | | |
| Listed on the United States TSCA (Toxic Substances Contro | ol Act) inventory | | | |
| Iron oxide (Fe2O3) (1309-37-1) | | | | |
| Listed on the United States TSCA (Toxic Substances Contro | ol Act) inventory | | | |
| Urea, polymer with formaldehyde (9011-05-6) | | | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | | | |
| Magnesium sulfate (7487-88-9) | | | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | | | |
| Ferrous sulfate (7720-78-7) | | | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | | | |
| | | | | |



(INFOTRAC): 1-800- 535-5053

Marion Ag. Service, INC. ST. PAUL,

TurfGro Granular Fertilizer – All Analyses

OREGON 97137

Version 1.0 | Effective Date: May 18, 2015

Manganese oxide (Mn3O4) (1317-35-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Urea (57-13-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Ammonium nitrate (6484-52-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2 US State Regulations

| 15.2 US State Regulations | | | | | |
|--|--|--|--|--|--|
| Ammonium sulfate (7783-20-2) | | | | | |
| U.S Massachusetts - Right To Know List | | | | | |
| U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List | | | | | |
| U.S Pennsylvania - RTK (Right to Know) List | | | | | |
| Limestone (1317-65-3) | | | | | |
| U.S Massachusetts - Right To Know List | | | | | |
| U.S New Jersey - Right to Know Hazardous Substance List | | | | | |
| U.S Pennsylvania - RTK (Right to Know) List | | | | | |
| Sulfur (7704-34-9) | | | | | |
| U.S Massachusetts - Right To Know List | | | | | |
| U.S New Jersey - Right to Know Hazardous Substance List | | | | | |
| U.S Pennsylvania - RTK (Right to Know) List | | | | | |
| Iron oxide (Fe2O3) (1309-37-1) | | | | | |
| U.S Massachusetts - Right To Know List | | | | | |
| U.S New Jersey - Right to Know Hazardous Substance List | | | | | |
| U.S Pennsylvania - RTK (Right to Know) List | | | | | |
| Ferrous sulfate (7720-78-7) | | | | | |
| U.S Massachusetts - Right To Know List | | | | | |
| U.S New Jersey - Right to Know Hazardous Substance List | | | | | |
| U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List | | | | | |
| U.S Pennsylvania - RTK (Right to Know) List | | | | | |
| | | | | | |
| Manganese oxide (Mn3O4) (1317-35-7) | | | | | |
| U.S Massachusetts - Right To Know List | | | | | |
| U.S New Jersey - Right to Know Hazardous Substance List | | | | | |
| U.S Pennsylvania - RTK (Right to Know) List | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



(INFOTRAC): 1-800- 535-5053

Marion Ag. Service, INC. ST. PAUL,

OREGON 97137

Version 1.0 | Effective Date: May 18, 2015

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date: Other Information:

TurfGro Granular Fertilizer – All Analyses

05/13/2015 This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
|---------------------|--|
| Aquatic Acute 1 | Hazardous to the aquatic environment - Acute Hazard Category 1 |
| Aquatic Acute 2 | Hazardous to the aquatic environment - Acute Hazard Category 2 |
| Aquatic Acute 3 | Hazardous to the aquatic environment - Acute Hazard Category 3 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Comb. Dust | Combustible Dust |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Eye Irrit. 2B | Serious eye damage/eye irritation Category 2B |
| Flam. Sol. 2 | Flammable solids Category 2 |
| Ox. Sol. 3 | Oxidizing solids Category 3 |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| Skin Sens. 1 | Skin sensitization Category 1 |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H228 | Flammable solid |
| H232 | May form combustible dust concentrations in air |
| H302 | Harmful if swallowed |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H320 | Causes eye irritation |
| H335 | May cause respiratory irritation |
| H400 | Very toxic to aquatic life |
| H401 | Toxic to aquatic life |
| H402 | Harmful to aquatic life |
| H412 | Harmful to aquatic life with long lasting effects |



(INFOTRAC): 1-800- 535-5053


Marion Ag. Service, INC. ST. PAUL,

TurfGro Granular Fertilizer – All Analyses

OREGON 97137

Version 1.0 | Effective Date: May 18, 2015

| NFPA Fire Hazard | 0 | Materials that will not burn. | |
|--------------------|---|--|--|
| NFPA Reactivity | 0 | Normally stable, even under fire exposure conditions, and are not reactive with water. | |
| NFPA Health Hazard | 2 | Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given. | |



IMPORTANT: Although reasonable care has been taken in the preparation of this document, the information contained herein is based on available data. No warranty is expressed or implied regarding the accuracy or completeness of this information or data, or the results to be obtained from the use thereof; and you should make your own investigation to determine safety for the use you contemplate. The information and data given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. This information is related to the material designated and may not be valid for such material used in combination with any other materials or in any processes. HDI assumes no responsibility or liability regarding the suitability of this information or data, including without limitation, for the user's intended purposes or the consequences thereof, and makes no warranty of merchantability of fitness for a particular use, nor is there any other express or implied warranty except as may be specifically provided otherwise on the product, if any. HDI assumes no responsibility or liability for any incidental or consequential damages whether related to personal injury or property damage, to vendees, users or third parties, caused by the material and by using the product you specifically agree that HDI's responsibility is limited to replacement of, or repayment of, the purchase price for the material(s) with respect to which any damages are claimed. All vendees or users assume all risks associated with the use of the material(s). HDI is not the manufacturer of the product. The manufacturer may be contacted at:

MAS | P.O. Box 732 | Newberg, OR 97132