## 1. IDENTIFICATION OF THE SUBSTANCE AND THE COMPANY UNDERTAKING

#### 1.1 Product identifier

Product name 13-5-13 TurfGro Palm % Tropical

### 1.2 Relevant use of the product

Applications Fertilizers

#### 1.3 Manufacturer, Importer or Responsible Party

Name FERTI TECHNOLOGIES

Address 560, Chemin Rhéaume, C.P 129

JOL 2J0

Saint-Michel, Québec, Canada

Telephone 450 454-7521

Contact email adidier@fertitechno.com

#### 1.4 Emergency phone number

Telephone USA National Capital Poison Center : 1 800 222 1222

## 2. HAZARDS IDENTIFICATION

### 2.1. The hazard classification of the chemical according to HCS 2012 (US-GHS)

Acute Tox. 5	H303
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
STOT SE 3	H335
Carc. 1A	H350
STOT RE 1	H372

2.2.

**Danger symbols** 





### 2.3. Signal word Danger

#### **2.4.** Hazard statements H303 May be harmful if swallowed

H315 Causes skin irritation

H319 Causes serious eye irritation H335 May cause respiratory irritation

H350 May cause cancer

H372 Causes damage to organs (lungs) through prolonged or repeated

exposure

# 2.5. Precautionary

statements

Prevention P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P260 Do not breathe dust.

P261 Avoid breathing fume/dust/gas/mist/vapors/spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

Response P302+P352 IF ON SKIN: Wash with plenty of water

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 If exposed or concerned: Get medical advice/attention.

P312 Call a POISON CENTER/doctor if you feel unwell.

P321 Take any precaution to avoid mixing with combustibles.
P332+P313 If Skin irritation occurs get medical attention/advice.
P337+P313 If eye irritation persists: get medical attention/advice.

P362 Take off contaminated clothing

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage P403+P233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal P501 Dispose of contents/container according to local regulations.

**Description of any** 

2.6. hazards not otherwise

Not applicable.

classified

% ingredient(s) with

2.7. unknown acute

Not applicable.

toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name		CAS-Nr.	Concentration %	
	Urea formaldehyde polymer (95 % - 100 %)	9011-05-6		
MU	Urea (< 5 %)	57-13-6	C = 20.5 %	
	Dye (< 0.1 %)	Proprietary		
CaCO₃	Limestone (>=80 - <=100%)	1317-65-3	C = 17.2.0/	
	Quartz (SiO <sub>2</sub> ) (20%)	14808-60-7	C = 17.3 %	
	Potassium Chloride (95 % - 99.5 %)	7447-40-7		
White	Sodium Chloride (0.3 - 3.7 %)	7647-14-5	6 17.00/	
potash	Calcium and Magnesium Chlorides and Sulfates (0.2	Various	C = 17.0 %	
	% - 1.3 %)			
Ammonium S	ulfate (> 98.50 %)	7783-20-2	C = 17.8 %	
Cuncum miy	Gypsum (> 95 %)	13397-24-5	C = 20.6 %	
Gypsum mix	Crystalline silica (0.1 % -1 %)	14808-60-7	C = 20.6 %	
Potassium sulfate (99 % - 100 %)		7778-80-5	C = 16.0 %	
MAP	Monobasic ammonium phosphate (70% - 90%)	7722-76-1	C 0.6 %	
11-52-0	Ammonium sulfate (5.5% - 7.5%)	7783-20-2	C = 9.6 %	
	Manganese, iron, magnesium, zinc, copper, and	n/a		
	sugar oxide (40 % - 60 %)			
Turf Mix	Calcium sulfate (30 % - < 40 %)	7778-18-9	C = 6.3 %	
	Copper sulfate (1% - < 3 %)	7758-99-8		
	Silica, amorphous (1.155 %)	7631-86-9		

	Quartz (1 % - 2 %)	14808-60-7	
Magnesium sucrate	Magnesium oxide (80 % - < 90 %)	1309-48-4	
	Calcium hydroxide (1 % - < 3 %)	1305-62-0	C = 6.0 %
	Others components below reportable levels (10% - < 20%)	n/a	
	Ferric Oxide (60% - 100%)	1309-37-1	
Wolf Trax	Sulfonated aromatic polymer sodium salt (1% - 5%)	Proprietary	C = 0.3 %
	Silica (0.5% - 1.5%)	7631-86-9	
Zinc Oxy-	Oxides & Sulphates of Copper (1% - 4 %)	7440-50-8	C = 0.2 %
sulfate	Oxides & Sulphates of Zinc (36 %)	1314-13-2	C = 0.2 //

### 4. FIRST AID MEASURES

#### 4.1 First Aid measures after Inhalation

Following inhalation Remove to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Use oxygen as required, provided by a qualified

operator. Get medical attention if irritation develops and persists.

4.2 First Aid measures after Skin exposure

Following skin contact Wash off immediately with plenty of water for at least 15 minutes. Take off

contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Get medical attention if irritation develops and

persists.

4.3 First Aid measures after Eye exposure

Following eye contact Rinse immediately with plenty of water, also under the eyelids, for at least

15 minutes. Get medical attention if irritation develops and persists.

4.4 First Aid measures after Ingestion

Following ingestion Induce vomiting, but only if victim is fully conscious. Never give anything by

mouth to an unconscious person. Drink 1 or 2 glasses of water. Do not give

milk or alcoholic beverages. Call a physician.

4.5 Most important symptoms and effects, both acute and delayed

INHALATION May cause respiratory irritation.

SKIN Causes skin irritation.
EYES Causes serious eye irritation.

INGESTION May cause stomach distress, nausea or vomiting

4.6 Indication of any immediate medical attention and special treatment needed

Notes to physician: Treat symptomatically.

### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media Suitable

Use extinguishing agent suitable for type of surrounding fire. Avoid excessive water to minimize runoff. Prevent firefighter water from entering the

environment.

Small fires: Water spray, foam, dry chemical or CO2

Large fires: Water spray, fog or foam.

Unsuitable: Not applicable.

5.2 Special hazards arising from chemical or mixture during the fire

Container may rupture on heating. Cool closed containers exposed to fire with water spray. Do not allow run-off from firefighting to enter drains or water courses. Explosive reactions with oxidizing agents such as potassium chlorate

and/or peroxides. In case of fire hazardous decomposition products may be produced such as:

- Ammonia
- Carbon monoxide
- Carbon dioxide (CO2)

5.3 Special Protective Precautions or equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

### 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions,

protective equipment 6.2 Emergency procedures

Wear personal protective equipment.

Unprotected persons must be kept away.

Evacuate personnel to safe areas. Provide adequate ventilation.

Avoid dust formation. Avoid breathing dust.

Avoid contact with skin, eyes and clothing.

6.3 Methods and materials

used for containment

Do not flush into surface water or sanitary sewer system.

Prevent further leakage or spillage if safe to do so.

Do not let product enter drains.

**6.4 Clean-up procedures** Use mechanical handling equipment.

Clean contaminated surface thoroughly.

Pick up and arrange disposal without creating dust.

Use a suitable vacuum cleaner.

## 7. HANDLING AND STORAGE

7.1 Precautions for safe

handling

Handle with care.

Wear personal protective equipment. Use only in well-ventilated areas.

Avoid dust formation.

Provide exhaust ventilation if dust is formed.

Dust must be extracted directly at the point of origin.

Avoid breathing dust.

Avoid contact with skin, eyes and clothing.

7.2 Conditions for safe

storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

Containers should be protected against falling down.

Containers which are opened must be carefully resealed and kept upright to

prevent leakage.

Store away from incompatible substances.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 ACGIH - TWA\_TLV

Component / CAS	8H (ACGIH)	
	mg/m³	
MAP	Total Respirable: 5 mg/m <sup>3</sup>	
CAS N°: 7722-76-1	Total Inhalable: 15 mg/m³	

	Dust: 35 mg/m <sup>3</sup>
Iron Sucrate	Inhalable: 10 mg/m <sup>3</sup>
CAS Nº: 7778-18-9	
Ferric Oxide	Respirable: 5 mg/m <sup>3</sup>
CAS Nº: 1309-37-1	

#### 8.2 OSHA-Permissible Exposure Limit (PEL)

Exposure limit values of the components:

Component / CAS	8H (OSHA, PEL)
	mg/m³
Quartz (SiO2)	Total dust: 30 mg/m³ / %SiO2+2 (OSHA Z-3)
CAS N°: 14808-60-7	Respirable: 10 mg/m³ / %SiO2+2 (OSHA Z-3)
	Respirable: 250 mppcf / %SiO2+5 (OSHA Z-3)
Limestone	Total dust: 15 mg/m³ (OSHA Z-1)
CAS N°: 1317-65-3	Respirable : 5 mg/m³ (OSHA Z-1)
	Inhalable: 15 mg/m³ (OSHA PO)
	Respirable dust: 5 mg/m³ (OSHA PO)
MAP	Total Respirable: 5 mg/m³
CAS N°: 7722-76-1	Total Inhalable: 15 mg/m³
	Dust: 25 mg/m <sup>3</sup>
Iron Sucrate	Respirable: 5 mg/m <sup>3</sup>
CAS N°: 7778-18-9	Dust: 15 mg/m³
Ferric Oxide	Fume: 10 mg/m <sup>3</sup>
CAS N°: 1309-37-1	
Silica	0.8 mg/m <sup>3</sup>
CAS N°: 7631-86-9	20 mppcf

### 8.3 Any other exposure limit used or recommended by chemical manufacturer

Non applicable

#### 8.4 Engineering Controls

Provide exhaust ventilation if dust is formed. Dust must be extracted directly at the point of origin. Apply technical measures to comply with the occupational exposure limits.

### **8.5 Personal Protective Equipment**

**Hand protection**: Gloves

Gloves must be inspected prior to use. Replace when worn.

Eye protection: Do not wear contact lenses.

Wear as appropriate: Safety glasses with side-shields

**Body protection**: Long sleeved clothing

<u>Respiratory protection:</u> A NIOSH approved air purifying respirator with a type 95 (R or P) particulate filter may be used under conditions where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited (see manufacturer's respirator selection guide). Use a positive pressure air supplied respirator if there is potential for uncontrolled release, exposure levels are not known or any other circumstances where air purifying respirators may not provide adequate protection. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed if workplace conditions warrant a respirator use.

<u>Hygiene measures</u>: Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing before re-use. Keep working clothes separately.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information of basic physical and chemical properties

Appearance (physical

Granular, white to brown

state, colour, etc.)

Odour Odourless

Odour threshold Not applicable

pH No data available

Melting point/freezing

point;

No data available

Boiling point Not applicable

Boiling Range Not applicable

Flash point No data available

Evaporation rate Not applicable

Flammability Not flammable

Upper/lower flammability

or explosive limits

No data available

Oxidising properties No data available

Vapour pressure Not applicable

Vapour density No data available

Density 66 lbs./ft<sup>3</sup>

Solubility in water Partially soluble

Other Solvents No data available

Partition coefficient (n-

octanol/water)

No data available

Auto ignition temperature No data available

Decomposition

No data available

temperature

Viscosity Not applicable

## 10. STABILITY AND REACTIVITY

Version 1.0 Version Date 04/27/2016

**10.1 Reactivity** Reacts violently with strong oxidants, nitrites, inorganic chlorides, chlorites and

perchlorates causing fire and explosion hazard.

10.2 Chemical stability Normally stable. May gradually give off ammonia. The product is hygroscopic and will

absorb water by contact with the moisture in the air.

10.3 Possibility of hazardous

reactions

If heated to the point of decomposition, oxides of phosphorus, oxides of nitrogen and

ammonia (NH3) may be released.

**10.4 Conditions to avoid** Moisture. High temperatures. Contact with incompatible materials.

**10.5 Incompatible materials** Alkaline metals, strong oxidizing agents, strong acids or bases, nitrates, hypochlorites.

10.6 Hazardous decomposition

products

If heated to the point of decomposition, oxides of phosphorus, oxides of nitrogen and ammonia (NH3) may be released. Nitrogen oxides; Ammonia; Biuret; Carbon oxides

Chlorine.

### 11. TOXICOLOGICAL INFORMATION

11.1 Measures of Toxicity

Acute toxicity: Ammonium sulfate:

 $LD_{50}$  oral (Rat) = 3000 mg/m<sup>3</sup>

Skin corrosion/irritation: Causes skin irritation

Serious eye damage/irritation: Causes serious eye irritation

Respiratory or skin sensitisation: Not a respiratory sensitizer

11.2 Listed in IARC or considered

carcinogen by NTP or OSHA

CAS N°: 14808-60-7

Group 1 (IARC), Volume 68, 100C

**11.3 Further information** This product contains prismatic tremolite (e.g., cleavage fragments) as an

impurity. Sufficient exposure to respirable prismatic tremolite dust may

cause serious lung problems.

## 12. ECOLOGICAL INFORMATION

**12.1 Toxicity** The product is not classified as environmentally hazardous. However, this

does not exclude the possibility that large or frequent spills can have a

harmful or damaging effect on the environment.

12.2 Persistence and

degradability

No data available

**12.3 Bioaccumulative potential** No data available

**12.4 Mobility in soil** No data available

12.5 Other adverse effects

### 13. DISPOSAL CONSIDERATIONS

13.1 Disposal methods to

employ

Recover or recycle if possible. Properly characterize all waste materials. Consult federal, state/provincial and local regulations regarding the proper disposal of this material. Prevent material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural

waterways. Empty containers should be taken to an approved waste handling site for recycling or disposal.

13.2 Description of appropriate disposal containers to use

No data available

13.3 Description of the physical and chemical properties that may affect disposal activities

No data available

**13.4** Language discouraging sewage disposal.

No data available

13.5 Any special precautions for landfills or incineration

No data available

activities

## 14. TRANSPORT INFORMATION

UN Number	
UN proper shipping name	
Transport hazard classes	
Packing group	
Environmental hazards	
Guidance On transport in bulk	
Special precautions for	

### 15. REGULATORY INFORMATION

### National and/or regional regulatory information of the chemical or mixtures

**Inventories:** 

US. Toxic Substances Control Act: No data available

OSHA Hazards: Carcinogen

<u>Clean Air Act:</u> This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

## **16. OTHER INFORMATION**

#### Indications on the revision

First edition: 04/27/2016

Addition of all fields as required by regulation (US) HCS 1910.1200 [HCS 2012]. Update of the classification information and update of related sections accordingly.

#### Abbreviations and acronyms used

ACGIH: American conference of governmental and industrial hygienist

CAS N°.: Chemical Abstract Service Number

CFR: Code of Federal Regulations

EC50: Half maximal effective concentration IC50: Half maximal inhibitory concentration HCS: Hazard communication standard LC50: Half maximal lethal concentration

LD50: Half maximal lethal dose

OSHA: Occupational safety and health administration STOT SE: Specific target organ toxicity Single exposure

UN N°.: United Nations Number

### Methods of evaluation for the classification of mixtures

The classification of the mixture was set based on the regulation (US) HCS 1910.1200 [HCS 2012].

#### Other information

This information is based on our present knowledge and is provided according to the relevant national regulations. This information is intended as a characterization of the product in order to provide guidance for the relevant safety issues. However, this document does not provide any warranty, expressed or implied, regarding the properties of the product.