

**Safety Data Sheet
acc. to OSHA HCS**

Printing date 01/09/2018

Rev. 7

Reviewed on 01/09/2018

1 Identification

- **Product identifier**
 - **Trade name:** LITOKROM STARLIKE (comp A)
 - **Application of the substance / the mixture** Epoxy mortar
- **Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
LITOKOL S.p.A.
13/1 G.Falcone Street
42048 Rubiera (RE)- Italy
Tel. +39 0522 626391 - Fax. +39 0522 620150
 - **Information department:** LITOKOL S.p.A. - Email: laboratorio@litokol.it
 - **Emergency telephone number:**
LITOKOL S.p.A.
Technical support: Tel. +39 0522 622852 (Monday - Friday: 8.30 - 12.30 AM, 2.00 - 6.00 PM)

2 Hazard(s) identification

- **Classification of the substance or mixture**
 - Skin Irrit. 2 H315 Causes skin irritation.
 - Eye Irrit. 2A H319 Causes serious eye irritation.
 - Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

- **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning

· Hazard-determining components of labeling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \geq 700)
formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol
oxirane, mono[(C12-14-alkyloxy)methyl] derivs

· Hazard statements

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves / eye protection / face protection.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Take off contaminated clothing.
Wash contaminated clothing before reuse.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

| | | |
|------------|---|----------------|
| HEALTH | 2 | Health = 2 |
| FIRE | 1 | Fire = 1 |
| REACTIVITY | 0 | Reactivity = 0 |

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/09/2018

Rev. 7

Reviewed on 01/09/2018

Trade name: LITOCHROM STARLIKE (comp A)

(Contd. of page 1)

- Other hazards
- Results of PBT and vPvB assessment
 - PBT: *Not applicable.*
 - vPvB: *Not applicable.*

3 Composition/information on ingredients

- Chemical characterization: Mixtures
- Description: *Mixture of the substances listed below with nonhazardous additions.*

| · Dangerous components: | | |
|-------------------------|---|--------|
| CAS: 25068-38-6 | reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \geq 700) | 5-10% |
| CAS: 9003-36-5 | formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol | 2.5-5% |
| CAS: 68609-97-2 | oxirane, mono[(C12-14-alkyloxy)methyl] derivs | 1-2.5% |
| CAS: 38640-62-9 | Bis(isopropyl)naphthalene | 1-2.5% |

4 First-aid measures

- Description of first aid measures
 - After inhalation:
 - Supply fresh air and to be sure call for a doctor.*
 - In case of unconsciousness place patient stably in side position for transportation.*
 - After skin contact:
 - If skin irritation continues, consult a doctor.*
 - Immediately wash with water and soap and rinse thoroughly.*
 - After eye contact: *Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.*
 - After swallowing: *If symptoms persist consult doctor.*
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed *No further relevant information available.*
 - Indication of any immediate medical attention and special treatment needed
No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
 - CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.*
- Special hazards arising from the substance or mixture *No further relevant information available.*
- Advice for firefighters
 - Protective equipment:
 - Wear fully protective suit.*
 - Do not inhale explosion gases or combustion gases.*

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures *Not required.*
- Environmental precautions:
 - Inform respective authorities in case of seepage into water course or sewage system.*
 - Do not allow to enter sewers/ surface or ground water.*
- Methods and material for containment and cleaning up:
 - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*
- Reference to other sections
 - See Section 7 for information on safe handling.*
 - See Section 8 for information on personal protection equipment.*
 - See Section 13 for disposal information.*

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/09/2018

Rev. 7

Reviewed on 01/09/2018

Trade name: LITACHROM STARLIKE (comp A)

(Contd. of page 2)

7 Handling and storage

- **Handling:**
 - **Precautions for safe handling**
 - Keep receptacles tightly sealed.*
 - Ensure good ventilation/exhaustion at the workplace.*
 - Prevent formation of aerosols.*
 - **Information about protection against explosions and fires:** *No special measures required.*
- **Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:** *No special requirements.*
 - **Information about storage in one common storage facility:** *Not required.*
 - **Further information about storage conditions:**
 - Keep receptacle tightly sealed.*
 - Store in a cool place.*
 - Store in dry conditions.*
- **Specific end use(s)** *No further relevant information available.*

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** *No further data; see item 7.*
- **Control parameters**
 - **Components with limit values that require monitoring at the workplace:**
 - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.*
 - **Additional information:** *The lists that were valid during the creation were used as basis.*
- **Exposure controls**
 - **Personal protective equipment:**
 - **General protective and hygienic measures:**
 - Do not eat or drink while working.*
 - Keep away from tobacco products.*
 - Keep away from foodstuffs, beverages and feed.*
 - Immediately remove all soiled and contaminated clothing.*
 - Wash hands before breaks and at the end of work.*
 - Avoid contact with the eyes and skin.*
 - **Breathing equipment:** *Not necessary if room is well-ventilated.*
 - **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

- Rubber gloves*
 - Neoprene gloves*

- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*

- **Penetration time of glove material**

- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

- **Eye protection:**



Tightly sealed goggles

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/09/2018

Rev. 7

Reviewed on 01/09/2018

Trade name: LITOCROM STARLIKE (comp A)

(Contd. of page 3)

· **Body protection:** *Light weight protective clothing*

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

· Form:

*Fluid**Pasty*

· Color:

Different according to coloring

· Odor:

Odorless

· Odor threshold:

Not determined.

· pH-value:

Not determined.

· Change in condition

· Melting point/Melting range:

Undetermined.

· Boiling point/Boiling range:

Undetermined.

· Flash point:

Not applicable.

· Flammability (solid, gaseous):

Not applicable.

· Ignition temperature:

· Decomposition temperature:

Not determined.

· Auto igniting:

Product is not selfigniting.

· Danger of explosion:

Product does not present an explosion hazard.

· Explosion limits:

· Lower:

Not determined.

· Upper:

Not determined.

· Vapor pressure:

Not determined.

· Density:

> 1 g/cm³ (>8.345 lbs/gal)

· Relative density

Not determined.

· Vapor density

Not determined.

· Evaporation rate

Not determined.

· Solubility in / Miscibility with

· Water:

Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water):

Not determined.

· Viscosity:

· Dynamic:

Not determined.

· Kinematic:

Not determined.

· Other information

No further relevant information available.

10 Stability and reactivity

· **Reactivity** *No further relevant information available.*

· Chemical stability

· **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*· **Possibility of hazardous reactions** *Reacts with strong acids and oxidizing agents.*· **Conditions to avoid** *No further relevant information available.*· **Incompatible materials:** *No further relevant information available.*· **Hazardous decomposition products:** *No dangerous decomposition products known.*

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/09/2018

Rev. 7

Reviewed on 01/09/2018

Trade name: LITOCROM STARLIKE (comp A)

(Contd. of page 4)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

CAS: 25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \bar{M}_n 700)

| | | |
|--------|------|-----------------------|
| Oral | LD50 | >2,000 mg/kg (rat) |
| Dermal | LD50 | >2,000 mg/kg (rabbit) |

CAS: 9003-36-5 formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

| | | |
|--------|------|--------------------|
| Oral | LD50 | >2,000 mg/kg (rat) |
| Dermal | LD50 | >2,000 mg/kg (rat) |

CAS: 38640-62-9 Bis(isopropyl)naphthalene

| | | |
|------------|-----------|-----------------------------|
| Oral | LD50 | >4,000 mg/kg (rat) |
| Dermal | LD50 | >4,000 mg/kg (rat) |
| Inhalative | LC50 / 4h | >5.64 mg/l (rat) (OECD 403) |

Primary irritant effect:

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Irritating effect.

· **Sensitization:** Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

| | | |
|-----------------|----------------------------|---|
| CAS: 14808-60-7 | Quartz (SiO ₂) | 1 |
|-----------------|----------------------------|---|

NTP (National Toxicology Program)

| | | |
|-----------------|----------------------------|---|
| CAS: 14808-60-7 | Quartz (SiO ₂) | K |
|-----------------|----------------------------|---|

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity:

No further relevant information available.

CAS: 25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \bar{M}_n 700)

| | |
|-------------|---|
| EC50 / 48h | 1.8 mg/l (crustacea - <i>Daphnia magna</i>) |
| LC50 / 96h | 2 mg/l (fish - <i>Oncorhynchus mykiss</i>) |
| ErC50 / 72h | 11 mg/l (algae - <i>Scenedesmus capricornutum</i>) |

CAS: 9003-36-5 formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

| | |
|------------|------------------|
| EC50 / 48h | 1.6 mg/l |
| LC50 / 96h | 0.55 mg/l (fish) |
| EC50 / 72h | 1.8 mg/l (algae) |
| NOEC / 21d | 0.3 mg/l |
| LC50 / 48h | 0.73 mg/l (fish) |

CAS: 38640-62-9 Bis(isopropyl)naphthalene

| | |
|------------|-----------------------|
| EC50 / 48h | 0.16 mg/l (daphnia) |
| LC50 / 96h | 0.5 mg/l (fish) |
| EC50 / 72h | 0.15 mg/l (algae) |
| NOEC / 21d | 0.0118 mg/l (daphnia) |

Persistence and degradability No further relevant information available.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/09/2018

Rev. 7

Reviewed on 01/09/2018

Trade name: LITOCHROM STARLIKE (comp A)

(Contd. of page 5)

Behavior in environmental systems:

Bioaccumulative potential

CAS: 38640-62-9 Bis(isopropyl)naphthalene

log Kow 6.081

Mobility in soil

No further relevant information available.

Ecotoxicological effects:

Remark:

Harmful to fish

Additional ecological information:

General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

Other adverse effects

No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

14 Transport information

UN-Number

DOT, ADR, ADN, IMDG, IATA Void

UN proper shipping name

DOT, ADR, ADN, IMDG, IATA Void

Transport hazard class(es)

DOT, ADR, ADN, IMDG, IATA
Class Void

Packing group

DOT, ADR, IMDG, IATA Void

Environmental hazards:

Marine pollutant: No

Special precautions for user

Not applicable.

Stowage Category A

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

UN "Model Regulation":

Void

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/09/2018

Rev. 7

Reviewed on 01/09/2018

Trade name: LITOKOL STARLIKE (comp A)

(Contd. of page 6)

· **Proposition 65**· **Chemicals known to cause cancer:**CAS: 14808-60-7 Quartz (SiO₂)· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**CAS: 14808-60-7 Quartz (SiO₂)

A2

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**CAS: 14808-60-7 Quartz (SiO₂)· **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).· **Hazard pictograms**

GHS07

· **Signal word** Warning· **Hazard-determining components of labeling:**

reaction product: bisphenol-A-(epichlorohydrin) epoxy resin (number average molecular weight \geq 700)
 formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol
 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

· **Hazard statements**

H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H317 May cause an allergic skin reaction.

· **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray
 Wear protective gloves / eye protection / face protection.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing.
 Take off contaminated clothing.
 Wash contaminated clothing before reuse.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Contact:** LITOKOL S.p.A.· **Date of preparation / last revision** 01/09/2018 / 6· **Abbreviations and acronyms:**

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
 CLP: Classification, Labelling and Packaging
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative

(Contd. on page 8)

US

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/09/2018

Rev. 7

Reviewed on 01/09/2018

Trade name: LITOCHROM STARLIKE (comp A)

(Contd. of page 7)

*NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Skin Irrit. 2: Skin corrosion/irritation – Category 2**Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A**Skin Sens. 1: Skin sensitisation – Category 1***. * Data compared to the previous version altered.**

US

**Safety Data Sheet
acc. to OSHA HCS**

Printing date 12/14/2016

Rev. 7

Reviewed on 11/08/2016

1 Identification

- **Product identifier**
 - **Trade name:** LITOCHROM STARLIKE (comp B)
 - **Application of the substance / the mixture** Hardener
- **Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
LITOKOL S.p.A.
13/1 G.Falcone Street
42048 Rubiera (RE)- Italy
Tel. +39 0522 626391 - Fax. +39 0522 620150
 - **Information department:** LITOKOL S.p.A. - Email: laboratorio@litokol.it
 - **Emergency telephone number:**
LITOKOL S.p.A.
Technical support: Tel. +39 0522 622852 (Monday - Friday: 8.30 -12.30 AM , 2.00 - 6.00 PM)

2 Hazard(s) identification

- **Classification of the substance or mixture**
 - Skin Irrit. 2 H315 Causes skin irritation.
 - Eye Irrit. 2A H319 Causes serious eye irritation.
 - Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

- **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning

- **Hazard-determining components of labeling:**

3,6,9-triazaundecamethylenediamine

- **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

- **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 1

Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 1

Fire = 1

Reactivity = 0

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/14/2016

Rev. 7

Reviewed on 11/08/2016

Trade name: LITOCROM STARLIKE (comp B)

· vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

| | | |
|-----------------|--|--------|
| CAS: 68951-85-9 | Fatty acids, tall-oil, polymers with bisphenol A, diethylenetriamine, epichlorohydrin and tetraethylenepentamine | 58-62% |
| CAS: 26950-63-0 | triethylenetetramine, propoxylated | 1-1.5% |
| CAS: 112-57-2 | 3,6,9-triazaundecamethylenediamine | 1-1.5% |

4 First-aid measures

· Description of first aid measures

· **General information:** Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.· **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Information for doctor:

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.· **Special hazards arising from the substance or mixture** No further relevant information available.

· Advice for firefighters

· Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

· Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Pick up mechanically.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/14/2016

Rev. 7

Reviewed on 11/08/2016

Trade name: LITOCHROM STARLIKE (comp B)

(Contd. of page 2)

7 Handling and storage

- **Handling:**
 - **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
 - **Information about protection against explosions and fires:** *No special measures required.*
- **Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Store only in the original receptacle.
 - **Information about storage in one common storage facility:** *Not required.*
 - **Further information about storage conditions:**
Store receptacle in a well ventilated area.
Keep receptacle tightly sealed.
Protect from heat and direct sunlight.
- **Specific end use(s)** *No further relevant information available.*

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** *No further data; see item 7.*
- **Control parameters**
 - **Components with limit values that require monitoring at the workplace:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

CAS: 112-57-2 3,6,9-triazaundecamethylenediamine

| | |
|------|--------------------------------------|
| WEEL | Long-term value: 5 mg/m ³ |
| | Skin; DSEN |

- **Additional information:** *The lists that were valid during the creation were used as basis.*

- **Exposure controls**
 - **Personal protective equipment:**
 - **General protective and hygienic measures:**
Do not eat, drink, smoke or sniff while working.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes and skin.
 - **Breathing equipment:**
Use suitable respiratory protective device in case of insufficient ventilation.
Short term filter device:
Filter B
 - **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/14/2016

Rev. 7

Reviewed on 11/08/2016

Trade name: LITOCROM STARLIKE (comp B)

(Contd. of page 3)

· Eye protection:



Tightly sealed goggles

· Body protection: Light weight protective clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

- Form: Liquid
- Color: Amber colored
- Odor: Amine-like
- Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

- Melting point/Melting range: Undetermined.
- Boiling point/Boiling range: 200 °C (392 °F)

· Flash point: 130 °C (266 °F)

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature:

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

- Lower: Not determined.
- Upper: Not determined.

· Vapor pressure: Not applicable.

· Density at 20 °C (68 °F): 0.98 g/cm³ (8.178 lbs/gal)

- Relative density: Not determined.
- Vapor density: Not determined.
- Evaporation rate: Not determined.

· Solubility in / Miscibility with

· Water: Not determined.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

- Dynamic: Not determined.
- Kinematic: Not determined.

· Solvent content:

· Solids content: 100.0 %

· Other information: No further relevant information available.

10 Stability and reactivity

· Reactivity: No further relevant information available.

· Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions: No dangerous reactions known.

· Conditions to avoid: No further relevant information available.

· Incompatible materials: No further relevant information available.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/14/2016

Rev. 7

Reviewed on 11/08/2016

Trade name: LITOCROM STARLIKE (comp B)

(Contd. of page 4)

· **Hazardous decomposition products:** *No dangerous decomposition products known.*

11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

CAS: 26950-63-0 triethylenetetramine, propoxylated

Oral LD50 4190 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rabbit)

CAS: 112-57-2 3,6,9-triazaundecamethylenediamine

Oral LD50 2140 mg/kg (rat)

Dermal LD50 1260 mg/kg (rabbit)

· **Primary irritant effect:**

· **on the skin:** *Irritant to skin and mucous membranes.*

· **on the eye:** *Irritating effect.*

· **Sensitization:** *Sensitization possible through skin contact.*

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

CAS: 112-57-2 3,6,9-triazaundecamethylenediamine

EC50 / 48h 24.1 mg/l (crustacea - *Daphnia magna*)

LC50 / 96h 420 mg/l (fish)

EC50 / 72h 2.1 mg/l (algae)

· **Persistence and degradability** *No further relevant information available.*

· **Behavior in environmental systems:**

· **Bioaccumulative potential** *No further relevant information available.*

· **Mobility in soil** *No further relevant information available.*

· **Additional ecological information:**

· **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

· **PBT:** *Not applicable.*

· **vPvB:** *Not applicable.*

· **Other adverse effects** *No further relevant information available.*

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/14/2016

Rev. 7

Reviewed on 11/08/2016

Trade name: LITOCHROM STARLIKE (comp B)

(Contd. of page 5)

- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*

14 Transport information

- **UN-Number**
· DOT, ADR, ADN, IMDG, IATA *Void*
- **UN proper shipping name**
· DOT, ADR, ADN, IMDG, IATA *Void*
- **Transport hazard class(es)**
· DOT, ADR, ADN, IMDG, IATA
· Class *Void*
- **Packing group**
· DOT, ADR, IMDG, IATA *Void*
- **Environmental hazards:**
· Marine pollutant: *No*
- **Special precautions for user** *Not applicable.*
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** *Not applicable.*
- **UN "Model Regulation":** *Void*

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements** *The substance is classified and labeled according to the Globally Harmonized System (GHS).*

- **Hazard pictograms**



GHS07

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/14/2016

Rev. 7

Reviewed on 11/08/2016

Trade name: LITOCHROM STARLIKE (comp B)

(Contd. of page 6)

- **Signal word** *Warning*
- **Hazard-determining components of labeling:**
3,6,9-triazaundecamethylenediamine
- **Hazard statements**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
- **Precautionary statements**
Wear protective gloves/protective clothing/eye protection/face protection.
Wash thoroughly after handling.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin irritation or rash occurs: Get medical advice/attention.
IF ON SKIN: Wash with plenty of water.
Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Contact:** *LITOKOL S.p.A.*
- **Date of preparation / last revision** *12/14/2016 / 6*
- **Abbreviations and acronyms:**
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
CLP: Classification, Labelling and Packaging
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Skin Sens. 1: Skin sensitisation – Category 1
- *** Data compared to the previous version altered.**

US