

SPECIFICATION SHEET

Type:

Model:

Project:

MODEL vPRO 2 Landscape Series • Transformers • Power Supply

TRANSFORMER SPECIFICATIONS:

EXTERIOR CONSTRUCTION:

20-gauge polished, top-grade domestic, 304 stainless steel. **FINISH:**

Polished stainless steel with Smudge-Free clear powder-coat. Also, polyester powder-coat finish available in Black, Verde, Architectural Brick, Architectural Bronze, Light Bronze, Dark Bronze, Special Bronze, Granite, Pewter, Terracotta, Rust, Hunter Green, Mocha, Weathered Bronze, Weathered Iron, and White.

TRANSFORMER CHARACTERISTICS:

Available Power Rating: 75 - 300 Watts.

Primary Voltage: 120 Volts (Also available in 240V, 50 or 60 cycle - special order only.)

Secondary Voltage: Fully dimable, user selected 12 or 15 Volts. Solid State power supply.

Downloadable app allows control by approved Bluetooth® 4.0 enabled device. Astronomic programming with multiple on/off and dimming. **TERMINALS:**

Extra-large terminal strip for multiple low voltage cable connections.

WIRING:


6-foot, heavy-gauge, grounded, water-resistant power cord with integrally molded plug.

CERTIFICATION:

UL Listed to U.S. safety standards for landscape lighting transformers (UL 1838).

All Vista transformers are MADE IN THE U.S.A.

DIMENSIONS:





Vista Professional Outdoor Lighting reserves the right to modify the design and/or construction of the fixture shown without further notification.



SPECIFICATION SHEET

MODEL vPRO 2 Landscape Series • Transformers • Power Supply

TRANSFORMER ORDERING INFORMATION

TO ORDER TRANSFORMER: Select appropriate choice from each column as in the following example.

EXAMPLE: VP2-75

Note: When a finish is not specified, vPRO 2 power supply will be shipped with a clear, polyester, powder-coat finish.

FEATURES:

- Low profile, light weight, stainless-steel enclosure
- Extended range 2.4GHZ external Bluetooth® 4.0 signal antenna
- Ease of handling and installation flexibility
- Solid-state technology
- Downloadable app allows control by approved Bluetooth® 4.0 enabled device
- User-Friendly interface for fast, easy set up and programming choices
- Enchanced graphics showing established connections to vPro 2
- Multi-Circuit control and programming with one Bluetooth® 4.0 connection
- Installation instructions and troubleshooting accessible within the app
- Astronomic programming with multiple on/off and dimming
- Smooth dimming from full bright to off
- On-the-fly override for all control aspects
- Self-adjusting voltage and current regulation against overloads, surges and spikes; protecting input and output circuits; no breakers to reset
- Available in single or double circuits; double circuit dimming individually addressable
- Multiple wattage options from 75 to 300
- Selectable voltage adjustment (12V or 15V)
- Outdoor/indoor rated