SAFETY DATA SHEET

1. Product and Company Identification

Product identifier	**Pristiva Premium Shock**
Other means of identification	Not available
Recommended use	Pool Water Treatment
Recommended restrictions	None known.
Manufacturer	Backyard Brands 401 S Enterprise Blvd. Lebanon, IN 46052 US Phone 1-866-875-0012 Poison Control Centre 877-800-5553
CHEMTREC	800-424-9300
CANUTEC	613-996-6666

2. Hazards Identification

Physical hazards	Oxidizing solids	Category 2
Health hazards	Acute toxicity, oral	Category 4
	Acute toxicity, dermal	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Reproductive toxicity (fertility, the unborn child)	Category 1B
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements

Signal word Danger

Hazard statement

May intensify fire; oxidizer.
Harmful if swallowed.
Harmful in contact with skin.
Causes skin irritation.
Causes serious eye irritation.
May damage fertility or the unborn child.
May cause respiratory irritation.

Precautionary statement

Prevention

Keep away from heat. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Wear protective gloves/protective clothing/eye protection/face protection.
Wash thoroughly after handling. Do not eat, drink or smoke when using this product.
Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
Avoid breathing dust. Use only outdoors or in a well-ventilated area.

Response

In case of fire: Use appropriate media to extinguish.
If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.
If on skin: Wash with plenty of water. Specific treatment (see this label). If skin irritation occurs: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
If exposed or concerned: Get medical advice/attention.
If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.

Storage

Store in a well-ventilated place. Keep container tightly closed.
Store locked up.

Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	100% of the mixture consists of component(s) of unknown acute inhalation toxicity. 10% of the mixture consists of component(s) of unknown acute dermal toxicity.

3. Composition/Information on Ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Sodium dichloroisocyanurate		2893-78-9	60-100
Boric acid		10043-35-3	5-10
Aluminium sulphate hydrate		16828-12-9	3-7
Citric Acid		77-92-9	3-7

Composition comments US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4. First Aid Measures

Inhalation	If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.
Skin contact	If on skin: Wash with plenty of water. Specific treatment (see product label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Eye contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.
Most important symptoms/effects, acute and delayed	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. In case of shortness of breath, give oxygen. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wear rubber gloves and chemical splash goggles. Avoid contact with eyes, skin and clothing. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media	Treat for surrounding material. Water spray, fog (flooding amounts).
Unsuitable extinguishing media	DO NOT use dry chemical fire extinguishing agents containing ammonium compounds (such as some A:B:C agents). An explosive compound can be formed.
Specific hazards arising from the chemical	Container may explode in heat of fire. This substance is an oxidizing agent and can supply oxygen to stimulate or accelerate the combustion of organic or other combustible substances.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Firefighters should wear full protective clothing including self contained breathing apparatus.
Fire-fighting equipment/instructions	In the event of fire, cool tanks with water spray. Move containers from fire area if you can do so without risk. Cool containers with flooding quantities of water until well after fire is out.
General fire hazards	These substances will accelerate burning when involved in a fire.
Hazardous combustion products	May include and are not limited to: Oxides of sulfur. Oxides of nitrogen. Oxides of carbon. Hydrogen chloride. Hydrogen cyanide (hydrocyanic acid). Chlorine.
Explosion data	
Sensitivity to mechanical impact	Not available.
Sensitivity to static discharge	Not available.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Keep people away from and upwind of spill/leak. Keep out of low areas. Ventilate closed spaces before entering them. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation. Following product recovery, flush area with water. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat. Provide adequate ventilation. Minimize dust generation and accumulation. Avoid breathing dust. Avoid contact with eyes, skin and clothing. Avoid contact during pregnancy/while nursing. Avoid prolonged exposure. Wear appropriate personal protective equipment. When using, do not eat, drink or smoke. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities Store locked up. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Keep away from heat, open flames or other sources of ignition. Keep container tightly closed. Guard against dust accumulation of this material. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Aluminium sulphate hydrate (CAS 16828-12-9)	TWA	1 mg/m3	Respirable fraction.
Boric acid (CAS 10043-35-3)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Aluminium sulphate hydrate (CAS 16828-12-9)	TWA	2 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines Chemicals listed in section 3 that are not listed here do not have established limit values for ACGIH.

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Rubber gloves. Confirm with a reputable supplier first.

Other As required by employer code.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.

Thermal hazards Not applicable.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and Chemical Properties

Appearance Dry flowable granules.

Physical state Solid.

Form Solid

Color White

Odor Chlorine

Odor threshold Not available.

pH 4.6

Melting point/freezing point Not available.

Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and Reactivity

Reactivity	This product reacts with acids. This product may react with oxidizing agents.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable, however, may decompose if heated.
Conditions to avoid	Heat, open flames, static discharge, sparks and other ignition sources. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizers.
Hazardous decomposition products	May include and are not limited to: Sulfur oxide. Oxides of nitrogen. Oxides of carbon. Chlorine. Hydrogen chloride.

11. Toxicological Information

Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.
Information on likely routes of exposure	
Ingestion	Harmful if swallowed.
Inhalation	May cause irritation to the respiratory system.
Skin contact	Harmful in contact with skin.
Eye contact	Causes serious eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity	Harmful in contact with skin. Harmful if swallowed. May cause respiratory irritation.

Components	**Species**	**Test Results**
Aluminium sulphate hydrate (CAS 16828-12-9)		
Acute		
Inhalation		
LC50	Not available	
Oral		
LD50	Mouse	> 730 mg/kg
	Rat	1930 mg/kg

Components	Species	Test Results
Boric acid (CAS 10043-35-3)		
Acute		
Dermal		
LD50	Rabbit	2000 mg/kg
Inhalation		
LC50	Not available	
Oral		
LD50	Chicken	2950 mg/kg
	Dog	2000 mg/kg
	Mouse	3450 mg/kg
	Rat	2660 mg/kg
Citric Acid (CAS 77-92-9)		
Acute		
Inhalation		
LC50	Not available	
Oral		
LD50	Mouse	5040 mg/kg
	Rat	3000 mg/kg
Sodium dichloroisocyanurate (CAS 2893-78-9)		
Acute		
Dermal		
LD50	Rabbit	6000 mg/kg
Inhalation		
LC50	Not available	
Oral		
LD50	Rat	1420 mg/kg

Skin corrosion/irritation	Causes skin irritation.
Exposure minutes	Not available.
Erythema value	Not available.
Oedema value	Not available.
Serious eye damage/eye irritation	Causes serious eye irritation.
Corneal opacity value	Not available.
Iris lesion value	Not available.
Conjunctival reddening value	Not available.
Conjunctival oedema value	Not available.
Recover days	Not available.
Respiratory or skin sensitization	
Respiratory sensitization	Not available.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	Not classified.
Mutagenicity	Not classified.
Carcinogenicity	Not classified.
ACGIH Carcinogens	
Aluminium sulphate hydrate (CAS 16828-12-9)	A4 Not classifiable as a human carcinogen.
Boric acid (CAS 10043-35-3)	A4 Not classifiable as a human carcinogen.
Reproductive toxicity	May damage fertility or the unborn child.
Teratogenicity	Not classified.
Specific target organ toxicity - single exposure	Respiratory tract irritation.
Specific target organ toxicity - repeated exposure	Not classified.

Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful.
Further information	Not available.
Name of Toxicologically Synergistic Products	Not available.

12. Ecological Information

Ecotoxicity See below

Components		**Species**	**Test Results**
Aluminium sulphate hydrate (CAS 16828-12-9)			
Aquatic			
Crustacea	EC50	Amphipod (Crangonyx pseudogracilis)	11.8 - 14 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	3.4 - 5.6 mg/l, 96 hours
Boric acid (CAS 10043-35-3)			
Crustacea	EC50	Daphnia	134 mg/L, 48 Hours
Aquatic			
Fish	LC50	Razorback sucker (Xyrauchen texanus)	> 100 mg/l, 96 hours
Citric Acid (CAS 77-92-9)			
Acute			
Crustacea	EC50	Daphnia magna	120 mg/l, 72 hr
Aquatic			
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	1516 mg/l, 96 hr
Sodium dichloroisocyanurate (CAS 2893-78-9)			
Crustacea	EC50	Daphnia	0 mg/L, 48 Hours
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.29 mg/l, 96 hours

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Mobility in general	Not available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

General Canada: TDG Proof of Classification: In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number UN1479

Proper shipping name	Oxidizing solid, n.o.s. (Sodium dichloroisocyanurate)
Hazard class	5.1
Packing group	II
Special provisions	62, IB8, IP2, IP4, T3, TP33
Packaging exceptions	152 - Limited quantity 1 kg
Packaging non bulk	212
Packaging bulk	240

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number	UN1479
Proper shipping name	OXIDIZING SOLID, N.O.S. (Sodium dichloroisocyanurate)
Hazard class	5.1
Packing group	II
Special provisions	16, 68
Packaging exceptions	Limited quantity 1kg

DOT

TDG

15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Canada Priority Substances List (Second List): Listed substance

Aluminium sulphate hydrate (CAS 16828-12-9)	Listed.

Canada WHMIS Ingredient Disclosure: Threshold limits

Aluminium sulphate hydrate (CAS 16828-12-9)	1 %
Boric acid (CAS 10043-35-3)	1 %
Citric Acid (CAS 77-92-9)	1 %
Sodium dichloroisocyanurate (CAS 2893-78-9)	1 %

WHMIS status Controlled

WHMIS classification Class C - Oxidizing Material, Class D - Division 2A, 2B

WHMIS labeling

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US CWA Section 311 Hazardous Substances: Listed substance

Aluminium sulphate hydrate (CAS 16828-12-9)	Listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Aluminium sulphate hydrate (CAS 16828-12-9) Listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazardous substance	No
SARA 311/312 Hazardous chemical	No

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Safe Drinking Water Act (SDWA)	Not regulated.
Food and Drug Administration (FDA)	Not regulated.

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Hazardous Substances (Director's): Listed substance

Aluminium sulphate hydrate (CAS 16828-12-9) Listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

US - Illinois Chemical Safety Act: Listed substance

Aluminium sulphate hydrate (CAS 16828-12-9) Listed.

US - Louisiana Spill Reporting: Listed substance

Aluminium sulphate hydrate (CAS 16828-12-9) Listed.

US - Minnesota Haz Subs: Listed substance

Aluminium sulphate hydrate (CAS 16828-12-9) Listed.

US - New Jersey RTK - Substances: Listed substance

Aluminium sulphate hydrate (CAS 16828-12-9) Listed.
Boric acid (CAS 10043-35-3) Listed.
Sodium dichloroisocyanurate (CAS 2893-78-9) Listed.

US - New York Release Reporting: Hazardous Substances: Listed substance

Aluminium sulphate hydrate (CAS 16828-12-9) Listed.

US - Texas Effects Screening Levels: Listed substance

Aluminium sulphate hydrate (CAS 16828-12-9) Listed.
Boric acid (CAS 10043-35-3) Listed.
Citric Acid (CAS 77-92-9) Listed.

US. Massachusetts RTK - Substance List

Aluminium sulphate hydrate (CAS 16828-12-9) Listed.
Sodium dichloroisocyanurate (CAS 2893-78-9) Listed.

US. Pennsylvania RTK - Hazardous Substances

Sodium dichloroisocyanurate (CAS 2893-78-9) Listed.

US. Rhode Island RTK

Aluminium sulphate hydrate (CAS 16828-12-9) Listed.

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	*	2
FLAMMABILITY		0
PHYSICAL HAZARD		1
PERSONAL PROTECTION		X



Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 30-June-2017

Effective date 30-June-2017

Expiry date 30-June-2020

Further information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Prepared by Dell Tech Laboratories Ltd. Phone: (519) 858-5021

Other information This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).
This SDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.