Page **1** of **7**

Revision Date: May 6, 2016



SECTION 1: IDENTIFICATION

Product Name: Quali-Pro Taurus Trio G

EPA Registration No.: 53883-381

Recommended Use: Insecticide; See product label for a complete list of uses and use sites. **Restrictions on Use:** See product label for any restrictions on the use of this product.

Chemical Family: N/A - Mixture

Chemical Name of Active Bifenthrin: 2-Methyl-3-phenylphenyl)methyl (15,3S)—[(Z)-2-chloro-3,3,3-

Ingredient(s): trifluroroprop-1-enyl]-2,2-dimethylcyclopropane-1-carboxylate

Fipronil: 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-

(trifluoromethylsulfinyl)pyrazole-3-carbonitrile

Lambda-cyhalothrin

Manufactured for: Control Solutions, Inc.

5903 Genoa-Red Bluff Pasadena, TX 77507

FOR FIRE, SPILL, AND/OR LEAK EMERGENCIES CONTACT: CHEMTREC 1-800-424-9300

FOR MEDICAL EMERGENCIES AND HEALTH AND SAFETY INQUIRIES CONTACT: Safety Call 1-866-897-8050

SECTION 2: HAZARD(S) IDENTIFICATION

EMERGENCY OVERVIEW: Gray to very light brown granules with a moderately salty odor. May be harmful if inhaled.

OSHA HCS CLASSIFICATION (29 CFR 1910.1200)

Category /	
Calegory 4	
	Category 4

Signal Word: WARNING

Hazard Statement(s): Harmful if inhaled

Precautionary Statement(s):

Prevention: Avoid breathing dust.

Use only outdoors or in a well-ventilated area.

Response: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell.

Storage: No statement required. See Section 7 for storage information. **Disposal:** No statement required. See Section 13 for disposal information.

SECTION 3: COMPOSTION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %
Bifenthrin	82657-04-3	0.23%
Lambda-cyhalothrin	91465-08-6	0.059%
Fipronil	120068-37-3	0.0143%

^{*}Ingredients not listed or listed with a weight % range are considered a trade secret and are withheld under 29 CFR 1910.1200(i).

Taurus Trio G

Revision Date: May 6, 2016

SECTION 4: FIR	ST AID MEASURES
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 1 5 to 20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF INGESTED:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Note to Physician: There is no specific antidote. All treatment should be based on observed signs and symptoms of distress in the patient. **Symptoms of Poisoning:** In severe cases of overexposure by oral ingestion, lethargy, muscle tremors, and in extreme cases, possible convulsions may occur.

Most important symptoms/effects, acute and delayed: Acute symptoms include mechanical irritation to eyes.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Use appropriate extinguishing media for surrounding fire.

Unsuitable Extinguishing Media: Heavy water stream

Hazardous Combustion Products: Thermal decomposition may produce oxides of carbon and nitrogen.

Special Protective Equipment &

Precautions:

Evacuate area and fight fire upwind from a safe distance to avoid hazardous vapors and decomposition products. Foam and/or dry chemical are preferred to minimize environmental contamination. If water is used, dike and collect water to prevent run-off. Wear self-contained breathing apparatus and full fire-fighting turn-out gear

(Bunker gear).

Unusual Fire & Explosion Hazards: None known

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: See Section 8 for personal protection equipment.

Environmental Precautions: Keep spilled material and any rinsate from contaminating soil or from entering

sewage and drainage systems and bodies of water.

Methods for Containment: Isolate the spill area. Keep unnecessary and unprotected personnel from

entering. Avoid inhalation of dust. Avoid actions that cause dust to become

airborne.

Methods for Clean-up: Uncontaminated product may be placed in a container for use according to

label directions. Do not put spilled material back in the original container. Avoid actions that cause dust to become airborne during dry clean-up such as sweeping or using compressed air. Use HEPA vacuum or thoroughly wet with water to clean-up dust. Pick up wash liquid with additional absorbent and

place in a disposable container.

Other Information: None known

Taurus Trio G

Page 3 of 7

Revision Date: May 6, 2016

SECTION 7: HANDLING AND STORAGE

Handling:

RECOMMENDATIONS ARE INTENDED FOR MANUFACTURING, PACKAGING AND COMMERCIAL BLENDING WORKERS. PESTICIDE APPLICATORS AND WORKERS must refer to the product label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Handle and open container in a manner as to prevent spillage. Do not eat, drink or smoke while handling this product. Immediately wash off accidental contact with product from skin, clothing and out of eyes.

Storage:

See pesticide label for full information on product storage. Do not contaminate water, food or feed by storage of this product. Store away from sources of heat, out of direct sunlight and away from incompatible materials. Pesticides should be stored in secured areas away from children and animals.

Storage Temperature (Min/Max): Not determined Product Incompatibilities: Strong oxidizers.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Users of a pesticide product must refer to the product label for personal protective equipment requirements.

Exposure Guidelines:

COMPONENT	OSHA PEL	ACGIH TLV	NIOSH REL
Particulates not otherwise	15 mg/m2	10 mg/m2	
regulated	15 mg/m3	10 mg/m3	

Engineering Controls: Provide general or local exhaust ventilation systems to maintain airborne

concentrations below OSHA PELs or other specified exposure limits. Local exhaust

ventilation is preferred.

Respiratory Protection: In areas of poor ventilation or where exposure limits are exceeded, use a NIOSH

approved respirator with cartridges/canisters approved for pesticides and dust.

Eye Protection: Chemical goggles or safety glasses and full-face shield.

Protective Gloves: Chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile,

neoprene rubber, polyvinyl chloride (PVC) or Viton.

Other Protective Clothing: Long-sleeved shirt, long pants and shoes plus socks.

General Safety Measures: Wash hands before eating, drinking, chewing gum, using tobacco, or using the

toilet. Remove clothing immediately after handling this product. Wash outside of gloves before removing. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot

maintaining PPE. If no such instructions for washables, use detergent and hot

water. Keep and wash PPE separately from other laundry.

Taurus Trio G

Page 4 of 7

Revision Date: May 6, 2016

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Gray to very light Upper/Lower Flammability Limits: Not determined

brown granules (solid)

Odor: Moderately salty **Vapor Pressure:** Not applicable **Odor Threshold:** Not applicable Not determined Vapor Density: 53.3 lbs/ft³ pH (1% dispersion): 7.0 - 8.0**Bulk Density:** Not determined **Melting /Freezing Point:** Not determined **Solubility: Boiling Point/Range:** Not determined **Partition Coefficient:** Not determined Flash Point: Not applicable **Auto-ignition Temperature:** Not determined **Evaporation Rate:** Not determined **Decomposition Temperature:** Not determined Flammability: Not determined **Viscosity:** Not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity: No chemical reactions known.

Chemical Stability: Stable under normal storage and handling conditions.

Possibility of Hazardous Reactions: No potential for hazardous reactions known unless mixed with

incompatible substances.

Conditions to Avoid: Excessive heat. **Incompatible Materials:** Strong oxidizers.

Hazardous Decomposition Products: Thermal decomposition may produce oxides of carbon and nitrogen.

SECTION 11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eye contact, Skin contact, Inhalation, Ingestion

Symptoms of Exposure: Mechanical irritation of eyes.

Oral LD₅₀: >5,000 mg/kg (rat)

Dermal LD₅₀: >5,050 mg/kg (rat)

Inhalation LC₅₀: >2.22 mg/L (rat)

Eye Irritation/Damage: Non-irritant (rabbit)

Skin Corrosion/Irritation: Non-irritant (rabbit)

Skin Sensitization: Non-sensitizer (guinea pig)

Chronic/Subchronic Toxicity: No data available
Mutagenicity: No data available
Reproductive Toxicity: No data available
Neurotoxicity: No data available
Target Organs: No data available
Aspiration Hazard: Not applicable

Carcinogenicity: Fipronil Technical: The EPA has classified fipronil as a Group C – Possible

Human Carcinogen based upon laboratory animal studies (increased thyroid tumors in male and female rats). Humans and rats have the same mechanism

of action which produced fipronil-induced thyroid tumors in the rat; however, the rat appears to be more highly sensitive than humans. Therefore, the fipronil-induced rat thyroid tumors are not considered

suggestive of a human health risk.

Taurus Trio G Revision Date

Page **5** of **7 Revision Date:** May 6, 2016

Chemical Name	ACGIH	IARC	NTP	OSHA
No components listed				

SECTION 12: ECOLOGICAL INFORMATION

Environmental Hazards Statement from FIFRA Regulated Pesticide Label:

This pesticide is toxic to birds, fish, aquatic and estuarine (tidewater dwelling) invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Cover, incorporate or clean up granules that are spilled. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off treatment area. Sweeping any product that lands on a driveway, sidewalk or street back onto the treatment area of the lawn will help to prevent runoff to water bodies or drainage systems. Do not contaminate water when disposing of equipment wash water or rinsate. Do not apply within 15 feet of bodies of fresh water, lakes, reservoirs, rivers, permanent streams, marshes, natural ponds, and commercial fish ponds. A 15 feet buffer of uniform groundcover must exist between application zone and bodies of freshwater (uniform ground cover is defined as land which supports vegetation of greater than 2 inches throughout).

Do not apply within 60 feet of estuarine bodies of water. Estuarine water bodies are brackish, tidal water such as bays, mouths of rivers, salt marshes, and lagoons.

In order to reduce risk to birds, ensure that the application is spread evenly over the treatment area.

ECOTOXICITY DATA: Data presented below is on the technical active ingredients.

Fish Toxicity: Bifentrhin - S. gairdneri: 96-hour $LC_{50} = 0.1 \text{ mg/L}$

Fipronil - Zebra fish: 96-hour LC₅₀ = 0.071 mg/L

Lambda-cyhalothrin - Rainbow trout: 96 hr LC₅₀ <0.24 μ/L

Aquatic Invertebrate Toxicity: Bifenthrin - *Daphnia magna*: 96-hour EC₅₀ = 0.65 mg/L

Fipronil - Daphnia magna: 96-hour EC₅₀ < 0.1 mg/L

Lambda-cyhalothrin - Daphnia magna: 48 hr EC₅₀ <0.001 μ/L

Aquatic Plant Toxicity: Bifenthrin - P. subcapitata: EC₅₀ = 11.04 mg/L

Fipronil - P. subcapitata: EC50 = 3.0 mg/L

Avian Toxicity: Bifenthrin - Bobwhite quail: oral LD₅₀ = 1800 mg/kg

Fipronil - Japanese quail: LD50 = 148.5 mg/kg

Honeybee Toxicity: Bifenthrin - Oral LD₅₀ = $0.39 \mu g/bee$

Fipronil - Oral LD₅₀ = $0.003 \mu g/bee$

ENVIRONMENTAL EFFECTS:

Persistence and Degradability: No data available Bioaccumulation: No data available Mobility: No data available Other Adverse Effects: No data available

Page **6** of **7 Taurus Trio G**

Revision Date: May 6, 2016

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Refer to the pesticide label for full information on disposal. Pesticide wastes are

> toxic. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of Federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance in

proper disposal methods.

Refer to the pesticide label for full information on disposal. When possible, triple **Container Disposal:**

rinse the container and offer for recycling if available.

RCRA Characteristics: It is the responsibility of the individual disposing of this product to determine the

RCRA classification and hazard status of the waste.

SECTION 14: TRANSPORTATION INFORMATION

DOT

Not regulated (Ground):

IMDG UN3077, Environmentally hazardous substance, solid, n.o.s. (Bifenthrin, Fipronil, Lambda-

cyhalothrin), 9, PGIII (Sea):

IATA UN3077, Environmentally hazardous substance, solid, n.o.s. (Bifenthrin, Fipronil, Lambda-

(Air): cyhalothrin), 9, PGIII

SECTION 15: REGULATORY INFORMATION

Labeling Requirements Under FIFRA: This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Avoid contact with skin, eyes or clothing. Harmful if absorbed through skin. Causes eye irritation. Avoid breathing dust.

This product is exempt from TSCA inventory listing requirements as it is solely for FIFRA TSCA Inventory:

regulated use.

SARA Title III Information:

Section 302 – Extremely hazardous substances: None

Section 311/312 – Hazard Categories: Immediate (Acute)

Section 313 – This product contains a chemical or chemicals which are subject to the reporting

requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %
None listed		

Taurus Trio G

Page **7** of **7** Revision Date: May 6, 2016

CERCLA - This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Chemical Name	CAS Number	RQ	Quantity of Finished Product
None listed			

CALIFORNIA PROPOSITION 65:

Chemical Name	CAS Number	Prop 65 Category(ies)
None listed		

U.S. STATE RIGHT-TO-KNOW REGULATIONS:

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Bifenthrin	X		
Lambda-cyhalothrin	X		X

SECTION 16: OTHER INFORMATION

NFPA He	lealth Hazards 1	Flammability 1	Instability 0	Special Hazards – None
---------	------------------	----------------	---------------	------------------------

Disclaimer: Control Solutions, Inc. believes the information presented herein is accurate and correct as of the document date. The presented information is based upon available data from reliable sources. Control Solutions, Inc. makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: May 6, 2016 **Document Superseded:** January 25, 2016

Revision Note: Updated with EPA registration information